

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	, Sec Twp S. R
OPERATOR: License#	(Q/Q/Q/Q) foot from N / S Line of Section
Vame:	feet from F / W Line of Section
ddress 1:	1 0F0T10N
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
State: Zip: +	·
Contact Person:	County:
hone:	
ONTRACTOR: License#	Field Name:
ame:	is the arrelated, epassarrela.
uno.	14.get 1 ea.e(e).
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I II
	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes f Yes, true vertical depth:	weii Tailii Folid Stilei.
ries, true vertical deptil.	
•	DVVR Permit #.
Bottom Hole Location:	(Note: Apply for Permit with DWR)
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes N
Bottom Hole Location:	(Note: Apply for Permit with DWR)
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes
Sottom Hole Location: CCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes 1 If Yes, proposed zone:
Sottom Hole Location: CCC DKT #: The undersigned hereby affirms that the drilling, completion and even	(Note: Apply for Permit with DWR) Will Cores be taken? Yes N If Yes, proposed zone:
Sottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes N If Yes, proposed zone:
Sottom Hole Location:	Will Cores be taken? Yes Nerrit with DWR Yes Nerri with DWR Yes Nerrit with DWR Yes Nerrit with DWR Yes Ne
CCC DKT #: The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent to drill shall be posted o	Will Cores be taken? Yes New Y
CCC DKT #: The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent of the prior of the approved notice of intent to drill <i>shall be</i> posted of the intent of the prior of the approved notice of intent to drill <i>shall be</i> posted of a specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.
The undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the street of the st	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging;
CCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent in the proved shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and in the properties of the proporties of the properties will be notified before well is either the properties of the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; r plugged or production casing is cemented in;
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intention of the approved notice of intent to drill <i>shall be</i> posted of the intention of the int	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intention of the specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator and of the specified below the specified below. The appropriate district office will be notified before well is either than all the specified below. The appropriate district office will be notified before well is either than all the specified below. The appropriate district office will be notified before well is either than all the specified below. The appropriate district office will be notified before well is either than all the specified below. The appropriate district office will be notified before well is either than all the specified below.	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; r plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date.
CCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent of the posted of the intent of th	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. In each drilling rig; The plugged or production casing is cemented in; The plugged o
inche undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet in the well is dry hole, an agreement between the operator and in the surface propriate district office will be notified before well is either in ALTERNATE II COMPLETION, production pipe shall be conformed in the complete of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. In red and the plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be concerned by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be concerned by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be concerned by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date. The right of the right o
he undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and some strength of the spurious filters of the spurious filters are the corresponding to the properties of the spurious filters are the surface casing of the spund date or the well submitted Electronically For KCC Use ONLY	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. The right of t
he undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator and the strength of the spurious of the spurious pipe shall be on the computation of the spurious of the spurious of the spurious of the well is either than the strength of the spurious of the spurious of the spurious of the well is either than the strength of the spurious of the sp	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; or mented from below any usable water to surface within 120 DAYS of spud date. The right of the kCC District 3 area, alternate II cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
ccc description of the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the approved notice of intent to drill <i>shall be</i> posted of the intention of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet the well is dry hole, an agreement between the operator and the surface of the intention of the surface will be notified before well is either the appropriate district office will be notified before well is either the surface of the surface casing of the spud date or the well surface. It is not all the surface of the surface of the surface casing of the spud date or the well surface. It is not all the surface of the surfac	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; in plugged or production casing is cemented in; interest of the modern below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and its 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be of the or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well submitted Electronically For KCC Use ONLY	(Note: Apply for Permit with DWR) Will Cores be taken?
Sottom Hole Location: CCC DKT #: The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the standard of the prior of the specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator and the standard of the specified before well is either the standard of the specified before well is either the specified before the specified before well is either the specified before the specified before well is either the specified before the specified before the specified before t	(Note: Apply for Permit with DWR) Will Cores be taken? Yes 1 Yes If Yes, proposed zone: Yes 1 Will Cores be taken? Yes 1 Will Cores be taken? Yes 1 Will Yes, proposed zone: Yes 1 Will Yes 1 Will Yes 1 Wes 1 W
Bottom Hole Location: CCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet if the well is dry hole, an agreement between the operator and it is. The appropriate district office will be notified before well is either. If an ALTERNATE II COMPLETION, production pipe shall be concompleted within 30 days of the spud date or the well is submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	(Note: Apply for Permit with DWR) Will Cores be taken?

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _							Loc	ation of V	Vell: County:	:				
Lease:										feet	from	N /	S Line	of Section
Well Number:Field:					<u> </u>	feet from E / W Line of Section								
					Sec	SecTwpS. R E W						W		
Number of							ls S	Section:	Regular	r or	Irregular			
QTR/QTR/0	QTR/QTR	of acreag	e:											
							If S	ection is	Irregular, lo	cate well	from nea	arest co	rner boun	dary.
							Sec	ction corn	er used:	NE	NW :	SE S	SW	
							PLAT							
	Sh	now locatio	on of the v	vell Show	footage to	_		unit houn	dary line. Sh	now the pre	edicted In	cations (of	
					-				sas Surface					
		,				ay attach a					,		,	
			2	2310 ft.										
		:	:	:		: :								
		: : :	:	:							LEGE	ND		
			·	•	••••			·		_	Well Lo			
		:	:	:						\cap			ocation	
		• •	:	:		: :				Ш	Pipelin	-		
		:	: "	:	•••••	: :	•••••	:			· Electric			
		• • •	:	:		: :					Lease			
		:	:	:		:		: 			20000	. toda L	oodiioii	
1707 #		· •	:	:		: :								
1787 ft		· •) .					E	XAMPLE	:		:	
		• •	· :	:		· · ·	:		-	:				
			:	1	ı					· · · · · ·			•	
	:	:	:	:	:	:	:			:			:	
			•	:		:	;							
												• • • • • • • • • • • • • • • • • • • •		
											0=3			1980' FSL
			:							:	Ĭ		:	
				:		:			"	:		• • • • • • • • • • • • • • • • • • • •	:	
		· · · · · · · · · · · · · · · · · · ·		:		· · · · · ·							:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:			Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):				
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty				
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits				
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.				
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:				
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No Submitted Electronically		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: de closed within 365 days of spud date.				
KCC OFFICE USE ONLY							
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No				



Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)							
OPERATOR: License #	Well Location:							
Name:	SecTwpS. R							
Address 1:	County:							
Address 2:	Lease Name: Well #:							
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of							
Contact Person:	the lease below:							
Phone: () Fax: ()								
Email Address:								
Surface Owner Information:								
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional							
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the							
Address 2:	county, and in the real estate property tax records of the county treasurer.							
City: State: Zip:+								
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.							
Select one of the following:								
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the rner(s). To mitigate the additional cost of the KCC performing this							
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1							
Submitted Electronically	_							



Fall & Associates

Stake and Elevation Service 719 W. 5" Street P.O. Bex 404 Cencerdia, KS. 66901 1-800-536-2821

Date 2-5-13

0104131 Invoice Number Anderson 1-1 CHOLLA PRODUCTION, LLC Farm Name Number Operator 2210'FNL 1787'FWL 30w 25 Decatur-KS Location S County-State 2786 Gr. Elevation Cholla Production, LLC Emily Ordered By: 10390 Bradford RD. Suite 201 Littleton, CO. 80127 Scale 1"=1000" Stake Proposed tank battery Proposed lease road, Howlines and electric Set 5' iron rod & 4' wood stake on level pasture hilltop 330' N of 1/2 line fence and lease line. Staking ingress was across neighboring farm ground south.

