

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

month o	d	Spot Description:
monur	day year	
DPERATOR: License#		feet from N / S Line of Section
lame:		feet from E / W Line of Section
ddress 1:		Is SECTION: Regular Irregular?
ddress 2:		(Note: Locate well on the Section Plat on reverse side)
City: State:		County:
Contact Person:		Lease Name: Well #:
Phone:		
CONTRACTOR: License#		Field Name: Is this a Prorated / Spaced Field? Yes No.
Name:		
vario.		Target Formation(s):
Well Drilled For: Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield	Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext.	Air Rotary	Water well within one-quarter mile:
Disposal Wildcat	Cable	Public water supply well within one mile:
Seismic ; # of Holes Other		Depth to bottom of fresh water:
Other:		Depth to bottom of usable water:
LE CIADACO - ald could intermediate as a fall-		Surface Pipe by Alternate: I II
If OWWO: old well information as follows:		Length of Surface Pipe Planned to be set:
Operator:		Length of Conductor Pipe (if any):
Well Name:		Projected Total Depth:
Original Completion Date: Orig	ginal Total Depth:	Formation at Total Depth:
		Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No	Well Farm Pond Other:
If Yes, true vertical depth:		DWR Permit #:
Bottom Hole Location:		(Note: Apply for Permit with DWR)
KCC DKT #:		Will Cores be taken?
		If Yes, proposed zone:
	٨Ε	FIDAVIT
	= ==	
The undersigned hereby affirms that the drilling	a completion and eventual bi	agging of this won win comply with it.o.A. 33 ct. 3cq.
It is agreed that the following minimum requirer	ments will be met:	
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prior</i>	ments will be met: r to spudding of well;	
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prior</i> 2. A copy of the approved notice of intent to	ments will be met: r to spudding of well; o drill shall be posted on eac	h drilling rig;
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prior</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be see	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>priot</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation.
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prior</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging ;
It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging ;
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>priot</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Ka	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order #	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; but from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>priot</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, prodor pursuant to Appendix "B" - Eastern Ka	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order #	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; but from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, prodor pursuant to Appendix "B" - Eastern Ka	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order #	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; but from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Ka must be completed within 30 days of the	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order #	th drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; but from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Ka must be completed within 30 days of the	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order #	th drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; but from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order #	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; but from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Ka must be completed within 30 days of the	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order #	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. The trict office on plug length and placement is necessary prior to plugging ; The great or production casing is cemented in; The drom below any usable water to surface within 120 DAYS of spud date. The sur
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis diffied before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the ubmitted Electronically For KCC Use ONLY API # 15 -	ments will be met: r to spudding of well; o drill shall be posted on each specified below shall be set s a minimum of 20 feet into the ween the operator and the dis iffied before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. The trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>priot</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the ubmitted Electronically For KCC Use ONLY API # 15	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be feet	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the ubmitted Electronically For KCC Use ONLY API # 15	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be feet	th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>priot</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the ubmitted Electronically For KCC Use ONLY API # 15	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis diffied before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be feet feet feet per ALT. I I II	th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, procount of pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the ubmitted Electronically For KCC Use ONLY API # 15	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis diffied before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be feet feet feet per ALT. I I II	th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the submitted Electronically For KCC Use ONLY API # 15	ments will be met: r to spudding of well; o drill shall be posted on each specified below shall be set is a minimum of 20 feet into the ween the operator and the distiffed before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be spud date or the well shall be greater than the surface casing order # e spud date or the well shall be greater than the surface casing order # e spud date or the well shall be greater than the surface casing order # e spud date or the well shall be greater than the surface case in the surface	th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	-

Operator:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County:

Operator.									on county.
Lease:									feet from N / S Line of Section
Well Number	er:								feet from E / W Line of Section
Field:							_ Se	C	Twp S. R
Number of A								Section:	Regular or Irregular
								Section is ction corne	Irregular, locate well from nearest corner boundary. er used: NE NW SE SW
		ids, tank b			d electrica	the neare al lines, as	required b		dary line. Show the predicted locations of as Surface Owner Notice Act (House Bill 2032). ired.
		:	:	:		:	:	:	LEGEND
	••••								O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
1056 ft		·	:	:		:	:	:	EXAMPLE : :
		:	:	5	 ; 	:	:	:	
		:		: : : :	••••	:			1980' FSL
				: 					

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty	
Is the pit located in a Sensitive Ground Water A	rea? Yes	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.	
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No Submitted Electronically		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: de closed within 365 days of spud date.	
KCC OFFICE USE ONLY				
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No	



1117503


Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent)				
OPERATOR: License #	Well Location:				
Name:					
Address 1:	County: Well #: Well #: If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:				
Address 2:					
City: State: Zip:+					
Contact Person:					
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.				
Address 2:					
City: State: Zip:+					
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
owner(s) of the land upon which the subject well is or will be loce CP-1 that I am filing in connection with this form; 2) if the form the form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I an KCC will be required to send this information to the surface owner(s).	act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. cknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this I fee, payable to the KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.				
Submitted Electronically					



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.