

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	(0/0/0/0) feet from N / S Line of Sectio
Name:	feet from E / W Line of Sectio
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City:	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Vame:	Target Formation(s):
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: II III
II OVVVO. Old Well IIIIOTTIAtion as follows.	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes 1	Well Tallit old Stilet.
f Yes, true vertical depth:	BWICE GITTIE #.
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met:	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i>	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent to the specified below through all unconsolidated materials plus a minimum of 20 feet intents.	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent to the specified below through all unconsolidated materials plus a minimum of 20 feet intents.	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either processing the complete shall be cempleted.	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; tented from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either propriate district office will be notified before well be cem or pursuant to Appendix "B" - Eastern Kansas surface casing order.	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; tented from below any usable water to surface within 120 DAYS of spud date. ear #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either propriate district office will be notified before well be cem or pursuant to Appendix "B" - Eastern Kansas surface casing order.	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; tented from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either propriate district office will be notified before well be cem or pursuant to Appendix "B" - Eastern Kansas surface casing order.	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; tented from below any usable water to surface within 120 DAYS of spud date. ear #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inf 4. If the well is dry hole, an agreement between the operator and the composition of the strict office will be notified before well is either properties. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date.	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; tented from below any usable water to surface within 120 DAYS of spud date. ear #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inf 4. If the well is dry hole, an agreement between the operator and the composition of the strict office will be notified before well is either properties. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date.	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; tented from below any usable water to surface within 120 DAYS of spud date. ear #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inf 4. If the well is dry hole, an agreement between the operator and the composition of the strict office will be notified before well is either properties. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date.	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; tented from below any usable water to surface within 120 DAYS of spud date. ear #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inf 4. If the well is dry hole, an agreement between the operator and the composition of the strict office will be notified before well is either properties. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date.	AFFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Indistrict office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; the ented from below any usable water to surface within 120 DAYS of spud date. Set #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the specific properties and the specific properties of the spec	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set on the underlying formation. district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inf 4. If the well is dry hole, an agreement between the operator and the force of the strict office will be notified before well is either properties. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **Description** **Descr	AFFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; the ented from below any usable water to surface within 120 DAYS of spud date. The ented from below any usable water to surface within 120 DAYS of spud date. The ented from below any district office prior to any cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the force of the specified district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties of the specified properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district	AFFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; the enterty of the plugged of production casing is cemented in; the enterty of the plugged of the plugged of the plugged of the plugged. In all cases, NOTIFY district office prior to any cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties. If an ALTERNATE II COMPLETION, production pipe shall be cemen or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **Description**	AFFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the foundation of the strict office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well is either properties. The appropriate district office will be notified before well	AFFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the foundation of the strict office will be notified before well is either the properties of the spurious pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **Description** **Descrip	AFFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the foundation of the strict office will be notified before well is either properties of the specified before well is either properties. The appropriate district office will be notified before well is either properties of the specified before well is either properties. The appropriate district office will be notified before well is either properties of the specified before well is either properties. The appropriate district office will be notified before well is either properties of the specified before well is either properties of the specified before well is either properties. The appropriate district office will be notified before well is either properties of the specified before well is either properties. The appropriate district office will be notified before well is either properties of the specified before well is either properties. 4. If the well is dry hole, an agreement between the operator and the specified before well is either properties of the specified before well is either properties. 5. The appropriate district office will be notified before well is either properties. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemporator and the specified before well is either properties. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemporator and the specified before well is either properties. 7. Conductor pipe required	AFFIDAVIT Il plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set on the underlying formation. district office on plug length and placement is necessary prior to plugging; or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing of the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the states of the appropriate district office will be notified before well is either propriate of the specific of the specific or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. When the specific or the specific	AFFIDAVIT Il plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set on the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. ear #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
_ease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	AT
	ease or unit boundary line. Show the predicted locations of uired by the Kansas Surface Owner Notice Act (House Bill 2032).
	parate plat if desired.
	2385 ft.
	LEGEND
	O Well Location
	Tank Battery Location
	Pipeline Location
	Electric Line Location
	Lease Road Location
	Lease Road Location
	:
	EXAMPLE : :
: : :	: EXAMPLE
8	
	1980' FSL
	:
	······································
	SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed Existing		SecTwp R
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)		(bbls)	County
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l
To the processing in a content of country training			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
			Width (feet) N/A: Steel Pits
Pit dimensions (all but working pits):	om ground level to dea	,	
If the pit is lined give a brief description of the li			dures for periodic maintenance and determining
material, thickness and installation procedure.			cluding any special monitoring.
Distance to nearest water well within one-mile	of pit:	Depth to shallor Source of inform	west fresh water feet. nation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease:		Number of worl	ring pits to be utilized:
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.
Submitted Electronically			
Submitted Electronically			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



1119141

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:		
Name:	Sec TwpS. R		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
are preliminary non-binding estimates. The locations may be entered of	k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will be le	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the I			
that I am being charged a \$30.00 handling fee, payable to the I	CC, which is enclosed with this form. fee with this form. If the fee is not received with this form, the KSONA-1		

For KCC Use ONLY	
API # 15	

Operator: OWENS PETROLEUM, LLC

Lease: LAWRENCE

Well Number: 1

Field: Vernon

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Sec. 8

Location of Well: County: Woodson

feet from X N / S Line of Section

feet from X E / W Line of Section

1980' FSL

__ S. R. ¹⁶

SEWARD CO. 3390' FEL

Number of Acres attributable to well:		s Section: 🛛 Regular or 🔲 Irregular
QTR/QTR/QTR/QTR of acreage: NW	- <u>NW</u> - <u>NW</u> - <u>NE</u>	Togular or Integular
		Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	PLAT	
Show location of the we	II. Show footage to the nearest lease	or unit boundary line. Show the predicted locations of
lease roads, tank batteries, pip	elines and electrical lines, as required	by the Kansas Surface Owner Notice Act (House Bill 2032).
	You may attach a separa	te plat if desired.
: : :	[레 : :	:
		LEGEND
: :	1 1	EGEND
		O Well Location
		Tank Battery Location
;	; ;	Pipeline Location
		Electric Line Location
		Lease Road Location
•••••	······ · · · · · · · · · · · · · · · ·	
		EXAMPLE : :
	· · ·	
	: :	
	1	
•		
	: :	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Thomas E. Wright, Commissioner Jay Scott Emler, Commissioner

March 19, 2014

Scott Owens Owens Petroleum LLC 1274 202ND RD YATES CENTER, KS 66783-5411

Re: Drilling Pit Application Lawrence 1 NE/4 Sec.08-24S-16E Woodson County, Kansas

Dear Scott Owens:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.