

Kansas Corporation Commission Oil & Gas Conservation Division

1119556

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used?
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW Plug Back: Plug Back Total Depth Commingled Permit #: Dual Completion Permit #: SWD Permit #:	Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite: Operator Name: Lease Name: License #: Quarter Sec Twp S. R Bast West
ENHR	County: Permit #:
Spud Date or Date Reached TD Completion Date or	
Recompletion Date Date Reached 1D Completion Date of Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Letter of Confidentiality Received					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I III Approved by: Date:					

Side Two



Operator Name:				Lease I	Name: _			_ Well #:		
Sec Twp	S. R	East	West	County	":					
INSTRUCTIONS: Shitime tool open and clorecovery, and flow rate line Logs surveyed. A	sed, flowing and shues if gas to surface te	t-in pressures st, along with	s, whether so final chart(s	hut-in pres	sure read	ched static level,	hydrostatic press	sures, bottom h	nole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional S		Yes	☐ No			og Formatio	n (Top), Depth ar	nd Datum	;	Sample
Samples Sent to Geol	ogical Survey	Yes	No		Nam	е		Тор	[Datum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy		Yes Yes Yes	No No No							
List All E. Logs Run:										
		Report a		RECORD	Ne	w Used	ion, etc.			
Purpose of String	Size Hole Drilled	Size C Set (In		Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used		and Percent additives
			ADDITIONAL	CEMENTII	NG / SQL	 EEZE RECORD				
Purpose:	Depth	Type of (cks Used Type and Percent Additives					
Perforate Protect Casing	Top Bottom	71								
Plug Back TD Plug Off Zone										
Flug On Zone										
	PERFORATI	ON RECORD	- Bridge Plug	s Set/Type		Acid, Fra	cture, Shot, Cemen	t Saueeze Recor	d	
Shots Per Foot	Specify	Footage of Eac	h Interval Perf	forated			mount and Kind of Ma			Depth
TUBING RECORD:	Size:	Set At:		Packer A	t:	Liner Run:	Yes No			
Date of First, Resumed	Production, SWD or EN	_	roducing Meth	nod:	ıg 🗌	Gas Lift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er B	bls.	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:		ħ.	METHOD OF	COMPLE	TION:		PRODUCTION	ON INTER	VAL:
Vented Sold		Оре	n Hole	Perf.	Dually	Comp. Cor	nmingled			
(If vented, Sub			or (Specify)		(Submit A	ACO-5) (Sub	mit ACO-4)			

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, saller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading strucks is 5 minutes par yard. A building in the concrete contains correct

CA001

CASH CUSTOMER



MIXING & HAULING

RU11/2 RUNNING FOXES PETROLEUM 1690 155TH ST (VOGEL LEASE) 54 E TO 1557H 70 3-174 1740 W SD

FORT SCOTT, KS 66701

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	Property of the second second second	DRIVER/TRUCK		PLANT/TRANSACTION #
				% CAL	DM	% AIR	
10:25:36a	#ELL	8.00 yd	16.00 yd	0.00	34	0,00	BOUCO
DATE		LOAD#	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	o Date	4.2	32.00 yd				
11-16-12	oday	2.	16.00 yd	22722	6/yd 0.0	4.00 in	33125

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portand Cement, Wear Rubber Bodis and Glovas, PROLONGED CONTACT MAY
CAUSE BURNIS. Avoid Contact With Eyes, and Prolonged Contact With Skin, in Case of
Contact With Skin or Eyes, Fush, Thoroughly With Water, if Intitation Parsists, Gef Medical
Attention, KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY AND BECOMES tHE PROPERTY OF thE PURCHASER UPON LEAVING THE PLANT, ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' tees incurred in collecting any sums owed:

All processits and most within 30 class of claimers will have interpret of the rate of 24% per parties. Not Responsible for Reactive Aggregate of Color Quality, No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be pollected on all Returned Checks

MIXAHAUL

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSDE CURB UNE)
Deer Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the 22s and weight of his
truck may possibly cause damage! to the premises and/or adjacent
property if it places the materials in this load where you desire it. It is
our with to help you in every very that we can, but in order to do this
to drive in receivering that you large the RELEASE releaving than and
this applice from any responsibility from any damage that may occur
to the premises and/or adjacent property. Diddings descents,
threware, curbo, etc., by the delivery of the material, and that, you
also agree to help him restroice malerton the wheels for he which contrain the will not fills the public street. Further, as additional consideration, the understanded appear to indemnify and held harmises the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent; property which may be claimed by anyone to have
assis out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

Excess Delay Time Charged @ \$50/HR.			Na Allanda de la companya della companya della companya de la companya della comp
QUANTITY CODE	DESCRIPTION		UNIT PRICE EXTENDED PRICE
g gah Liett	METT 71D CO	eve ped (MTT)	1 E 010

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
			1. JOB NOT READY 6. TRUCK BROKE DOWN 2: SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION		
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE	
10139	111.129				ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAYTIME	ADDITIONAL CHARGE 2
					GRAND TOTAL


1690 155th St. Fort Scott, Ks

Cement & Acid Report

STONE PM	enf ·	. Sec. 36	Contractor COMPAN Twp. 245	Rng. 236
	· · · · · · · · · · · · · · · · · · ·			
Quantity	Materials Used			
755ks	Portland Co	ement		
	-	·		
			3	
			1	
<u> </u>				
	1			
T.D. 40	سم	Cea (Set At _ <i>376</i>	Volume
70			Set At	VO/GINE .
Hole		The	Set AT	Volume
. Press		Size I	Pipe 2 1/8	
Depth		Pker	Depth	
Used		Time	Started	
		Time	Finished	
_			***************************************	
arks: 🔊	I" pine down	beside 22	to top of nach	ker. Pumped
Surface.	Relled l'objet	hentopped of	to top of pack	ent. Let we
hrs the	n ran l'bipe	lown 22x and	washed well	to TD. Pulled
				-
tnessed By	•			
			$oldsymbol{e}$ Name $oldsymbol{\mathcal{R}}$	



CST Oil & Gas



Operator	: RY	Well:	-360	340
Spud Date	: 8-25-12 Completion Date	: 8-29-12 Bit Size: 634	Surface Size	: 85E
Depth	Formation	Remarks		g Tally
	faili clay		0	6
	Sendstore & Shale		<u> </u>	35
	of en o		39	75
	Shale		1	184
	Lasey.	fx secti	139	130
	Tale		136	100
			141	243
	A 0:	andomoro	243	244
	Shale		244	378
	Lan Oil Sand		338	405
	800000000000000000000000000000000000000			
	1 Could 3/8	705		
	PHO an	Halls-		2 \ /
	- Comment	10 Q		32.60
	-			32.55 32.60
	2% Seating Nipple			32.60
	2-23/ Countings Open Hole Packer Rubber			32.50
	Open Hole Pricker Rubber			32.60
	Tubing Clamp			32,50
	J	·		32./0
				32.60
				32.55
				32,50
				32.55 32.50 20.30
				378,0
l o			<u> </u>	