

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1120490

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	Spot Description:		
month day year			
OPERATOR: License#	(a/a/a/a) feet from N / S Line of Section		
Name:	feet from E / W Line of Section		
Address 1:	Is SECTION: Regular Irregular?		
Address 2:	(Note: Locate well on the Section Plat on reverse side)		
City: State: Zip: +	County:		
Contact Person:	Lease Name: Well #:		
Phone:	Field Name:		
CONTRACTOR: License#	Is this a Prorated / Spaced Field?		
lame:	Target Formation(s):		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):		
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS		
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:		
Disposal Wildcat Cable	Public water supply well within one mile:		
Seismic ; # of Holes Other	Depth to bottom of fresh water:		
Other:	Depth to bottom of usable water:		
If OMMAO, old wall information on fallering	Surface Pipe by Alternate: III		
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:		
Operator:	Length of Conductor Pipe (if any):		
Well Name:	Projected Total Depth:		
Original Completion Date: Original Total Depth:	Formation at Total Depth:		
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:		
Directional, Deviated or Horizontal wellbore? Yes No  Yes, true vertical depth:	Well Farm Pond Other:		
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )		
ottom Flore Leodation.	(Note: Apply for Permit with DWR     )		
(CC DKT #:			
(CC DKT #:	Will Cores be taken?		
CCC DKT #:			
AFI	Will Cores be taken? Yes Yes If Yes, proposed zone:		
AFI	Will Cores be taken? Yes If Yes, proposed zone:		
AFI The undersigned hereby affirms that the drilling, completion and eventual plu	Will Cores be taken? Yes Yes If Yes, proposed zone:		
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.		
AFI The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig;		
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set		
AFI The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In the sequence of the sequence		
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In yo circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In ict office on plug length and placement is necessary prior to plugging;		
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In all cases surface pipe shall be set underlying formation.  In all cases surface pipe shall be set underlying formation.  In all cases surface pipe shall be set underlying formation.  In all cases surface pipe shall be set underlying formation.  In all cases surface pipe shall be set underlying formation.  In all cases surface pipe shall be set underlying formation.  In all cases surface pipe shall be set underlying formation.		
AFI The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In your circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; are from below any usable water to surface within 120 DAYS of spud date.  If I from below any usable water to surface within 120 DAYS of spud date.  If I from below any usable water to surface within 120 DAYS of spud date.		
AFI The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In your circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; are from below any usable water to surface within 120 DAYS of spud date.		
AFI The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In or circulating to the set underlying formation to the set underlying formation.  If from below any usable water to surface within 120 DAYS of spud date.  If the or circulating to the set underlying formation to the set underlying formation.		
AFI the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In your circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  In ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; are from below any usable water to surface within 120 DAYS of spud date.  If I from below any usable water to surface within 120 DAYS of spud date.  If I from below any usable water to surface within 120 DAYS of spud date.		
AFI The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the provided materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In your circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; are from below any usable water to surface within 120 DAYS of spud date.  If from below any usable water to surface within 120 DAYS of spud date.  If yes the surface pipe shall be set underlying formation.		
The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #7 must be completed within 30 days of the spud date or the well shall be submitted Electronically.	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In original comply with the sequence of the seq		
The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #4  must be completed within 30 days of the spud date or the well shall be  Jubmitted Electronically  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In or production casing is cemented in;  If from below any usable water to surface within 120 DAYS of spud date.  If from below any usable water to surface within 120 DAYS of spud date.  If from below any usable water to surface within 120 DAYS of spud date.  In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intent of the posted on each are through all unconsolidated materials plus a minimum of 20 feet into the structure of the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #4 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In or complete to plug length and placement is necessary prior to plugging; ed or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  In or cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;		
AFI the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a submitted Electronically  For KCC Use ONLY  API # 15	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In ict office on plug length and placement is necessary prior to plugging;  In or		
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a submitted Electronically  For KCC Use ONLY  API # 15	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In or complete to plug length and placement is necessary prior to plugging; ed or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  If from below any usable water to surface within 120 DAYS of spud date.  In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;		
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  If from below any usable water to surface within 120 DAYS of spud date.  If from below any usable water to surface within 120 DAYS of spud date.  In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard feet	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In operation of the sequence of		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; Index or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Index or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.  If from below any usable water to surface within 120 DAYS of spud date.  If from below any usable water to surface within 120 DAYS of spud date.  If from below any usable water to surface within 120 DAYS of spud date.  If from below any usable water to surface within 120 DAYS of spud date.  If from below any usable water to surface within 120 DAYS of spud date.  If from below any usable water to surface within 120 DAYS of spud date.  If from below any usable water to surface within 120 DAYS of spud date.  If from below any usable water to surface within 120 DAYS of spud date.  If from below any usable water to surface within 120 days of spud date;  If from below any usable water to surface within 120 days of spud date;  If from below any usable water to surface within 120 days of spud date;  If from below any usable water to surface within 120 days of spud date;  If from below any usable water to surface within 120 days of spud date;  If from below any usable water to surface within 120 days of spud date;  If from below any usable water to surface within 120 days of spud date;  If from below any usable water to surface pipe shall be set underlying formation.		

Side Two



For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _						L	ocation of W	Vell: County:
Lease:								feet from N / S Line of Section
Well Numb	er:							feet from E / W Line of Section
						S	ec	
						— Is	Section:	Regular or Irregular
QIR/QIR/	QIR/QIR	of acreage	e:					
						If	Section is	Irregular, locate well from nearest corner boundary.
						S	ection corne	er used: NE NW SE SW
					-	as required	by the Kans	ndary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032). sired.
		:	:	:		:		
			:					LEGEND
								. Wall I postion
		:	:	:	:		:	O Well Location
		:	:	:			:	Tank Battery Location
			• • • • • • • • • • • • • • • • • • • •		•••••			—— Pipeline Location
		:	:	:			:	Electric Line Location
		:	:	:			:	Lease Road Location
		:	:	:	:	:	:	
		:	:	:			:	EXAMPLE : :
		:	:	<u>:</u>	<u> </u>	:	:	
		:	•	1	1			005 4
		:		·	·		φ—	+ 335 ft
		:		:	:		:	
		:	• •	:	:			
		• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •				1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

2300 ft.

SEWARD CO. 3390' FEL

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:  (bbls)		SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County mg/l	
Is the bottom below ground level?	Artificial Liner?	No	(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):  Depth fro	Length (fee			
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining acluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s flow into the pit?  Yes No  Submitted Electronically		Type of materia  Number of work  Abandonment p  Drill pits must b	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:  per closed within 365 days of spud date.	
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	



### Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R 🔲 East 🗌 West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form the form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I an KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

For KCC Use ONLY	
API # 15	-


### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.




## Pro- Stake LLC

Oil Field & Construction Site Staking

# P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159



132234L

Cell: (620) 272-1499

Lebsack Oil Production, Inc.

Parlette #1-11

LEASE NAME

Finney County, KS
COUNTY

11 22s 34w
Sec. Twp. Rng.

2300' FSL - 335' FEL

LOCATION SPOT

OPERATOR

This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

GR. ELEVATION: 2917.8'

**Directions:** From the North side of Garden City, KS at the intersection of Hwy 83 & Hwy 50 by-pass – Now go 6 miles West on Hwy 50 – Now go 11 miles North on Big Lowe Rd/Rd 7 – Now go 1 Mile West on Tennis to the NE corner of 11-22s-34w – Now go 0.6 mile South on IBP trail to ingress stake West into – Now go 335' West through milo stubble into staked location.

Final ingress must be verified with land owner or Operator.

