

Cont	identia	lity I	Requested:
Y	es	No)

Kansas Corporation Commission Oil & Gas Conservation Division

1119078

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R 🗌 East 🗌 West
Address 2:	Feet from
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows:	Producing Formation: Elevation: Ground: Kelly Bushing: Feet Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Producer Commingled Permit #: Dual Completion Permit #: SWD Permit #:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite:
☐ ENHR Permit #: ☐ GSW Permit #:	Operator Name:
Connection Connection	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter Sec. Twp. S. R. East West County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Page Two



Operator Name:				_ Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b	ottom hole temp	erature, fluid recov
Final Radioactivity Lo files must be submitted						ogs must be ema	liled to kcc-well-	logs@kcc.ks.go	v. Digital electronic
Drill Stem Tests Taker (Attach Additional		Y	es No			J	on (Top), Depth		Sample
Samples Sent to Geo	logical Survey	Y	es No		Nam	е		Тор	Datum
Cores Taken Electric Log Run			es No						
List All E. Logs Run:									
				RECORD	Ne				
	0: 11.1					ermediate, product		" 0 1	T 15
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	Percent Additives	
Perforate Protect Casing	Top Dottern								
Plug Back TD Plug Off Zone									
1 lug 0 li 20 lio									
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)
Does the volume of the t			-		-		_ ` `	skip question 3)	
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, 1	ill out Page Three	of the ACO-1)
Shots Per Foot			RD - Bridge Plug Each Interval Perl				cture, Shot, Ceme	nt Squeeze Recor	rd Depth
						(* *			200
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:			
		0017111				[Yes N	o	
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!	
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF Perf.			nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)		

1, -	Nortecone
Spud: 1/22/13	We/1# 18
50110-4	line 613-621
C/AV 4-19	Shalle 627-647
Shale 14-28	lime 647-649
1113- 28-34	Shale 649-667
Shak 34-43	Time 667-668
1/11/1/3-59	Shale 668-675
S/cy 59-63	lime 693-694
1/11 63-77	Top 07/ Sand 694-699 Shale 700-740
Shale 77-88 /inc 88-96	3/10/12 TOO - TYV
Shale 896-139	Well TD=732
11mg = 139-165	
Shale 165-230	Coseins pipe teiling
lime 230-234	Caseing pipk teiling
Shule 234-238	
lime 238-257	
Shale 259 - 282	a hang ang ang ang ang ang ang ang ang ang
Ime 282-286	
Shak 286-348	en management de la companya del companya del companya de la compa
1/1m 348-351	
Shule 351-354 //me 354-358	
Shale 358-366	·
/imc 366-397	
Shak 397-404-	
/me 404-408	
shale 408-538	
1imc 538-539	
Tap of Sand 539-543	· · · · · · · · · · · · · · · · · · ·
Shale 602-619	

.

- ----



25628

LOCATION O Hawa KS 1 FOREMAN Fred Mader

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT CEMENT

	CUSTOMER#	1 445	LL NAME & NUN	IBER	SECTION	TOWNSHIP	RANGE	COLIN
1/25/13	3451	N Co	ne # 18	S HP	5F 11	16		COUN
CUSTOMER	011	:			AND LOCAL DESIGNATION OF THE PARTY OF THE PA		1 21	M/
MAILING ADDR	rs Perrol	eun		- ·	TRUCK#	DRIVER	TRUCK#	DRIVE
		, .	,		506	Fre Mad	Safeta	Will.
<u>]</u>	10010			_	495	HarBac	NAS V	7-17
	, [STATE	ZIP CODE	'	370	JasRic	I TR.	-
heau		KS	66211	. [203	Dan Det	127	1
ОВ ТҮРЕ <u></u> Да	7	HOLE SIZE	55/8	HOLE DEPTH	<u>732</u>	CASING SIZE &		SEUE
ASING DEPTH		DRILL PIPE_		_TUBING			OTHER	<u> </u>
LURRY WEIGH		SLURRY VOL	·	WATER gal/sl	<u> </u>	ÇEMENT LEFT i		11 Olice
SPLACEMEN		DISPLACEME	NT PSI	MIX PSI		RATE S BP		
EMARKS: 🎉	old areas	meexs	a. Esta	blish ci	reu lax;		PUMP 100	#
<u>Gel</u>	Fluch. Y	Mix +P.	Ino 11	3 SKS 50	150 Por 1	Mix Cemen	X 2% Cal	
Cen	ent to	su , fac	e Flus	h Dome	2 × Ines			
باطريم	er plug	to cas	INC TI		ve to	800 FPS1.	Displace	2/2
Pres		Sex F			ut in co	<u> </u>	Release	<u> </u>
, , _ , _ , _ , _ , _ , _ , _ , _ , _ ,			_ 	<u> </u>	<u></u>	-	-	<u> </u>
		-						
		· · · · · ·	-	7.5		c/ a	19	<u> </u>
SK	y-u Dril	<u> </u>				Jud Mac	C	· .
<u> </u>	. y - y - y 1 l	ing	<u> </u>		····			
ACCOUNT	QUANITY of	- UNITC					· · · · ·	
CODE	QUANITY O	LOUITZ	DES	SCRIPTION of S	SERVICES or PR	ODUCT	UNIT PRICE	TOTAL
EGINI			January and a					
5401			PUMP CHARGE	<u> </u>		405		10 300
5406		20 m.	MILEAGE	<u> </u>		495		
		20 m.	MILEAGE			495		£0
5406		<u> 25'</u>	MILEAGE Cas Nrg	Footage		485		\$0 N/C
5406	Minim	23°	MILEAGE. Casing	Footage Niles		503		\$0 U/c 350
5406 5402 5407	Minim	<u> 25'</u>	MILEAGE Cas Nrg	Footage Niles	Truck	485		\$0 U/c 350
5406 5402 5407	Minim	23°	MILEAGE. Casing	Footage Niles		503		\$0 N/C 350
540 B 540 7 5502C	Minim V	25° .om .hr	MILEAGE Casing Jon 1 80 BE	Footage Miles L Vac	Truck	503		135°
5406 5407 5407 5502C	7: M:ni m Vi	25' 2hr 2hr	MILEAGE Casing Jon 1 80 BE	Footage Miles De Vac	Truck	503		1237.
5406 5407 5502C 1/24 1/18B	Minim V	25' 2hr 2hr	MILEAGE Casing Jon 9 80 BE	Footage Miles IL Vac Por Mix	Coment	503		1237.
5406 5407 5502C	7: M:ni m Vi	25' 2hr 2hr	MILEAGE Casing Jon 9 80 BE	Footage Miles L Vac	Coment	503		/35° /35° /237.
5406 5407 5502C 1/24 1/18B	7: M:ni m Vi	25' 2hr 2hr	MILEAGE Casing Jon 9 80 BE	Footage Miles IL Vac Por Mix	Coment	503		135°
540 6 540 7 5502C 1124 1118B	7: M:ni m Vi	25' 2hr 2hr	MILEAGE Casing Jon 9 80 BE	Footage Miles IL Vac Por Mix	Coment	503		1237.
540 B 540 7 5502C 1/24 111 8B	7: M:ni m Vi	25' 2hr 2hr	MILEAGE Casing Jon 9 80 BE	Footage Miles IL Vac Por Mix	Coment	503		1237.
540 6 540 7 5502C 1124 1118B	7: M:ni m Vi	25' 2hr 2hr	MILEAGE Casing Jon 9 80 BE	Footage Miles IL Vac Por Mix	Cemant Luc	503		135° 135° 1237.
540 6 540 7 5502C 1124 1118B	7: M:ni m Vi	25' 2hr 2hr	MILEAGE Casing Jon 9 80 BE	Footage Miles IL Vac Por Mix	Cement Uc	503		135° 135° 1237.
540 6 540 7 5502C 1124 1118B	7: M:ni m Vi	25' 2hr 2hr	MILEAGE Casing Jon 9 80 BE	Footage Miles IL Vac Por Mix	Cemant Luc	503		135° 135° 1237.
540 6 540 7 5502C 1124 1118B	7: M:ni m Vi	25' 2hr 2hr	MILEAGE Casing Jon 9 80 BE	Footage Miles IL Vac Por Mix	Cemant Luc	503		135° 135° 1237.
5406 5407 5502C 1/24 1118B	7: M:ni m Vi	25' 2hr 2hr	MILEAGE Casing Jon 9 80 BE	Footage Miles IL Vac Por Mix	Cemant Luc	503		135° 135° 1237.
540 6 540 7 540 7 550 DC 1/24 1/18/3 4402	7: M:ni m Vi	25' 2hr 2hr	MILEAGE Casing Jon 9 80 BE	Footage Miles IL Vac Por Mix	Cemant Luc	996 370	SALESTAV	1237. 609 2800 1237.
540 6 540 7 5500C 1/24 111 8B	7: M:ni m Vi	25' 2hr 2hr	MILEAGE Casing Jon 9 80 BE	Footage Miles IL Vac Por Mix	Cemant Luc	503	SALES TAX ESTIMATED	1237.
540 6 540 7 540 7 550 DC 1/24 1/18/3 4402	7: M:ni m Vi	25' 2hr 2hr	MILEAGE Casing Jon 9 80 BE	Footage Miles IL Vac Por Mix	Cemant Luc	996 370	SALES TAX ESTIMATED TOTAL	1237. 609 2800 1237.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

February 19, 2013

Mark Haas Haas Petroleum, LLC 11551 ASH ST., STE 205 LEAWOOD, KS 66211

Re: ACO1 API 15-121-29417-00-00 N Cone 18-HP SE/4 Sec.11-16S-21E Miami County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Mark Haas