



Sector Bond / Gamma Ray  
CCL Log

(785) 625-3858

API No.	Company Lasso Energy, LLC		Location NE NE		Other Services Mast Trailer
	Well Petros #1		County Stafford State Kansas		
	Field Willcat		Sec: 3 Twp: 24S Rge: 14W		
Permanent Datum	Ground Level	Elevation 1949	Elevation		
Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum	K.B. 1954		
Drilling Measured From	Kelly Bushing		D.F. 1951		
			G.L. 1949		
Run Number	One				
Date Survey	3/23/2011				
Date Cementing	3/20/2011				
Type Cementing Operation	Primary				
Depth Driller	///				
Depth Logger	4057				
Logged Interval	4056 to 3350		to		
Casing Driller	5.5 @ TD		@		
Float Collar -- D.V. Tool	///		///		
Squeeze Depth	///				
Amount & Type Cement	///				
Amount & Type Admix	///				
Type Fluid In Hole	Water				
Fluid Level	Full				
Salinity PPM CL	///				
Weight lb/gal -- Vis.	///				
Approx. Logged Cement Top					
Calculated Cement Top	3516				
Max. Hole Temperature	///				
Tool No.	RBT5				
Spacing Recorded	3-5				
Equipment -- Location	5 Pratt				
Recorded By	N. Schmeidler				
Witnessed By	Clarence Michael				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.  
 (620) 672-8300  
 281 and 50 Hwy  
 5 W to 50 th  
 2 8/10 N  
 W into



Main Pass

Database File: lasso\_petros\_1.db  
 Dataset Pathname: grscbl/pass6  
 Presentation Format: scbl  
 Dataset Creation: Wed Mar 23 10:00:07 2011 by Log Std Casedhole 10081  
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	0	Amplitude (mV)	100	0	AMPAVG	150	200	VDL	1200	1	Sector Map	8
150	GR	300		Amplified Amplitude		0	AMPMAX	150				25		75
			0	(mV)	20	0	AMPMIN	150						
			6				CCL	-1						




3550

3600

3650

3700




3750


3800

3850

3900

3950





**LOG-TECH** 

# Repeat Section

Database File: lasso\_petros\_1.db  
 Dataset Pathname: grscbl/pass5  
 Presentation Format: scbl  
 Dataset Creation: Wed Mar 23 09:55:07 2011 by Log Std Casedhole 10081  
 Charted by: Depth in Feet scaled 1:240

