

PostRock
Energy Corporation

211 W. 14TH STREET,
CHANUTE, KS 66720
620-431-9500

#1

TICKET NUMBER 907375
FIELD TICKET REF# _____
FORMAN Nathan Gehman
AFE D12010
SSI 632260
API 15-205-28050-00-00

**TREATMENT REPORT
& FIELD TICKET CEMENT**


DATE	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
10-25-12	Marple 5-3	5	28S	17E	Wilson

FORMAN/ OPERATOR	TIME IN	TIME OUT	LESS LUNCH	TRUCK #	TRAILR #	TRUCK HOURS	EMPLOYEE SIGNATURE
Nathan Gehman	2:30	7:30		905575		5	<i>Nathan Gehman</i>
Darrell Charney		6:45		903197		4.25	<i>Darrell Charney</i>
Colby Deegan		7:30		903600		5	<i>Colby Deegan</i>
Wes Gehman		7:30		903401	932170	5	<i>Wes Gehman</i>
Ryan Hays		6:30		931385	931387	4	<i>Ryan Hays</i>
Chris Mitchell		6:45		904735		4.25	<i>Chris Mitchell</i>

JOB TYPE Long String HOLE SIZE 7 7/8 HOLE DEPTH 1132 CASING SIZE & WEIGHT 5 1/2 14#
 CASING DEPTH 1129.48 DRILL PIPE _____ TUBING _____ OTHER Gas Jones rig
 SLURRY WEIGHT 13.5 SLURRY VOL 202 sk WATER gal/sk _____ CEMENT LEFT in CASING 0
 DISPLACEMENT 27.6 DISPLACEMENT PSI 750 MIX PSI 500 RATE 4.5

REMARKS:
 Set up on job Ran in casing. Washed in 40', had poor circulation. Ran gel sweep 60 bbls. Circulation didn't improve shut down and ran to town to get 300 lbs more gel and 1sk of cotton seed hulls. Ran extra gel with cotton seed hulls. Circulation improved. Pumped 18.25 bbl dye.

ACCOUNT CODE	QUANTITY OR UNITS	DESCRIPTION OF SERVICES OR PRODUCT	TOTAL AMOUNT
905575	1	Forman Pickup	
903197	1	Cement Pump Truck	
903600	1	Bulk Truck	
103401 931385	2	Transport Truck	
32170 931387	2	Transport Trailer	
904735	1	80 Vac	
903142	1	Casing Truck	
	1129.48'	Casing	
	7	Centralizers	
	1	Float Shoe	
	1	Wiper Plug	
	2	Frac Baffles	
	160 sks	Portland Cement	
		Gilsonite	
	1.5 sks	File Seal Cement Fluid loss	
	10 sks	Premium Gel	
	6 sks	Cal Chloride	
	200 bbl	City Water	
	6 sks	KOL Seal Sodium Silicate	
	30 sks	KOL Seal	
	1 sk	Cotton Seed Hulls	
932170	1	Casing trailer	



PostRock
Energy Corporation

211 W. 14TH STREET,
CHANUTE, KS 66720
620-431-9500

#2

TICKET NUMBER 7377
FIELD TICKET REF# _____
FORMAN Nathan Bohman
AFE D12010
SSI 632260
API _____

**TREATMENT REPORT
& FIELD TICKET CEMENT**

DATE	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
	<u>Maple 5-3</u>				

FORMAN/ OPERATOR	TIME IN	TIME OUT	LESS LUNCH	TRUCK #	TRAILR #	TRUCK HOURS	EMPLOYEE SIGNATURE

JOB TYPE Long String HOLE SIZE 7 7/8 HOLE DEPTH 1132 CASING SIZE & WEIGHT 5 1/2 14#
 CASING DEPTH 1129.48 DRILL PIPE _____ TUBING _____ OTHER Gus Jones rig
 SLURRY WEIGHT 13.5 SLURRY VOL 202 sks WATER gal/sk _____ CEMENT LEFT in CASING 0
 DISPLACEMENT 27.6 DISPLACEMENT PSI 250 MIX PSI 500 RATE 4.5

REMARKS:
Pumped cement until we got dye back to surface, shut down closed pump
 the launched plug. Pumped plug down set float shoe, Held 1100 psi
 for 5 min. Pumped 202 sks slurry, for job. Cement fell back,
 Washed up equipment and left location. Good oil show while running casing

ACCOUNT CODE	QUANTITY OR UNITS	DESCRIPTION OF SERVICES OR PRODUCT	TOTAL AMOUNT
		Forman Pickup	
		Cement Pump Truck	
		Bulk Truck	
		Transport Truck	
		Transport Trailer	
		80 Vac	
		Casing Truck	
		Casing	
		Centralizers	
		Float Shoe	
		Wiper Plug	
		Frac Baffles	
		Portland Cement	
		Gilsonite	
		Flo-Seal	
		Premium Gel	
		Cal Chloride	
		City Water	
		KCL	
		KOL Seal	
		Cotton Seed Hulls	

Marple 5-3

API - 15-205-28050-00-00

Pipe #	Length	Running Total	Baffle Location	PostRock Energy- Casing Tally Sheet
1	39.2	39.2		Date: 10/16/2012
2	38.24	77.44	c	Well Name & #: Marple LT 5-3
3	39.33	116.77		Township & Range: 28S-17E
4	39.04	155.81		County/State: Wilson/ Kansas
5	39.23	195.04		SSI#: 632260
6	38.1	233.14		AFE#: D12010
7	39.94	273.08	c	Road Location:
8	38.02	311.1		API#:
9	39.1	350.2		Comments:
10	38.8	389		Projected TD- 1101'
11	37.64	426.64		
12	39.91	466.55	c	
13	38.27	504.82		Added 2 subs (30-31)
14	38.76	543.58		30) 11.80
15	38.61	582.19		31) 9.86
16	39.5	621.69		Added these subs for flexibility to
17	38.28	659.97	c	adjust to actual TD
18	39.47	699.44		
19	38.65	738.09		TD - 1132'
20	39.93	778.02		
21	39.2	817.22		Centralizers - 7
22	39.97	857.19	c	
23	39.09	896.28		
24	38.94	935.22		
25	38.2	973.42		
26	39.64	1013.06		
27	38.15	1051.21	c	
28	38.27	1089.48		
29	9.7	1099.18		
30	11.8	1110.98		
31	9.86	1120.84		
32	8.64	1129.48	c	From Marple 5-2 (Joint 31)
33				
34				
35				
36				
37				
38				
39				
40				
41				

PostRock Energy Corp.

Troy