



PAGE	CEGT NO	INVOICE DATE
1 of 1	1007589	11/30/2012

INVOICE NUMBER

1717 - 91062002

Liberal

(620) 624-2277

B HERMAN L LOEB LLC

I PO Box: 838

L LAWRENCEVILLE

IL US 62439

o ATTN:

ACCOUNTS PAYABLE

LEASE NAME

Schmitt #4-23

LOCATION

COUNTY

Hodgeman

KS

STATE

JOB DESCRIPTION

Cement-New Well Casing/Pi

JOB CONTACT

JOB #	EQUIPMENT #	PURCHASE	ORDER NO.		TERMS	DUE DATE
40539616	27462				Net - 30 days	12/30/2012
			QTY	U of	UNIT PRICE	INVOICE AMOUNT
For Service Date	s: 11/28/2012 to	11/28/2012				
0040539616						
171703332A Cen 8 5/8" Surface	nent-New Well Casing/	Pi 11/28/2012				
A-Serv Lite			180.00	EA	9.75	1,755.00
Premium Plus Cen	nent		165.00	Town or com	12.22	2,017.12
Celloflake Calcium Chloride			87.00		2.78	
"Top Rubber Cmt	Ding 9 5/9"""		626.00	0.00000	0.79	
	VIv., 8 5/8"" (Blue)		1.00		168.75	,
	gular, 8 5/8"" (Blue)"		1.00 1.00		210.00	
	(PU, cars one way)"		100.00		285.00	
Heavy Equipment I			200.00		3.19 5.25	
"Proppant & Bulk	Del. Chgs., per ton mi	i l	1,565.00		1.20	(1. No. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
Depth Charge; 501			1.00		900.00	
Blending & Mixing			345.00	BAG	1.05	0001
Plug Container Util			1.00	EA	187.50	
High Head Charge			1.00	EA	225.00	
Service Superviso	r, first 8 hrs on loc.		1.00	EA	131.25	
	PA	ID				
	35 7 DEC 1 4	53				
	SCAN	NED				
PLEASE REMIT T	O: SEN	D OTHER CORRESI	COMPENSE TO			

SEND OTHER CORRESPONDENCE TO:

BASIC ENERGY SERVICES, LP BASIC ENERGY SERVICES, LP PO BOX 841903

DALLAS, TX 75284-1903

801 CHERRY ST, STE 2100 FORT WORTH, TX 76102

INVOICE TOTAL

SUB TOTAL

TAX

10,223.03 335.74

10,558.77



1700 S. Country Estates Rd. P.O. Box 129 Liberal, Kansas 67905 Phone 620-624-2277

FIELD SERVICE TICKET 1717 A

DATE TICKET NO. DATE OF JOB OLD PROD CUSTOMER ORDER NO.: ☐ WDW DISTRICT CUSTOMER LEASE WELL NO. **ADDRESS** COUNTY STATE CITY STATE SERVICE CREW **AUTHORIZED BY** JOB TYPE: **EQUIPMENT#** HRS **EQUIPMENT#** HRS **EQUIPMENT#** HRS DATE TIME TRUCK CALLED ARRIVED AT JOB AM PM START OPERATION AM **FINISH OPERATION** AM RELEASED AM PM MILES FROM STATION TO WELL

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services LP.

SIGNED:

(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

REF. NO.	MATERIAL, EQUIPMENT AND SERVICES USED	UNIT	QUANTITY	UNIT PRICE	\$ AMOUN	Т
CLIO	1 South	- SV	180		2340	100
CUIO	Premium Pus	SV	165		2689	50
CCIOZ	Collake	11/2	77		321	80
CC109	Calcium Chocde	116	626		657	250
					031	
C+105	89x lop bubber Plan	ea			225	00
(F1433	1 Insect 0	1	1		280	00
(+a53	+ Gudo Sipe	1			3.80	2
-12 19 1 2 1 1 2 1 1 1 2 2	1				3.00	
5-00	Wart Milence	MASS	100		425	00
EDI	Many Esponent Moore	line	000		1400	50
1113	GODDent of Bulk Deling	tout	166		2504	50
CT 201	Prino Depth : 501-1000	alle			1200	00
CEDYO	Glanding Mixing Service	Sk	345		483	00
CF 504	Muc gontalion	Ph	1			60
(F 20)	High Word 13	06	1		300	20
2003	Doria Superison	914			175	ادن
						1
					14	-
CHEMICAL / ACID DATA:						
OFFE		IDAAFAIT				
		SERVICE & EQUIPMENT %TAX ON \$ MATERIALS %TAX ON \$				
	IVIATERIALS		%1AX			
ALLEY YOU KEE				TOTAL		
						1

SERVICE REPRESENTATIVE THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY:



Cement Report

Lease SCHMITH ## Well # 4-23 Service Receipt 03333 Casing State County House Management Casing State County House Management Casing Size State County House Management Casing Size State County House Management Casing Size Shots/Ft Lead 180 \$100 Management Casing Size Shots/Ft Lead 180 \$100 Management Casing Size County House Management Casing Size Shots/Ft Lead 180 \$100 Management Casing		Libera	ıl, Kansas						ochient rieport		
Lease SAM H FF Gasing S Pupper G 3 Job Type 24 2 Set Syrphation Pipe Data Perforating Data Casing size 8 Set D 24 to Tabing Size Pipe Data Casing size 8 Set D 24 to Tabing Size Poper G 3 Depth From To Aser D Wolter From To Tail in 165 Set Prom To Pressure Pressure Pressure Bels. Pumbed Rate Service Log S	Customer German L. Loeb CC				Lease No. Date				- 11- 1X-1d		
Pipe Data Perforating Data Cement Data	Lease Cal II #			4-15				03339			
Job Type Zu Zu Zu Zu Zu Zu Zu Z	Casing XX "24 Pepth (013				County /						
Pipe Data Pipe Data Perforating Data Cement Data Casing size S\$\fill Dy ft Tubing Size Depth (2\frac{3}{2}) Depth (3\frac{3}{2}) Depth	Job Type -	242-8	% Su	Ffranation ACO		0	Legal Description	n 23-22	-25		
Sarvice Units 1998 2 274162 4354-9578 Sarvice Units 1998 2 274162 Sarvice Units 1998			Pipe D	ata			Perforatin	_	Cement Data		
Sarvice Units 1998 2 274162 4354-9578 Sarvice Units 1998 2 274162 Sarvice Units 1998	Casing size	85/8"	04#	Tubing Size			Shots		Lead /80 %		
Max Press 100	Depth	613		Depth		From	·	То	A Servi		
Max Press 1800 Annulus Vol. From 10 Tall in 165 st Prem Plus Flug Depith FL 42 Tobing Pressure Flug Depith FL 42 Tobing Pressure Flug Depith FL 42 Tobing Pressure Flug Depith Flug Plus Flug D	Volume)	150-36	486			<u> </u>			1		
Time Pressure Pressure Bbls. Pumbed Rate Service Log \$\frac{30}{8}\text{15}\$ \$\frac{30}{8}\text{10}\text{10}\text{10}\$ \$\frac{30}{8}\text{10}\text{10}\text{10}\text{10}\$ \$\frac{30}{8}\text{10}	Max Press	1500	#			<u> </u>		<u> </u>	Tail in 165 5K		
Time Pressure Pressure Bbls. Pumbed Rate Service Log \$\frac{30}{8}\text{15}\$ \$\frac{30}{8}\text{10}\text{10}\text{10}\$ \$\frac{30}{8}\text{10}\text{10}\text{10}\text{10}\$ \$\frac{30}{8}\text{10}		100 - C	000	Annulus Vol.					Prem Plus		
Time Pressure Pressure Bbls. Pumbed Pate Service Log	Plug Depth	51-4	2'	Packer Depth		From		То			
\$30 Op 10C - site assessment \$145 Spot trucks-rig up \$130 Start CB + float equip (120 CSB on later break Clic (120	Time			Bbls. Pumbed	Rate	•		Service Lo	9		
\$145 Spot trucks - cia up 9130 Start Coa + Clork equip (200 Csa on lot m, break Circ (100 Start coa + Clork equip (200 Csa on lot m, break Circ (100 Start coa + Clork (100 Start co	8430					ON	10C-Si	1			
(100) (100) (100) (125) (130)	8:45					500	t tru	des-ria	· •		
125 Scalety Martia / T. A 125 Pressive Lest 2000# 130 200 50 4 Mix pump lead count 180 sk A - Serv of 32 CC, 14 # (F C 13 4 pps - 1 (02 At 3 k - 8) 19 cmt 105 sk 128 200 40 4 Switch to tail count 105 sk 128 200 300 35 2 Slow are last 10 4 of disp 200 300 36 0 land plug float held Circ count to surface Job complete	9,30					Sac	4 (59	+ floot	equin		
125	(100				<u> </u>	Csa	on la	m breat	< Circ		
125	1600					Scal	the me	na ISX			
A-Serv uf 326CC K4#(FC C 13.4 pps - 1628438 - 8.19 cil/k 13.4 pps - 1628438 - 8.19 cil/k 148 pps - 1.34 43/5k - 6.30 gs/sk 1150 0 0 4 drop plus disp csg 2100 300 35 2 Slow rate fast 10 41 of disp 2'05 600 36 0 land plus float held Circ cust to sustrice job complete	1125				<u> </u>	pres	stre.	est 20	no#		
A-Seri in 3200, K4# (F @ 13.4 ppg - 1.62 & 14 cp & 13.4 ppg - 1.62 & 14 cp & 14.8 ppg - 1.34 & 15 & 6.30 gal/k 1200 0 0 4 drop plus disp esq 2100 300 35 2 slow rate fast 10 4 disp 205 000 36 0 land plug float held Circ cust 40 sustance jobs complete	1130	200		_52	4	Mix	+ DUIM	lead.	cont 180 sk		
1:45 200 40 4 Switch to tail count 105 st Class & up 39 cc 24 to F & Class & up 39 cc 24 to F & 14.8 ppg - 1.34 A sk - (0.30 gal/sk 120 0 0 4 strop plus disp esq 2:05 500 36 0 land plus float hald circ count to switched job complete					<u> </u>	A	Derv i	/ 32 CC	14#(FC		
Class C up 39. Cc							4 002 -	162813	*- 8,19 avx		
1200 0 0 4 drop plus disp esq . 2100 300 355 2 Slow rate fast 10 41 disp 2:05 600 36 0 land plug float held . Circ cust to surface . Job camplete.	1:48	<i>7</i> 0o		40_	4	Swit	ch B	tal com	t 165 5K'		
2:05 800 35 2 Slow rake last 10 41 of disp 2:05 800 36 0 land plug float held Circ cust to surface job complete	·			 		$\mathcal{C}_{\mathcal{C}}$	<u> 185 (</u>	4 29 CC	Xy CF @		
2:05 800 35 2 Slow rake last 10 41 of disp 2:05 800 36 0 land plug float held Circ cust to surface job complete				·		14	·8 ppg	1,349	/sk - (0.30 ga/sk		
2.05 (200) 36 0 (and plug float held Circ court to sinface Job complete Service Units 14902 27462 (4354-19578)	<u>_ [:</u> 60			O	4	stop	2 plux	_,d,>p_	<u>csa</u> , , , ,		
2.05 (200) 36 0 (and plug float held Circ court to sinface Job complete Service Units 14902 27462 (4354-19578)	2400				2	جام	u n	last 10	Wal disp		
Job Cauplek Service Units 14902 274602 (4384-19578)	2:05	(300)		3e	0	4,00	l plug		^		
					<u> </u>	CYC	كسي .	tyo Su	Auce		
						106	CQ	pleke_	···		
				<u></u>		<u> </u>	············	-			
								<u> </u>			
							<u> </u>	<u> </u>			
					<u> </u>						
	Fords 11-7-	1/400		3744	16001	1157 14					
DIVERNALIS IN CHINA IL CLASSICA LA CONSTITUTA IL CONTRA I L'OCOSTITUTA IL CONTRA IL CO		1 6 4 1	,	1410x	17227-						
	OUASI MSIIIS	· I KU	HC 4/CA I	- Jlanna 1	X UO	الكالمؤلانا	•				

Station Manager

A Duen Taylor Printing, Inc.