For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: 6G Twister, Inc.	Location of Well: County: Gove
Lease: POOH BAH	1,650 feet from N / S Line of Section
Well Number: 1	
Field: UNNAMED	Sec. 25 Twp. 11 S. R. 26 E W
Number of Acres attributable to well: 10 OTR/OTR/OTR of acreage: - NE - SW - NE	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: NE SW NE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Fall & Associates

Stake and Elevation Service 719 W. 5° Street P.O. Box 404 Gencordia, KS. 66901 1-800-536-2821

Date 1-31-13

			Invoice Number 0117131
6G TWISTER		1	Pooh Bah
Operator	Nun	nber	Farm Name
Gove-KS	25	11s 26w	1650'FNL 1650'FEL
County-State	S	T R	Location
6G Twister P.O. Box 1565 Gillette, WY. 82717			Elevation 2542 r. Ordered By: Gary H.
		Scale 1"=100	00,
N			Stake
slope pasture 50 W of creek chan enough to supp	& 4' wood stake on s o'W of small bank and nel. Creek may have ly rig. sle guard aprox. 300'	d 170' water	

