

QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025

Home Office P.O. Box 32 Russell, KS 67665

No. 4610

Cell 785-324-1041

Date	6-2-12	Sec.	3	Twp.	10S	Range	16 W	County	ROOKS	State	KS	On Location		Finish	11.15 pm	
Lease	Beckeb	Well No.	C#1	Location		Natoma w to 28 RD NE 1st										
Contractor	Shields					Owner PROSPECT										
Type Job	Service					To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.										
Hole Size	12 1/4					T.D.	221									
Csg.	8 5/8					Depth	218									
Tbg. Size						Depth	Charge To prospect oil gas corporation									
Tool						Depth	Street PO Box 837									
Cement Left in Csg.	15'					Shoe Joint	City Russell State KS									
Meas Line						Displace	13 B C									
						Cement Amount Ordered						150 382				

EQUIPMENT

Pumptrk	15	No.	Cementer	mtt	Common	150
			Helper			
Bulktrk	#8	No.	Driver	Larney	Poz. Mix	
			Driver			
Bulktrk	pu	No.	Driver	Chang	Gel.	20/03
			Driver			

JOB SERVICES & REMARKS

Remarks:	Hulls
Rat Hole	Salt
Mouse Hole	Flowseal
Centralizers	Kol-Seal
Baskets	Mud CLR 48
D/V or Port Collar	CFL-117 or CD110 CAF 38
8 5/8 on bottom Est Circulation	Sand
Mix 150 sic + Displace Plug	Handling 158
Cement did Circulat	Mileage

FLOAT EQUIPMENT

Guide Shoe	
Centralizer	
Baskets	
AFU Inserts	
Float Shoe	
Latch Down	
Wood plug	
Pumptrk Charge	Surface
Mileage	33

X Signature <i>/ from King</i>	Tax	
	Discount	
	Total Charge	

QUALITY OILWELL CEMENTING, INC.


Federal Tax I.D.# 20-2886107

Phone 785-483-2025

Home Office P.O. Box 32 Russell, KS 67665

No. 444

Cell 785-324-1041

Date	6-20-12	Sec.	3	Twp.	10	Range	16	County	Rooks	State	Ks	On Location	Finish	4:15 AM	
Lease	Becker			Well No.	C-#1			Location	Natoma, Ks - W to 28 Rd, 1 1/2 N						
Contractor	Sheilds Drilling						Owner	E/Into							
Type Job	Bottom stage						To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.								
Hole Size	7 7/8"			T.D.	3650'			Charge To Prospect oil + gas							
Csg.	5 1/2"			Depth	3539.39'			Street							
Tbg. Size				Depth				City							
Tool	DU Tool			Depth	1152'			State							
Cement Left in Csg.	17.82'			Shoe Joint	17.82'			The above was done to satisfaction and supervision of owner agent or contractor.							
Meas Line				Displace	86 BLS			Cement Amount Ordered 150 Common 10% Salt							
EQUIPMENT												5% Gilsonite - 500 gal mud Clear 4			
Pumptrk	9	No.	Cementer	Matt		Rick		Common 150							
Bulktrk	14	No.	Driver	Lonnie				Poz. Mix							
Bulktrk	8	No.	Driver	Doug				Gel.							
JOB SERVICES & REMARKS												Calcium			
Remarks:													Hulls		
Rat Hole	N/A & plugged on top stage												Salt 13		
Mouse Hole	N/A												Flowseal		
Centralizers	1, 4, 6, 8, 11, 14, 18, 57, 71												Kol-Seal 750#		
Baskets	3, 18, 58, 72												Mud CLR 48 500 gal		
D/V or Port Collar	1152' - J4 # 58												CFL-117 or CD110 CAF 38		
pipe on bottom, break Circulation pump 500 gal Mud Clear 48												Sand Handling 170			
pump 5 BLS of water, mix 150sx Common 10% Salt, 5% Gilsonite, shut down, wash pump & lines. Released plug + Displaced with 58 BLS of water + 28 BLS of Rig mud, total 86 BLS.												Mileage			
Released + held. Land plug to 1200 #, Lift pressure 500 #												FLOAT EQUIPMENT			
Drop dart wait 10 min. open tool with 1200 #.												Guide Shoe			
Break Circulation												Centralizer 2 Reg. + 7 - turbo's			
												Baskets 4			
												AFU Inserts			
												Float Shoe 1			
												Latch Down			
												1 - DU Tool Assy.			
												Pumptrk Charge prod long string			
												Mileage 33			
												Tax			
X Signature												Discount			
												Total Charge			

Bottom Stage

QUALITY OILWELL CEMENTING, INC.


Federal Tax I.D.# 20-2886107

Phone 785-483-2025

Home Office P.O. Box 32 Russell, KS 67665

No. 445

Cell 785-324-1041

Date	6-20-12	Sec.	3	Twp.	10	Range	16	County	Rooks	State	Ks	On Location		Finish	5:45 AM
Lease	Becker			Well No.	C #1			Location	Natoma, Ks - W to 28 Rd, 1/2 N, E/4th						
Contractor	Shields Drilling							Owner	To Quality Oilwell Cementing, Inc.						
Type Job	Top stage							You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.							
Hole Size	7 7/8"			T.D.	3650'			Charge To	Prospect oil + gas						
Csg.	5 1/2"			Depth	3539.39'			Street							
Tbg. Size				Depth				City	State						
Tool	DU Tool			Depth	1132'			The above was done to satisfaction and supervision of owner agent or contractor.							
Cement Left in Csg.	17.82'			Shoe Joint	17.82'			Cement Amount Ordered	200 SX QMDL 1/4# Flo-seal						
Meas Line				Displace	28 BLS										
EQUIPMENT															
Pumptrk	9	No.		Cementer	Matt Riek		Helper	Common	250						
Bulktrk	8	No.		Driver	Doug		Driver	Poz. Mix							
Bulktrk	14	No.		Driver	Lonnie		Driver	Gel.							
JOB SERVICES & REMARKS															
Remarks:	pipe on bottom, break							Calcium							
Rat Hole	Circulation, plug Rathole							Hulls							
Mouse Hole	w/30 SX, plug mouse hole							Salt							
Centralizers	w/15 SX, Hook to 5 1/2"							Flowseal	62#						
Baskets	Casing + mix Cement,							Kol-Seal							
D/V or Port Collar	shut down, wash pump + lines, Released plug.							Mud CLR 48							
	Displaced with 28 BLS of water. Released + held.							CFL-117 or CD110 CAF 38							
	Lift pressure 500 #							Sand							
	Land plug to 1400 #							Handling	250						
								Mileage							
FLOAT EQUIPMENT															
	Cement did Circulate							Guide Shoe							
								Centralizer							
								Baskets							
								AFU Inserts							
								Float Shoe							
								Latch Down							
								Pumptrk Charge	Top Stage						
								Mileage	33						
												Tax			
Signature												Discount			
												Total Charge			