



P.O. BOX 3660  
HOUMA, LA 70361-3660

Customer : SAN400

BILL TO : SANDRIDGE ENERGY  
123 ROBERT S KERR AVENUE  
OKLAHOMA CITY, OK 73102-6406  
PHONE: (405) 753-5500 FAX: ()

Division : 0701  
Delivery Ticket : 3762  
Delivery Date : 1/8/2013  
Office : 12/1/1901

Ordered By :  
Lease/Well : SEAN 3119 3-18H  
Rig Name/Number LARIAT 38  
AFE Number :  
Site Contact :  
:  
:  
:

Qty	Description	Min / Standby / Usage Charge	Add Day	Unit Price	Start Date / Stop Date	Extended Line Total
1	SEAN 3119 3-18H	\$21,750.00	\$0.00	\$21,750.00	1/3/2013 1/3/2013	\$21,750.00
120	DRILLED 30" CONDUCTOR HOLE	\$0.00	\$0.00	\$0.00	1/3/2013 1/3/2013	
120	20" CONDUCTOR PIPE (.250 WALL)	\$0.00	\$0.00	\$0.00	1/3/2013 1/3/2013	
1	6'X6' CELLAR TINHORN WITH PROTECTIVE RING	\$0.00	\$0.00	\$0.00	1/3/2013 1/3/2013	
1	DRILL & INSTALL 6'X6' CELLAR TINHORN	\$0.00	\$0.00	\$0.00	1/3/2013 1/3/2013	
75	DRILLED 20" MOUSE HOLE (PER FOOT)	\$0.00	\$0.00	\$0.00	1/3/2013 1/3/2013	
75	16" CONDUCTOR PIPE (.375 WALL)	\$0.00	\$0.00	\$0.00	1/3/2013 1/3/2013	
1	MOBILIZATION OF EQUIPMENT & ROAD PERMITTING FEE	\$0.00	\$0.00	\$0.00	1/3/2013 1/3/2013	
1	WELDING SERVICES FOR PIPE & LIDS	\$0.00	\$0.00	\$0.00	1/3/2013 1/3/2013	
1	PROVIDED EQUIPMENT & LABOR FOR DIRT REMOVAL	\$0.00	\$0.00	\$0.00	1/3/2013 1/3/2013	
1	PROVIDED METAL LIDS (1 FOR CONDUCTOR & 2 FOR THE MOUSEHOLE PIPE)	\$0.00	\$0.00	\$0.00	1/3/2013 1/3/2013	
12	CEMENT 10 SACK GROUT	\$0.00	\$0.00	\$0.00	1/3/2013 1/3/2013	
Sub Total:		\$21,750.00	\$0.00			\$21,750.00

Print Name

Signature

# JOB SUMMARY

<b>JOB SUMMARY</b>			PROJECT NUMBER <b>SOK 2329</b>	TICKET DATE <b>01/16/13</b>
COUNTY <b>Comanche</b>	State <b>Kansas</b>	COMPANY <b>Bridge Exploration &amp; Produc</b>	CUSTOMER REP <b>Felix Ortiz Jr.</b>	
LEASE NAME <b>Sean 3119</b>	Well No. <b>3-18H</b>	JOB TYPE <b>Surface</b>	EMPLOYEE NAME <b>Daniel Wells</b>	

EMP NAME					
Daniel Wells					
Scott Woods					
Cheryl Newton					
Gale Womack					

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_

Packer Type \_\_\_\_\_ Set At 0

Bottom Hole Temp. 80 Pressure \_\_\_\_\_

Retainer Depth \_\_\_\_\_ Total Depth 275

Date	Called Out	On Location	Job Started	Job Completed
	<b>1/16/2013</b>	<b>1/16/2013</b>	<b>1/16/2013</b>	<b>1/16/2013</b>
Time	<b>0300</b>	<b>0900</b>	<b>1425</b>	<b>1600</b>

Tools and Accessories

Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Val	0	IR
Centralizers	0	IR
Top Plug	1	IR
HEAD	1	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

Well Data

	New/Used	Weight	Size	Grade	From	To	Max. Allow
Casing		68.0	13 3/8		Surface	295	1,500
Liner							
Liner							
Tubing							
Drill Pipe							
Open Hole			17 1/2"		Surface	290	Shots/Ft.
Perforations							
Perforations							
Perforations							

Materials

Mud Type	WBM	Density	9	Lb/Gal
Disp. Fluid	Fresh Water	Density	8.33	Lb/Gal
Spacer type	resh Water	BBL.	10	8.33
Spacer type	BBL.			
Acid Type	Gal.	%		
Acid Type	Gal.	%		
Surfactant	Gal.	In		
NE Agent	Gal.	In		
Fluid Loss	Gal/Lb	In		
Gelling Agent	Gal/Lb	In		
Fric. Red.	Gal/Lb	In		
MISC.	Gal/Lb	In		

Perfpac Balls \_\_\_\_\_ Qty. \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
1/16	6.0	1/16	1.0	Surface
Total	6.0	Total	1.0	

Pressures

MAX 1,000 PSI      AVG 110

Average Rates in BPM

MAX 6 BPM      AVG 5

Cement Left in Pipe

Feet 37      Reason SHOE JOINT

Cement Data

Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
1	110	EX Lite Premium Plus 65	(6% Gel) 2% Calcium Chloride - 1/4pps Cello-Flake - .5% C-41P	10.88	1.84	12.70
2	270	Premium Plus (Class C)	2% Calcium Chloride - 1/4pps Cello-Flake	6.32	1.32	14.80

Summary

Preflush Breakdown	Type: _____	MAXIMUM _____	1,500 PSI	Preflush: BBI _____	10.00	Type: Fresh Water
	Lost Returns-N _____	NO/FULL _____		Load & Bkdn: Gal - BBI _____	N/A	Pad:Bbl -Gal _____
	Actual TOC _____	SURFACE _____		Excess /Return BBI _____	110	Calc.Disp Bbl _____
Average _____	Bump Plug PSI: _____	710		Calc. TOC: _____	SURFACE	Actual Disp. _____
5 Min. _____	10 Min _____	15 Min _____		Final Circ. PSI: _____	170	Disp:Bbl _____
				Cement Slurry: BBI _____	99.5	
				Total Volume BBI _____	148.06	

CUSTOMER REPRESENTATIVE \_\_\_\_\_ *Felix Ortiz Jr.* SIGNATURE

# JOB SUMMARY

PROJECT NUMBER <b>SOK 2334</b>		TICKET DATE <b>01/17/13</b>	
COUNTY <b>Comanche</b>	State <b>Kansas</b>	COMPANY <b>Sandridge Exploration &amp; Production</b>	CUSTOMER REP <b>Roger Barber</b>
LEASE NAME <b>Sean 3119</b>	Well No. <b>3-18H</b>	JOB TYPE <b>Surface</b>	EMPLOYEE NAME <b>Robert Burris</b>

EMP NAME	0				
Robert Burris					
Frank Reeves					
Wesley Truex					
Gale Womack					

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_

Packer Type \_\_\_\_\_ Set At 0

Bottom Hole Temp. 80 Pressure \_\_\_\_\_

Retainer Depth \_\_\_\_\_ Total Depth 1000

Date	Called Out	On Location	Job Started	Job Completed
	<b>1/17/2013</b>	<b>1/17/2013</b>	<b>1/17/2013</b>	<b>1/17/2013</b>
Time	<b>13:30</b>	<b>17:00</b>	<b>19:50</b>	<b>21:00</b>

Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Val	0	IR
Centralizers	0	IR
Top Plug	1	IR
HEAD	1	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

Well Data						
	New/Used	Weight	Size	Grade	From	To
Casing		<b>36#</b>	<b>9</b>	<b>5/8</b>	Surface	977
Liner						
Liner						
Tubing			<b>0</b>			
Drill Pipe						
Open Hole			<b>12 1/4</b>		Surface	970
Perforations						Shots/Ft.
Perforations						
Perforations						

Materials			
	WBM	Density	Lb/Gal
Mud Type		<b>9</b>	
Disp. Fluid	Fresh Water	Density	<b>8.33</b>
Spacer type	Fresh Water BBL		<b>10</b>
Spacer type	BBL		<b>8.33</b>
Acid Type	Gal.		%
Acid Type	Gal.		%
Surfactant	Gal.		ln
NE Agent	Gal.		ln
Fluid Loss	Gal/Lb		ln
Gelling Agent	Gal/Lb		ln
Fric. Red.	Gal/Lb		ln
MISC.	Gal/Lb		ln

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
1/17	4.5	1/17	50.0	Surface
Total	<b>4.5</b>	Total	<b>50.0</b>	

Perfpac Balls \_\_\_\_\_ Qty. \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Pressures	
MAX	1500 PSI
AVG.	225
Average Rates in BPM	
MAX	6 BPM
AVG	4
Cement Left in Pipe	
Feet	47
Reason	SHOE JOINT

Cement Data						
Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
1	320	TEX Lite Premium Plus 65	(6% Gel) 2% Calcium Chloride - 1/4pps Cello-Flake - .5% C-41P	10.88	1.84	12.70
2	160	Premium Plus (Class C)	2% Calcium Chloride - 1/4pps Cello-Flake	6.32	1.32	14.80
3	100	Premium Plus (Class C)	* 2% Calcium Chloride (On the Side)	6.32	1.32	14.80

Summary					
Preflush Breakdown	Type: _____	MAXIMUM _____	1500 PSI _____	Preflush: BBI _____	Type: Fresh Water
	Lost Returns-N _____	NO/FULL _____	Load & Bkdn: Gal - BBI _____	Gal - BBI _____	Pad: Bbl -Gal _____
	Actual TOC _____	Surface _____	Excess /Return BBI _____	N/A _____	Calc. Disp Bbl _____
Average	Bump Plug PSI: _____	1,000 _____	Calc. TOC: _____	Surface _____	Actual Disp. _____
ISIP _____	5 Min. _____	10 Min _____	Final Circ. PSI: _____	500 _____	Disp: Bbl _____
		15 Min _____	Cement Slurry: BBI _____	143.0 _____	
			Total Volume BBI _____	223.00 _____	

CUSTOMER REPRESENTATIVE \_\_\_\_\_ SIGNATURE \_\_\_\_\_

<b>JOB SUMMARY</b>			PROJECT NUMBER <b>SOK 2365</b>	TICKET DATE <b>01/25/13</b>
COUNTY <b>Comanche</b>	State <b>Kansas</b>	COMPANY <b>Sandridge Exploration &amp; Production</b>	CUSTOMER REP <b>Felix Ortiz Jr.</b>	
LEASE NAME <b>Sean 3119</b>	Well No. <b>3-18H</b>	JOB TYPE <b>Intermediate</b>	EMPLOYEE NAME <b>Matt Wilson</b>	

EMP NAME					
Matt Wilson					
Jared Green					
Arthur Setzar					
David Thomas					

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_

Packer Type \_\_\_\_\_ Set At **4,245**

Bottom Hole Temp. **155** Pressure \_\_\_\_\_

Retainer Depth \_\_\_\_\_ Total Depth **5500**

Date	Called Out <b>1/25/2013</b>	On Location <b>1/25/2013</b>	Job Started <b>1/25/2013</b>	Job Completed <b>1/25/2013</b>
Time	<b>1:30 pm</b>	<b>5:00 pm</b>	<b>8:23 pm</b>	<b>10:00 pm</b>

Tools and Accessories		
Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Val	0	IR
Centralizers	0	IR
Top Plug	1	IR
HEAD	1	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

Well Data					
	New/Used	Weight	Size	Grade	
Casing		26#	7"		From Surface 5,493 Max. Allow 5,000
Liner					
Liner					
Tubing			0		
Drill Pipe					
Open Hole			8 3/4"	Surface	5,500 Shots/Ft.
Perforations					
Perforations					
Perforations					

Materials			
Mud Type	WBM	Density	9 Lb/Gal
Disp. Fluid	Fresh Water	Density	8.33 Lb/Gal
Spacer type	resh Water BBL.		20 8.33
Spacer type	Caustic BBL.		10 8.40
Acid Type	Gal.	%	
Acid Type	Gal.	%	
Surfactant	Gal.	In	
NE Agent	Gal.	In	
Fluid Loss	Gal/Lb	In	
Gelling Agent	Gal/Lb	In	
Fric. Red.	Gal/Lb	In	
MISC.	Gal/Lb	In	

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
1/25	5.0	1/25	4.0	Intermediate
Total	5.0	Total	4.0	

Perfpac Balls \_\_\_\_\_ Qty. \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Pressures	
MAX 5,000 PSI	AVG 300
Average Rates in BPM	
MAX 8 BPM	AVG 5
Cement Left in Pipe	
Feet 90	Reason SHOE JOINT

Cement Data						
Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
1	100	50/50 POZ PREMIUM	4% Gel - 0.4% C-12 - 0.1% C-37 - 0.5% C-41P - 2 lb/sk Phenoseal	6.77	1.44	13.60
2	100	Premium	0.4% C-12 - 0.1% C-37	5.20	1.18	15.60
3	0	0		0	0.00	0.00

Summary					
Preflush Breakdown	10	Type: Caustic	Preflush: BBI	30.00	Type: WEIGHTED SP.
		MAXIMUM 5,000 PSI	Load & Bkdn: Gal - BBI	N/A	Pad:Bbl-Gal N/A
		Lost Returns-N NO/FULL	Excess /Return BBI	N/A	Calc. Disp Bbl 206
Average		Actual TOC	Calc. TOC:	4,253	Actual Disp. 206.00
SP 5 Min		Bump Plus PSI:	Final Circ. PSI:	750	Disp:Bbl
		10 Min	Cement Slurry: BBI	45.0	
		15 Min	Total Volume BBI	282.00	

CUSTOMER REPRESENTATIVE Felix Ortiz Jr. SIGNATURE

# JOB SUMMARY

COUNTY <b>Comanche</b>		State <b>Kansas</b>		COMPANY <b>Bridge Exploration &amp; Produc</b>		PROJECT NUMBER <b>SOK 2394</b>	TICKET DATE <b>02/03/13</b>
LEASE NAME <b>Sean 3119</b>				Well No. <b>3-18H</b>		CUSTOMER REP <b>Roger Barber</b>	
				JOB TYPE <b>Liner</b>		EMPLOYEE NAME <b>Nate Cotta</b>	

EMP NAME <b>Nate Cotta</b>	<b>Wesley Truex</b>				
<b>Vontray Watkins</b>					
<b>James Keen</b>					
<b>Robert Stonehocker</b>					

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_

Packer Type \_\_\_\_\_ Set At **5,493'**

Bottom Hole Temp. **150** Pressure \_\_\_\_\_

Retainer Depth \_\_\_\_\_ Total Depth **9,971'**

Date	Called Out	On Location	Job Started	Job Completed
	<b>2.3.13</b>	<b>2.3.13</b>	<b>2.3.13</b>	<b>2.3.13</b>
Time	<b>830</b>	<b>1300</b>	<b>1625</b>	<b>1900</b>

Type and Size	Qty	Make
Auto Fill Tube	0	<b>Weatherford</b>
Insert Float Val	0	
Centralizers	0	
Top Plug	0	
HEAD	0	
Limit clamp	0	
Weld-A	0	
Texas Pattern Guide Shoe	0	
Cement Basket	0	

	New/Used		Weight	Size	Grade	From	To	Max. Allow
Casing			11.6	4 1/2				
Liner Tool								
HWDP								
Drill Pipe				3 1/2"				
Drill Collars								
Open Hole				6 1/8"	Surface	9,971'		Shots/Ft.
Perforations								
Perforations								
Perforations								

Materials			
Mud Type	WBM	Density	<b>9.1</b> Lb/Gal
Disp. Fluid	Fresh Water	Density	<b>8.33</b> Lb/Gal
Spacer type	Fresh Water	BBL.	<b>20</b> 8.33
Spacer type	Caustic	BBL.	<b>10</b> 8.40
Acid Type	Gal.		%
Acid Type	Gal.		%
Surfactant	Gal.		In
NE Agent	Gal.		In
Fluid Loss	Gal/Lb		In
Gelling Agent	Gal/Lb		In
Fric. Red.	Gal/Lb		In
MISC.	Gal/Lb		In
Perfpac Balls		Qty.	
Other			
Other			
Other			
Other			
Other			

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
<b>2.3.13</b>	<b>6.0</b>	<b>2.3.13</b>	<b>2.0</b>	Liner
Total	<b>6.0</b>	Total	<b>2.0</b>	

Pressures			
MAX	5000	AVG	550
Average Rates in BPM			
MAX	5 BPM	AVG	4
Cement Left in Pipe			
Feet	92	Reason	SHOE JOINT

Cement Data						
Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
1	510	50/50 Premium Poz	(4%Gel) - .4% C12 - .1% C37 - 0.5% C-41P - 2 Lb/Sk Phenoseal	6.77	1.44	13.60
2	0	0		0	0.00	0.00
3	0	0		0	0.00	0.00

Summary					
Preflush Breakdown	<b>10-</b>	Type: <b>Caustic</b>	Preflush: <b>BBI</b>	<b>20.00</b>	Type: <b>8.59#/SPACER</b>
		<b>MAXIMUM</b>	Load & Bkdn: <b>Gal - BBI</b>	<b>N/A</b>	Pad:Bbl -Gal <b>N/A</b>
		<b>Lost Returns-N</b>	Excess /Return <b>BBI</b>	<b>N/A</b>	Calc. Disp Bbl <b>119</b>
		<b>Actual TOC</b>	Calc. TOC: <b>4.697'</b>	<b>4.697'</b>	Actual Disp. <b>119.00</b>
Average		<b>Bump Plug PSI:</b>	Final Circ. <b>PSI:</b>	<b>900</b>	Disp:Bbl <b>119.00</b>
	<b>5 Min.</b>	<b>10 Min</b>	Cement Slurry: <b>BBI</b>	<b>120.5</b>	
		<b>15 Min</b>	Total Volume <b>BBI</b>	<b>259.54</b>	

CUSTOMER REPRESENTATIVE \_\_\_\_\_ SIGNATURE \_\_\_\_\_