

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1121316

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

WELL PLUGGING RECORD K.A.R. 82-3-117

| OPERATOR: License #: | | | | API No. 15 | 5 | | | | |
|---|---|---|---|---------------|-----------------------|----------------------|---------------------------|--|--|
| Name: | | | | | Spot Description: | | | | |
| Address 1: | | | Sec Twp S. R East West | | | | | | |
| | | | Feet from North / South Line of Section | | | | | | |
| City: | State: _ | | Feet from East / West Line of Section | | | | | | |
| Contact Person: | | · | | Footages | Calculated from Nea | rest Outside Section | n Corner: | | |
| Phone: () | | | | | NE NW | SE SW | | | |
| ENHR Permit #: Is ACO-1 filed? Yes Producing Formation(s): Lis Depth Depth | Other: Gas No If not, is t All (If needed attach and to Top: E to Top: E | SWD Permit #: storage Permit #: well log attached? Yes | County: Well #: Well #: (Date Well Completed: (Fact Agent's Name) by: (KCC District Agent's Name) Plugging Commenced: Plugging Completed: | | | | | | |
| Show depth and thickness of | of all water, oil and gas f | ormations. | | | | | | | |
| Oil, Gas or Wat | ter Records | | Casing | Record (Surfa | ace, Conductor & Prod | luction) | | | |
| Formation | Content | Casing | Size | | Setting Depth | Pulled Out | | | |
| | | lugged, indicating where the mer of same depth placed from (b | | | | ods used in introdu | cing it into the hole. If | | |
| Plugging Contractor License | _ Name: | | | | | | | | |
| Address 1: | | | | Address 2: | | | | | |
| City: | | | _ State: | | Zip: | + | | | |
| Phone: () | | | | _ | | | | | |
| Name of Party Responsible | for Plugging Fees: | | | | | | | | |
| State of | | | plovee of Operator o | r Operator on | ahove-described well | | | | |

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

(Print Name)

FEB 1 1 2013

| CANTON, KS. 67428 | PHONE: 620 | 1-628-4424 FAX: 6 | 320-628-443 | 35 | | |
|--|--|---|--|-----------------|---------------|--------------------|
| DATE JOB STARTED 2-4-13 LEASE: Schrag D | DATE JOB (| COMPLETED: 2 | -5-/3 | | _ | |
| WORK PERFORMED: (Please circle appropriate job) | | Frac Well eze Job Worko | | Well | | |
| Pump Change: New: Rebuilt Size of pump | Rod Part: Rod Break-Nu | Size & Type of Rep | lacementK | ind of Bre | ak | |
| Tubing Failure: Tubing leak-Number of Jts Down Kind of Break Replaced with New or Used | k | Size & Type of Rep | lacement | | ~~ | |
| Plugging Well? Please Complete Information Number of Sacks cement at bottom Number of Sacks cement at Number of Sacks cement at Number of Sacks cement at Total Number of Sacks of Cement Description of Work Performed: | | feet Type of Center Ticket number feet Cementing Confeet Date Plugging State Plugging | r: <u>4 786</u> ompany: <u>CO</u> | 20 Jano 2-5- | / /.3 | |
| (2-4-13) Rig up-Pull out rock town, Rig over for tubing un Pack he tubing was stuck- tubing out-tubing was stuck- 2-5-13) Put stratch in tubing plug on bottom-cope land the with I shot from the back off | lad-ge - Shut a - Copela 2 Set u Gun. Pull | t slips our bwr. (4) nd set up o n t shot th out 14 Join | t-try t spott e tub t's o'p | ed 3: | 5-50 FF 9 | the ck 1+421 |
| land set up + shot 4 shot's at head + copeland pumped 185 sa. Clean up + rig down. (4) Took all roofs to leffler yd - us. | 396'ON CK'S OF ed /1-2 | Cement do | Put 45 | 2 SW- | Fu | Trace. |
| 1-45 well head + packing to lehig TOOK 14×23/8 Joint's to letter of | n shop- | usea | | | | |
| Drop Pump at heffler shop Joints Feet Size Pulled from Well: | Equipment | Joints Feet Size | MILITANIA MILITA | Run in \ | Veli: | |
| J 16 104 3 3/4 124 5/8 | Packer Anchor Polished Rod Rods Rods | | | | | |
| 1 1 3 4 2 4 6 8 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Rod Subs Pump Tubing | | 2' 4' | 6' | 8, | 10' |
| 2' 4' 6' 8' 10' | Tubing Subs Barrel Mud Anchor | | 2' 4' | 6' | 8' | 10' |
| <u>Services</u> | Hours | Per Hour | | Amou | nt | |
| Unit and Power Tools Road Time - Per hour | 8 | \$115.00 \$115.00 | | | **** | |
| Material Transfer Swab Cups | | | \$ | | | |
| Signed Oul P. Date: 2-8-4: | 3 | Sales Tax Total Due | \$ e | | | |

COPELAND

Acid & Cement

POST OFFICE BOX 438 HAYSVILLE, KS 67060 (316) 524-1225 (316) 524-1027 FAX

Invoice

Page: 1

BURRTON, KS & GREAT BEND, KS (620) 463-5161

(620) 793-3366 FAX (620) 463-2104 FAX (620) 793-3536

INVOICE NUMBER: C41786-IN

BILL TO:

TREK AEC P.O. BOX 516 **CANTON, KS 67428** LEASE: SCHRAG D1

| DATE | ORDER | SALESMAN | ORDER DATE | PURCHASE | ORDER | SPECIAL INSTRUCTION | | | |
|--|--------|--|--------------------|--------------|--------------------|---------------------|-----------|--|--|
| 02/14/2013 | C41786 | 02/05/2013 | | | NET 30 | | | | |
| QUANTITY | U/M | ITEM NO./DI | ESCRIPTION | | D/C | PRICE | EXTENSION | | |
| | | 2/5/2013 | | | | | | | |
| 1.00 | EA | CEMENT PUMP | CEMENT PUMP CHARGE | | | 650.00 | 650.00 | | |
| 35.00 | SAX | COMMON CEME | ENT | | 0.00 | 11.25 | 393.75 | | |
| 185.00 | SAX | 60-40 POZ MIX 4 | ¥% GEL | | 0.00 | 9,69 | 1,792.65 | | |
| 11.00 | MI | CEMENT MILEAGE PUMP TRUCK 2/6/2013 | | | 0.00 | 4.00 | 44.00 | | |
| 1.00 | EA | CEMENT PUMP | CEMENT PUMP CHARGE | | | 650.00 | 650.00 | | |
| 40.00 | SAX | 60-40 POZ MIX 4% GEL | | | 0.00 | 9.69 | 387.60 | | |
| 11.00 | МІ | CEMENT MILEAGE PUMP TRUCK | | | 0.00 | 4,00 | 44.00 | | |
| 280.00 | EA | BULK CHARGE | | | 0.00 | 1.25 | 350.00 | | |
| 1.00 MI MIN. BULK TRUCK - TON MILES | | | | 0.00 | 150.00 | 150.00 | | | |
| | | | | | | | | | |
| REMIT TO: P.O. BOX 438 HAYSVILLE, KS 67060 RECEIVED BY | | СОВ | | Net Invoice; | | 4,462.00 | | | |
| | | FUEL SURCHARGE IS NOT TAXABLE AND IS ADDED TO MILEAGE, PUMP AND OR DELIVERY CHARGES ONLY. | | | HAYCO | 107.90 4,569.90 | | | |
| | | NET 30 DAYS | | | Invoice Total: 4,6 | | | | |

There will be a charge of 1.5% "per month" (18% annual rate) on all accounts over 30 days past due.

Copeland Acid & Cement is a subsidiary of Gressel Oil Field Service

Gressel Oil Field Service receives a security interest in the goods sold until the same are paid for in full and reserve all the rights of a secured party under the Uniform Commercial Code



TREATMENT REPORT

ACID STATE NO RT

| | | _ | | | Type Treatment: Amt. | רגי | rpe Fluid | Sand Sire | Younds of Bass | | | | |
|---|---|--|--|---------------------------------------|--|--|---------------------|---|-----------------------|--|--|--|----------|
| Delegation Pickers F. O. No. | | | | | Bkdown.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | Bbjl. /OA1 | | 441E - 480345122412612612612 | ********************* | | | | |
| Company Tak REC | | | | | Bbl./Gal. | | | | | | | | |
| | | | | | | | | | | | | | Location |
| County Hand | | | | | | Bbl. / Cal | | | | | | | |
| | <i>₹</i> 3 | | | | Treated from | | | | | | | | |
| Caulty: Size | | Type & Wi | | Bet at | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | |
| Parmation: | | | Perf | | | ft. to | | | | | | | |
| | | | | to | 1 | | | | | | | | |
| | | | | | Actual Volume of Oil/W | ater to loud Hule | | | Bbl. /Gal. | | | | |
| | | | | t. Bottom stft. | 1 A-m | | | | | | | | |
| | | | | ft. toft. | 1 40 11. 644 1 4 1 4.41 | | | | | | | | |
| | • | | | ft. | the party and the party of the | | | | | | | | |
| • | | | - | | The second secon | | | | | | | | |
| 1 61 | totated trom,,. | | | | Ulberrier on Macline Mass | | Stilve Co | ICC | ~I. D. | | | | |
| XV 1 E1 | _ | *** | 4. 1. | | Plugging or Bealing Materials: Type 355 lbs Com 1855 cl. Poz | | | | | | | | |
| निवास स्वाह शह | A | | A STATE OF THE PARTY OF THE PAR | is, to | 1 | \$77 // | | Gala. | | | | | |
| Courses T | Representativ | ,_ | | | Treater Treater | - 14/1 | | | | | | | |
| | | SURES | | 1 | Tiester. | | | | | | | | |
| TIME | Tubing | Casing | Total Fluid Pumped | | r | EMARKS | | | | | | | |
| *************************************** | | | | C. 12. 552 | N 05 | | | | | | | | |
| 275 | | · · · · · · · · · · · · · · · · · · · | | On 100 33 | | | | | | | | | |
| 00.00 | | | <u> </u> | | This street | in Hole | _\$ } }_ | wety: | | | | | |
| | 3000 | 5 | EBS- | Concela preses | 7 | 800- | males : | dead, | | | | | |
| | 1400) | | 3Bbs | 38501.800 | DO Haraky dard Shy done 1518 400 | | | | | | | | |
| 10:32 | 70 | | $+ \circ$ | | | ab or kil | 50 - ha | <u>د وي ، ر</u> | merty | | | | |
| -:- | | | ノゴダジ | 35 55 KP100 5 K | 01 5.8 | Slukky | wech: | - don ~ | Viole. | | | | |
| : | 700 | | | | | V | | ^ | | | | | |
| | 3 Harry | 10 | 152BV | Noch & B | Ble to wesh | no + telus | <u>~ 7</u> h2 | ralow. | | | | | |
| | 0 | ļ | ļ | 151P > CA | | <u> </u> | | | | | | | |
| | | | ļ | Show down | a to chart | y work | Take C | Lies | | | | | |
| - 1 | | | <u> </u> | Ran war o | eff His | | | | | | | | |
| 17:30 | | | | Toll or the | 143 Swedge | 3×44-11 | ويعد م | O BROW | Chea | | | | |
| | | | J. P. B.L. | Revent CLEO | | X 750 | | ^ | | | | | |
| | | | <u></u> | Start mi | Lasir dow. | hale (0) | -40- 4 | To Poz | 1 | | | | |
| : | | 300 | "58/t. | 73 5501 - | 3042 | | | | | | | | |
| : | | | 32862 | Good Shure | eny to surface 1853-da mixed & cher | | | | | | | | |
| 12:45 | | 40 | | Show in 45 | 12 har pergres Ply out | | | | | | | | |
| : | | | | L controll | YE BY HOT DERING PIN ONT | | | | | | | | |
| 1255 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| : | | | | 2-6-13 | | | | | | | | | |
| ; | | | 70 | 25-00 | got bose Full Ceneral | | | | | | | | |
| : | |] | | out hose | 8000 HZ | N 53 6 | A. () | | | | | | |
| : [| - | | | Tot course | P River Jaston | 856 KV | WALL | | | | | | |
| 1 | | | 25 40 | Filles Wit | Dell Con | at how | Nr 18 | <u> </u> | DEROLA | | | | |
| ; | · | | | Riz don | | - Using | - 1 | <u> </u> | <u> </u> | | | | |
| ; | | |] | 2.00 | | | | | | | | | |
| : 1 | | 1 | | , , , , , , , , , , , , , , , , , , , | | | | | * | | | | |
| : | | | <u> </u> | | | | | | | | | | |
| : | | | 1 | | | | | | | | | | |
| : | *************************************** | | 1 | ***** | ··· | <u>-</u> | | | | | | | |
| -; - | | | † | | | | | 5 · · · · · · · · · · · · · · · · · · · | | | | | |
| | | ······································ | | | | | • • • | | | | | | |
| | | ļ <u>.</u> | | | | | | | | | | | |
| | | | | | | | | | . • | | | | |