

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1123558

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

# NOTICE OF INTENT TO DRILL

	Spot Description:
month day	year Sec Twp S. R E V
OPERATOR: License#	feet from N / S Line of Section
Name:	foot from   F /   W Line of Cootio
Address 1:	L OFOTION D L D L O
Address 2:	
City: State: Zip:	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	Target Formation(s):
W # D :# . I	Negreet Lagge or unit boundary line (in factors):
Well Drilled For: Well Class: Type Equi	pment: Ground Surface Elevation:feet MS
	Rotary  Water well within one-quarter mile:  Ves N
	Otary  Public water supply well within one mile:
Disposal Wildcat Cable	e Depth to bottom of fresh water:
Seismic ;# of Holes Other	Depth to bottom of resh water:
Other:	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
_	
Operator:	Decide the district Department
Well Name: Original Total Deptl	
Original Completion Date Original Total Depti	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
If Yes, true vertical depth:	
Bottom Hole Location:	DWK Feithil #
KCC DKT #:	
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion	AFFIDAVIT and eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be r	and eventual plugging of this well will comply with K.S.A. 55 et. seq. met:
It is agreed that the following minimum requirements will be r  1. Notify the appropriate district office <i>prior</i> to spudding of the approved notice of intent to drill <i>shall be</i> of the minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the open of the appropriate district office will be notified before well. If an ALTERNATE II COMPLETION, production pipe is or pursuant to Appendix "B" - Eastern Kansas surface	and eventual plugging of this well will comply with K.S.A. 55 et. seq. met: of well; e posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the open 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipes or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or ubmitted Electronically  For KCC Use ONLY	and eventual plugging of this well will comply with K.S.A. 55 et. seq.  met: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; ell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
It is agreed that the following minimum requirements will be r  1. Notify the appropriate district office <i>prior</i> to spudding of the approved notice of intent to drill <i>shall be</i> or through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the open of the appropriate district office will be notified before well of the appropriate district office will be notified before well of the appropriate district office will be notified before well of the appropriate district office will be notified before well of the appropriate district office will be notified before well of the appropriate district office will be notified before well of the appropriate district office will be notified before well of the appropriate district office will be notified before well of the appropriate district office will be notified before well of the appropriate district office will be notified before well of the appropriate district office will be notified before well of the appropriate district office will be notified before well of the appropriate district office will be notified before well of the appropriate district office will be notified before well of the appropriate district office will be notified before well of the appropriate district office will be notified before well of the appropriate district office will be notified before well of the well of the appropriate district office will be notified before well of the well of the appropriate district office will be notified before well of the well of the appropriate district office will be notified before well of the well of the well of the appropriate district office will be notified before well of the well of the appropriate district office will be notified before well of the well of the well of the well of the appropriate district office will be notified before well of the we	and eventual plugging of this well will comply with K.S.A. 55 et. seq.  met: of well; e posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; ell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
It is agreed that the following minimum requirements will be r  1. Notify the appropriate district office <i>prior</i> to spudding of the approved notice of intent to drill <i>shall be</i> or the approved notice of intent to drill <i>shall be</i> or the minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the through all unconsolidated materials plus a mi	and eventual plugging of this well will comply with K.S.A. 55 et. seq.  met: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; ell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be r  1. Notify the appropriate district office <i>prior</i> to spudding of the approved notice of intent to drill <i>shall be</i> or through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the open of the appropriate district office will be notified before well of the appropriate district o	and eventual plugging of this well will comply with K.S.A. 55 et. seq.  met: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; ell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. a casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be r  1. Notify the appropriate district office <i>prior</i> to spudding of the approved notice of intent to drill <i>shall be</i> or the approved notice of intent to drill <i>shall be</i> or the minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the through all unconsolidated materials plus a mi	met: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; ell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

Spud date: .

- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Date:
2



For KCC Use ONLY	
API # 15	-

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _							_ Loc	cation of We	ell: Coun	ty:				
Lease:										fe	eet from	N /	S Line	of Section
Well Numb	er:						_			fe	et from	E /	W Line	of Section
Field:							_ Se	C	Twp		S. R		_ E _	W
Number of QTR/QTR/							- ls (	Section:	Regul	ar or [	Irregula	r		
					_		Se  PLAT  st lease or	ection is liction corner unit bounds	r used:	NE Show the	NW _	SE S	SW of	dary.
	lease road	is, tarik be	illerres, pr	1194 1	Yои т			plat if desir		e Owner i	Volice Act	(Flouse D	m 2032).	
				:		:	:				LEG	END		
2040 ft				<ul><li>O</li></ul>		:				0	☐ Tank — Pipel	Location Battery L ine Locat	ion	
				:			: : : :					ric Line L e Road L		
				<u>:</u>		<u>:</u>	: :			EXAMPL	Ε	:	:	
				2	3					:	:		:	
						:								
				·	••••	:					97	•		1980' FSL
	:	:		: :::::::::::::::::::::::::::::::		: :	: :							
				• • •		:	: : :		S	SEWARD CO.	3390' FE	: L	:	

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:		Phone Number:					
Lease Name & Well No.:		Pit Location (QQQQ):					
Type of Pit:  Emergency Pit  Burn Pit	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:  (bbls)		Sec				
Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)							
Is the pit located in a Sensitive Ground Water A	urea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?			How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits				
Depth fro	om ground level to dee	epest point:	(feet) No Pit				
material, thickness and installation procedure.		mier miegrity, n	ncluding any special monitoring.				
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of inform	owest fresh water feet. mation:				
feet Depth of water wellfeet		measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover:					
Number of producing wells on lease:		Number of working pits to be utilized:					
Barrels of fluid produced daily:		Abandonment procedure:					
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.					
Submitted Electronically							
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS							
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection: Yes No				



1123558

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)								
OPERATOR: License #	Well Location:								
Name:	SecTwpS. R East								
Address 1:	County:								
Address 2:	Lease Name: Well #:								
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of								
Contact Person:	the lease below:								
Phone: ( ) Fax: ( )									
Email Address:									
Surface Owner Information:									
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional								
Address 1:	owner information can be found in the records of the register of deeds for the								
Address 2:									
City:									
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.								
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this								
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1								
Submitted Electronically									



Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499

INVOICE NO.

111533I PLAT NO

Landmark Resources, Inc.

OPERATOR

33w

15s

Twp.

LPR #1-23 LEASE NAME 1194' FNL - 2040' FWL

LOCATION SPOT

N/A SCALE:

Logan County, KS

COUNTY

Mar. 7th, 2013 DATE STAKED:

Ben R. MEASURED BY:

Drew H. DRAWN BY:

AUTHORIZED BY: Jeff W. & Becky P.

This drawing does not constitute a monumented survey or a land survey plat. This drawing is for construction purposes only. GR. ELEVATION: 2771.6°

**Directions:** From the center of Scott City Ks at the intersection of Hwy 83 & Hwy 96 - Now go 21.8 miles North on Hwy 83 - Now go 4.6 miles West on Gold Rd - Now go 2 miles South on 390 Rd - Now go 1 mile West on Elk Rd - Now go 1 mile South on 380 Rd to NW corner of section 23-15s-33w and ingress stake SE into - Now go approx. 2370' SE through pasture with cattle into staked location. Final ingress must be verified with land owner or Operator.

4.6 LPR #1-23 1194' FNL - 2040' FWL 2771.6' = gr. elev. at staked loc. NAD 83 Lat. = N38° 44' 21.436" Long. = W100° 57' 30.265" NAD 27 KS-N X= 1156377 Y= 161623 I staked location with 7' wood (painted orange and blue) and t-post Location falls in pasture with cattle While standing at staked location looking 150' in all directions loc. has 1' to 3' bumps Landowner contact info: Chad Gerber 620-872-1592 = cell starting point Lion Creek




### Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159 Cell: (620) 272-1499



111533L

Landmark Resources, Inc.

OPERATOR

23

33w Rng.

15s

Twp.

LPR #1-23

LEASE NAME

1194' FNL – 2040' FWL

LOCATION SPOT

CALE: 1" = 1000'

SCALE: 1" = 1000'

DATE STAKED: Mar. 7<sup>th</sup>, 2013

MEASURED BY: Ben R.

Logan County, KS


DRAWN BY: Drew H.

AUTHORIZED BY: Jeff W. & Becky P.

This drawing does not constitute a monumented survey or a land survey plat. This drawing is for construction purposes only.

GR. ELEVATION: 2771.6°

**Directions:** From the center of Scott City Ks at the intersection of Hwy 83 & Hwy 96 – Now go 21.8 miles North on Hwy 83 – Now go 4.6 miles West on Gold Rd – Now go 2 miles South on 390 Rd – Now go 1 mile West on Elk Rd – Now go 1 mile South on 380 Rd to NW corner of section 23-15s-33w and ingress stake SE into – Now go approx. 2370' SE through pasture with cattle into staked location. **Final ingress must be verified with land owner or Operator.** 





## Pro-Stake LLC


Oil Field & Construction Site Staking

### P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159 Cell: (620) 272-1499

33w

Rng.



Landmark Resources, Inc.

OPERATOR

111533I

PLAT NO.

LPR #1-23

Logan County, KS

23 15s Sec. Twp. 1194' FNL - 2040' FWL

LOCATION SPOT

SCALE: \_\_\_\_\_\_1" = 1000'

Mar. 7<sup>th</sup>, 2013

MEASURED BY: Ben R.

DATE STAKED:

COUNTY

Drawn BY: Drew H.

AUTHORIZED BY: Jeff W. & Becky P.


This drawing does not constitute a monumented survey or a


land survey plat. This drawing is for construction purposes only.

GR. ELEVATION: 2771.6°

**Directions:** From the center of Scott City Ks at the intersection of Hwy 83 & Hwy 96 – Now go 21.8 miles North on Hwy 83 – Now go 4.6 miles West on Gold Rd – Now go 2 miles South on 390 Rd – Now go 1 mile West on Elk Rd – Now go 1 mile South on 380 Rd to NW corner of section 23-15s-33w and ingress stake SE into – Now go approx. 2370' SE through pasture with cattle into staked location.

Final ingress must be verified with land owner or Operator.





Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

March 12, 2013

Jeff Wood Landmark Resources, Inc. 1616 S VOSS RD STE 600 HOUSTON, TX 77057-2641

Re: Drilling Pit Application LPR 1-23 NW/4 Sec.23-15S-33W Logan County, Kansas

#### Dear Jeff Wood:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.