

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KCC | Use: | |
|------------|--------|--|
| Effective | Date: | |
| District # | = | |
| SGA? | Yes No | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| | h day year | Spot Description: |
|--|---|--|
| month | i day year | Sec Twp S. R E' |
| PERATOR: License# | | feet from N / S Line of Section |
| | | feet from E / W Line of Section |
| ddress 1: | | Is SECTION: Regular Irregular? |
| | | (Note: Locate well on the Section Plat on reverse side) |
| | State: Zip: + | County: |
| Contact Person: | | Lease Name: Well #: |
| hone: | | Field Name: |
| ONTRACTOR: License# | | Is this a Prorated / Spaced Field? |
| ame: | | Target Formation(s): |
| | #0/ T 5 : / | Nearest Lease or unit boundary line (in footage): |
| Well Drilled For: We | ell Class: Type Equipment: | Ground Surface Elevation:feet MS |
| Oil Enh Rec | Infield Mud Rotary | Water well within one-quarter mile: |
| Gas Storage | Pool Ext. Air Rotary | Public water supply well within one mile: |
| Disposal | Wildcat Cable | Depth to bottom of fresh water: |
| Seismic ; # of Holes | Other | Depth to bottom of usable water: |
| Other: | | Surface Pipe by Alternate: I II |
| If OWWO: old well information | n as follows: | |
| | | Length of Surface Pipe Planned to be set: |
| • | | Length of Conductor Pipe (if any): |
| | 0::17:10:# | Projected Total Depth: |
| Original Completion Date: | Original Total Depth: | Formation at Total Depth: |
| irectional, Deviated or Horizontal we | ellbore? Yes No | Water Source for Drilling Operations: |
| | | Well Farm Pond Other: |
| | | DWR Permit #:(Note: Apply for Permit with DWR) |
| | | |
| | | Will Cores be taken?YesN If Yes, proposed zone: |
| | | |
| | | FIDAVIT |
| he undersigned hereby affirms that | at the drilling, completion and eventual plu | ugging of this well will comply with K.S.A. 55 et. seq. |
| is agreed that the following minim | ium requirements will be met: | |
| 1. Notify the appropriate district | office <i>prior</i> to spudding of well; | |
| 1,7 1,1 | e of intent to drill shall be posted on each | 5 5 , |
| The minimum amount of surfa | | by circulating cement to the top; in all cases surface pipe shall be set |
| | naterials plus a minimum of 20 feet into the | e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> |
| | | |
| 4. If the well is dry hole, an agre | | |
| 4. If the well is dry hole, an agree5. The appropriate district office | e will be notified before well is either plugg | ged or production casing is cemented in; |
| 4. If the well is dry hole, an agree5. The appropriate district office6. If an ALTERNATE II COMPLE | e will be notified before well is either plugg ETION, production pipe shall be cemente | |
| 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" | e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 | ged or production casing is cemented in; Indicate the defendance of the defendance o |
| 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLIATE OF Pursuant to Appendix "B" | e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 | ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| 4. If the well is dry hole, an agree5. The appropriate district office6. If an ALTERNATE II COMPLEOr pursuant to Appendix "B" | e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 | ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 | e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 | ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 ubmitted Electronically | e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 | ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 about the complete within | e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 | ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. |
| 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 Ubmitted Electronically For KCC Use ONLY | e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 | ged or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: |
| 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 Ibmitted Electronically For KCC Use ONLY API # 15 - | e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be | ged or production casing is cemented in; ad from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be | ged or production casing is cemented in; Independent of the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; |
| 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 IDMITTED Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required | e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be | ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; |
| 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 IDMITTED Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required | e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be | ged or production casing is cemented in; Independent of the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 UDMITTED Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by: | e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be | ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 Libmitted Electronically For KCC Use ONLY API # 15 | e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be | ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

Side Two



| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.


| | | | | | N. Ozwata |
|---|--------------------|------------------|---------------|-----------------------------|--|
| Operator: | | | | | II: County: |
| Lease: | | | | | feet from N / S Line of Section |
| Well Number: | | | | | feet from E / W Line of Section |
| Field: | | | 56 | €C | _Twp S. R |
| Number of Acres attributed QTR/QTR/QTR/QTR of | | | Is | Section: | Regular or Irregular |
| | | | | Section is Irrection corner | regular, locate well from nearest corner boundary. used: NE NW SE SW |
| | pipelines and elec | ctrical lines, a | as required l | | ary line. Show the predicted locations of s Surface Owner Notice Act (House Bill 2032). ed. |
| | | : | | | |
| | | | | | LEGEND |
| | | | | | Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location |
| | 25 | | | | EXAMPLE |
| | • | : | • | • | |

NOTE: In all cases locate the spot of the proposed drilling locaton.

200 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- $2. \ \, \text{The distance of the proposed drilling location from the south / north and east / west outside section lines}.$
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | License Number: | |
|---|---|---|--|
| Operator Address: | | | |
| Contact Person: | | | Phone Number: |
| Lease Name & Well No.: | | | Pit Location (QQQQ): |
| Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls) | | SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty |
| Is the pit located in a Sensitive Ground Water A | rea? Yes | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) |
| Is the bottom below ground level? | | | How is the pit lined if a plastic liner is not used? |
| Pit dimensions (all but working pits): | Length (fee | et) | Width (feet) N/A: Steel Pits |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | om ground level to dee | Describe proce | dures for periodic maintenance and determining any special monitoring. |
| Distance to nearest water well within one-mile | of pit: | Depth to shallo Source of infor | west fresh water feet. mation: |
| feet Depth of water wellfeet | | measured | well owner electric log KDWR |
| Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No Submitted Electronically | | Type of materia Number of work Abandonment p Drill pits must b | over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: de closed within 365 days of spud date. |
| | KCC | OFFICE USE O | NLY |
| Date Received: Permit Num | ber: | | Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No |



1124960

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


| Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1) | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) | | | | |
|---|---|--|--|--|--|
| OPERATOR: License # | Well Location: | | | | |
| Name: | SecTwpS. R East | | | | |
| Address 1: | County: | | | | |
| Address 2: | Lease Name: Well #: | | | | |
| City: State: Zip:+ | If filing a Form T-1 for multiple wells on a lease, enter the legal description of | | | | |
| Contact Person: | the lease below: | | | | |
| Phone: () Fax: () | | | | | |
| Email Address: | | | | | |
| Surface Owner Information: | | | | | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additiona | | | | |
| Address 1: | owner information can be found in the records of the register of deeds for the | | | | |
| Address 2: | | | | | |
| City: | | | | | |
| the KCC with a plat showing the predicted locations of lease roads, tank | dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. | | | | |
| ☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s). | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this | | | | |
| task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received with this form, the KSONA-1 | | | | |
| Submitted Electronically | | | | | |

TOPOGRAPHIC LAND SURVEYORS
6709 NORTH CLASSEN BLVD., OKLA. CITY, OKLA. 73116 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219

Certificate of Authorization No. LS-99, Exp. Dec. 31, 2013 COMANCHE County, Kansas 200'FSL-810'FEL_Section 315 _ Range _____ 20W _ P.M. _ Township X 1722587 Y 240540 660 330 1727854 240479 330' HARDLINE Bottom Hole 330'FNL-660'FEL NAD 27 (US Feet) N 37' 19' 20.8" W 99' 26' 17.4" N 37.322456334 W 99.438154899 X= 1727190 Y= 240156 HARDLINE 1950 25 HARDLINE GRID NAD-27 Kansas South US Feet 330, 3.280833 Ft. = 1 Meter 500' 1000' (2440') SCALE: 1" = 1000' 330' HARDLINE (1830') X 1727788 Y 235201 1727788 1722505 235253 Bottom Hole Information Provided by Operator Listed, NOI Surveyed. Corner Coordinates are Taken from Points Surveyed in the Field. Distances shown in (parenthesis) are calculated based upon the Quarter Section being 2640 feet, those shown in [brackets] are based on GLO (General Land Office) distances and have NOT been measured on the ground. Operator: SANDRIDGE EXPLORATION & PRODUCTION, **ELEVATION:** Lease Name: KERSTETTER 3120 Well No.: 4-25H 2070' Gr. at Stake Topography & Vegetation Loc. fell on edge of level pad, ±125' South of gas pipeline, ±152' North of powerline. Reference Stakes or Alternate Location Good Drill Site? _____ Fair Stakes Set _ From county road South of location. Best Accessibility to Location _ Distance & Direction From Jct. U.S. Hwy. 183 and U.S. Hwy. 160, go 2.0 mi. Norh, then from Hwy Jct or Town 6.0 mi. West to the SE Corner of Section 25, T31S-R20W LS-1552

LS-1552

LS-1552 Revision X A Mar. 7, 2013 Date of Drawing: _ Invoice # 195308 Date Staked: Jan. 16, 2013 DATUM: NAD-27 LAT: 37°18'33.9"N LONG: 99'26'19.4"W CERTIFICATE: LAT: 37.309415241° I, Michael Blake Brown a Kansas Licensed Land LONG: 99.438711894° Surveyor and an authorized agent of Topographic Land Surveyors, do hereby certify that the above described STATE PLANE COORDINATES: (US Feet) well location was surveyed and staked on the ground ZONE: KS SOUTH as shown herein. X: 1726980 1552 Y: 235410 Kansas Lic. No.



Kerstetter 3120 4-25H

Comanche County, KS

Unit Description:

All of 25-31S-2W

S/2 SE/4 of 24-31S-20W


S/2 SW/4 & NW/4 SW/4 of 24-31S-20W

Surface Owner:

Judith A. Kerstetter, Trustee

651 Avenue E

Coldwater, KS 67029





March 18, 2013

Judith A. Kerstetter, Trustee 651 Avenue E Coldwater, KS 67029

Re: KSONA-1 NOTIFICATION

Please find attached a draft copy of Intent to Drill currently pending with the KCC for approval. We plan to drill the Kerstetter 3120 4-25H well located in Comanche County, Kansas, and you are listed as the current surface owners.

This notice is being provided pursuant to the Kansas Surface Owner Notice Act (House Bill 2032). If you have any questions, please contact us.

Sincerely,

Tiffany Golay

Regulatory Technician SandRidge Energy

123 Robert S Kerr Avenue Oklahoma City, OK 73102

T: 405.429.6543

E: tgolay@sandridgeenergy.com

/file

Attach.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

March 20, 2013

Tiffany Golay SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application Kerstetter 3120 4-25H SE/4 Sec.25-31S-20W Comanche County, Kansas

Dear Tiffany Golay:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined. If a plastic liner is to be used it must have a minimum thickness of 20 mil. Integrity of the liner must be maintained at all times.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill.** If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.