# 

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KCC    | Use:   |
|------------|--------|
| Effective  | Date:  |
| District # |        |
| SGA?       | Yes No |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

|  | Spot Description:   |
|--|---|
| month day year   | Sec. Twp. S. R. E   |
| PPERATOR: License#   | feet from \bigcup N / \bigcup S Line of Section   |
| ame:   | feet from E / W Line of Section   |
| ddress 1:  | _ Is SECTION: Regular Irregular?  |
| ddress 2:  | (Note: Locate well on the Section Plat on reverse side)   |
| ity:   | County:   |
| Contact Person:  | Lease Name: Well #:   |
| hone:  | Field Name:   |
| ONTRACTOR: License#  | _ Is this a Prorated / Spaced Field? Yes No   |
| lame:  | Target Formation(s):  |
| Well Drilled For: Well Class: Type Equipment:  | Nearest Lease or unit boundary line (in footage):   |
|  | Ground Surface Elevation:feet MS  |
| Oil Enh Rec Infield Mud Rotary  Gas Storage Pool Ext. Air Rotary   | Water well within one-quarter mile:   |
| Gas Storage Pool Ext. Air Rotary  Disposal Wildcat Cable   | Public water supply well within one mile:   |
| Seismic : # of Holes Other   | Depth to bottom of fresh water:   |
| Other:   | Depth to bottom of usable water:  |
|  | Surface Pipe by Alternate: I II   |
| If OWWO: old well information as follows:  | Length of Surface Pipe Planned to be set:   |
| Operator:  | Length of Conductor Pipe (if any):  |
| Well Name:   | Projected Total Depth:  |
| Original Completion Date: Original Total Depth:  | Formation at Total Depth:   |
|  | Water Source for Drilling Operations:   |
| Directional, Deviated or Horizontal wellbore?  |   |
| f Yes, true vertical depth:  |   |
| Bottom Hole Location:  | ( <b>Note:</b> Apply for Permit with DWR )  |
| (CC DKT #:   | ─ Will Cores be taken? Yes N  |
|  | If Yes, proposed zone:  |
| Δ  | FFIDAVIT  |
| Γhe undersigned hereby affirms that the drilling, completion and eventual  |   |
| is agreed that the following minimum requirements will be met:   | progging of this well will comply with N.O.A. 55 ct. 564.   |
|  |   |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> </ol>   |   |
|  | <b>0</b> 0.   |
| 2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each of the province of surface pipe as specified below <b>shall be</b>  | at by circulating coment to the tent in all caces curtage pine chall be cat   |
| 3. The minimum amount of surface pipe as specified below shall be s  |   |
| 3. The minimum amount of surface pipe as specified below <b>shall be s</b> through all unconsolidated materials plus a minimum of 20 feet into   | the underlying formation.   |
| 3. The minimum amount of surface pipe as specified below <b>shall be s</b> through all unconsolidated materials plus a minimum of 20 feet into   | the underlying formation.  listrict office on plug length and placement is necessary <i>prior to plugging</i> ;   |
| <ol> <li>The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the c</li> <li>The appropriate district office will be notified before well is either plu</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer</li> </ol>  | the underlying formation.  listrict office on plug length and placement is necessary <i>prior to plugging</i> ; agged or production casing is cemented in; attended from below any usable water to surface within 120 DAYS of spud date.  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the c</li> <li>The appropriate district office will be notified before well is either plu</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>  | the underlying formation.  listrict office on plug length and placement is necessary <i>prior to plugging;</i> ligged or production casing is cemented in;  nted from below any usable water to surface within <i>120 DAYS</i> of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the c</li> <li>The appropriate district office will be notified before well is either plu</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>  | the underlying formation.  listrict office on plug length and placement is necessary <i>prior to plugging</i> ; agged or production casing is cemented in; attended from below any usable water to surface within 120 DAYS of spud date.  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the c</li> <li>The appropriate district office will be notified before well is either plu</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>  | the underlying formation.  listrict office on plug length and placement is necessary <i>prior to plugging</i> ;  ligged or production casing is cemented in;  nted from below any usable water to surface within <i>120 DAYS</i> of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the c</li> <li>The appropriate district office will be notified before well is either plus</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall</li> </ol>   | the underlying formation.  listrict office on plug length and placement is necessary <i>prior to plugging;</i> ligged or production casing is cemented in;  nted from below any usable water to surface within <i>120 DAYS</i> of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the c</li> <li>The appropriate district office will be notified before well is either plus</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall</li> </ol>   | the underlying formation.  listrict office on plug length and placement is necessary <i>prior to plugging;</i> ligged or production casing is cemented in;  nted from below any usable water to surface within <i>120 DAYS</i> of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the c</li> <li>The appropriate district office will be notified before well is either plu</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall</li> </ol>  | the underlying formation.  listrict office on plug length and placement is necessary <i>prior to plugging;</i> ligged or production casing is cemented in;  nted from below any usable water to surface within <i>120 DAYS</i> of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the c</li> <li>The appropriate district office will be notified before well is either plu</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall</li> </ol>  | the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attend from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification   |
| 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall  Jubmitted Electronically  For KCC Use ONLY   | the underlying formation.  listrict office on plug length and placement is necessary <i>prior to plugging;</i> ligged or production casing is cemented in; need from below any usable water to surface within <i>120 DAYS</i> of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  |
| 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall  JIDMITTED SHALL S  | the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; legged or production casing is cemented in; letted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;   |
| 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of the second of the  | the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; legged or production casing is cemented in; need from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;   |
| 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plucified. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall shall.  Jubmitted Electronically  For KCC Use ONLY  API # 15  | the underlying formation.  listrict office on plug length and placement is necessary <i>prior to plugging;</i> legged or production casing is cemented in; need from below any usable water to surface within <i>120 DAYS</i> of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;  |
| 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constitution of the second of th  | the underlying formation.  listrict office on plug length and placement is necessary <i>prior to plugging</i> ; agged or production casing is cemented in; atted from below any usable water to surface within <i>120 DAYS</i> of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;   |
| 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the county of the specified district office will be notified before well is either plucons. The appropriate district office will be notified before well is either plucons. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  **Dubmitted Electronically**  **For KCC Use ONLY**  API # 15 -  **Conductor pipe required   | the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; atted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the county of the second secon | the underlying formation.  listrict office on plug length and placement is necessary <i>prior to plugging</i> ; agged or production casing is cemented in; atted from below any usable water to surface within <i>120 DAYS</i> of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  |

\_ Agent:

Spud date: \_

SEWARD CO. 3390' FEL

| For KCC Use ONLY |   |
|------------------|---|
| API # 15         | - |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| perator:                              | Location of Well: County:  |
|---------------------------------------|--|
| ease:                                 | feet from N / S Line of Section                                    |
| /ell Number:                          | feet from E / W Line of Section                                    |
| ield:                                 | Sec Twp S. R   |
|                                       |  |
| lumber of Acres attributable to well: | Is Section: Regular or Irregular                                   |
| TR/QTR/QTR/QTR of acreage:            |  |
|                                       | If Section is Irregular, locate well from nearest corner boundary. |
|                                       | Section corner used: NE NW SE SW                                   |
|                                       |  |
|                                       |  |
| DI.                                   | AT   |
|                                       |  |
|                                       | ase or unit boundary line. Show the predicted locations of         |
|                                       | uired by the Kansas Surface Owner Notice Act (House Bill 2032).    |
| you may attach a sej<br>1650 ft.      | parate plat if desired.  |
| 1000 11.                              |  |
|                                       |  |
|                                       | LEGEND   |
|                                       |  |
|                                       | O Well Location  |
|                                       | Tank Battery Location  |
|                                       | Pipeline Location  |
|                                       | Electric Line Location   |
|                                       | 2310 ft Lease Road Location  |
|                                       |  |
|                                       | :  |
|                                       | EXAMPLE : :  |
|                                       | <del></del>  |
| 23                                    |  |
|                                       |  |
|                                       |  |
|                                       |  |
|                                       | :  |
|                                       | 1980' FSL  |
|                                       |  |
|                                       |  |
|                                       |  |
|                                       |  |

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).

In plotting the proposed location of the well, you must show:

- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1126376

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:   |  |  | License Number:   |  |
|--|--|--|---|--|
| Operator Address:  |  |  |   |  |
| Contact Person:  |  |  | Phone Number:   |  |
| Lease Name & Well No.:   |  |  | Pit Location (QQQQ):  |  |
| Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Workover Pit  Haul-Off Pit                        | Pit is:  Proposed  If Existing, date con | Existing   | SecTwp R East   |  |
| (If WP Supply API No. or Year Drilled)   | Pit capacity:                            | (bbls)   | County  |  |
| Is the pit located in a Sensitive Ground Water A   | Area? Yes                                | No   | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)        |  |
| Is the bottom below ground level?  |  |  | How is the pit lined if a plastic liner is not used?                            |  |
| Pit dimensions (all but working pits):   | Length (fee                              | et)  | Width (feet) N/A: Steel Pits  |  |
| Depth fro  | om ground level to dee                   | epest point:   | (feet) No Pit   |  |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. |  |  | dures for periodic maintenance and determining ncluding any special monitoring. |  |
| Distance to nearest water well within one-mile   | of pit:                                  | Depth to shallowest fresh water feet. Source of information: |   |  |
| feet Depth of water well   | feet                                     | measured   | well owner electric log KDWR  |  |
| Emergency, Settling and Burn Pits ONLY:  |  | Drilling, Work   | over and Haul-Off Pits ONLY:  |  |
| Producing Formation:   |  | Type of materia  | al utilized in drilling/workover:   |  |
| Number of producing wells on lease:  |  | Number of working pits to be utilized:                       |   |  |
| Barrels of fluid produced daily:   |  | Abandonment  | procedure:  |  |
| Does the slope from the tank battery allow all s flow into the pit? Yes No                             | pilled fluids to                         | Drill pits must be closed within 365 days of spud date.      |   |  |
| Submitted Electronically   |  |  |   |  |
| KCC OFFICE USE ONLY  |  |  |   |  |
| Date Received: Permit Num  | ber:                                     | Permi  | Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No                     |  |

### CORRECTION #1

KANSAS CORPORATION COMMISSION

1126376 Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed

All blanks must be Filled

## **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C  | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |  |
|--|--|--|
| OPERATOR: License #  | Well Location:   |  |
| Name:  | SecTwpS. R   |  |
| Address 1:   | County:  |  |
| Address 2:   | Lease Name: Well #:  |  |
| City: State: Zip:+   | If filing a Form T-1 for multiple wells on a lease, enter the legal description of   |  |
| Contact Person:  | the lease below:   |  |
| Phone: ( ) Fax: ( )  |  |  |
| Email Address:   |  |  |
| Surface Owner Information:   |  |  |
| Name:  | When filing a Form T-1 involving multiple surface owners, attach an additional   |  |
| Address 1:   | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the  |  |
| Address 2:   | county, and in the real estate property tax records of the county treasurer.   |  |
| City: State: Zip:+   |  |  |
| the KCC with a plat showing the predicted locations of lease roads, tank   | dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. |  |
| Select one of the following:   |  |  |
| owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface owner(s). | cknowledge that, because I have not provided this information, the rner(s). To mitigate the additional cost of the KCC performing this   |  |
| task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-   | fee with this form. If the fee is not received with this form, the KSONA-1   |  |
| Submitted Electronically   | _  |  |

# **Summary of Changes**

Lease Name and Number: R.P. DeVine 23-32A

API/Permit #: 15-051-26498-00-00

Doc ID: 1126376

Correction Number: 1

Approved By: Rick Hestermann 03/25/2013

| Field Name                     | Previous Value  | New Value   |
|--------------------------------|---|---|
| Contractor License<br>Number   | 34233   | 33493   |
| Contractor Name                | Maverick Drilling LLC                                     | American Eagle Drilling<br>LLC                            |
| KCC Only - Approved<br>By      | Rick Hestermann<br>03/18/2013                             | Rick Hestermann<br>03/25/2013                             |
| KCC Only - Approved Date       | 03/18/2013  | 03/25/2013  |
| KCC Only - Date<br>Received    | 03/15/2013  | 03/22/2013  |
| KCC Only - Lease<br>Inspection | Yes   | No  |
| Save Link                      | //kcc/detail/operatorE<br>ditDetail.cfm?docID=11<br>19444 | //kcc/detail/operatorE<br>ditDetail.cfm?docID=11<br>26376 |