

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	<u> </u>
SGA?	Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1126377

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

month day year	Spot Description:	
OPERATOR: License#	(0/0/0/0) feet from N / S Line of Section	
Name:	feet from E / W Line of Section	
ddress 1:	Is SECTION: Regular Irregular?	
ddress 2:	(Note: Locate well on the Section Plat on reverse side)	
City:	County:	
Contact Person:	Lease Name: Well #:	
hone:	Field Name:	
CONTRACTOR: License#	Is this a Prorated / Spaced Field?	
lame:	Target Formation(s):	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	
Disposal Wildcat Cable	Public water supply well within one mile:	
Seismic ;# of Holes Other	Depth to bottom of fresh water:	
Other:	Depth to bottom of usable water:	
If OWWO: old well information as follows:	Surface Pipe by Alternate: II III	
	Length of Surface Pipe Planned to be set:	
Operator:	Designated Tetal Design	
Well Name:		
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:	
irectional, Deviated or Horizontal wellbore?		
Yes, true vertical depth:	DWR Permit #:	
ottom Hole Location:	(Note: Apply for Permit with DWR )	
CC DKT #:		
	If Yes, proposed zone:	
ΔΙ	FIDAVIT	
he undersigned hereby affirms that the drilling, completion and eventual p		
is agreed that the following minimum requirements will be met:	nagging of this well will comply with N.C.A. 55 ct. 564.	
1. Notify the appropriate district office <b>prior</b> to spudding of well;	ch drilling rig:	
, , , , , , , , , , , , , , , , , , , ,	<b>0 0</b> .	
<ol> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i></li> </ol>	et by circulating cement to the top; in all cases surface pipe shall be set	
<ol> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the</li></ol>	he underlying formation.	
<ol> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t</li> <li>If the well is dry hole, an agreement between the operator and the di</li> </ol>	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i>	
<ol> <li>A copy of the approved notice of intent to drill shall be posted on ea</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus</li> </ol>	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in;	
<ol> <li>A copy of the approved notice of intent to drill shall be posted on ea</li> <li>The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well appropriate district office.</li> </ol>	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date.	
<ol> <li>A copy of the approved notice of intent to drill shall be posted on ea</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluted. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order in the set of the</li></ol>	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in;	
<ol> <li>A copy of the approved notice of intent to drill shall be posted on ea</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluted. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order in the set of the surface of the set of the surface of the set of the set of the surface of the set of the surface of the</li></ol>	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing	
<ol> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall in the set of the spud date or the well shall in the set of the spud date or the well shall in the set of the spud date or the well shall in the set of the spud date or the well shall in the set of the set</li></ol>	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing	
<ol> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall in the set of the spud date or the well shall in the set of the spud date or the well shall in the set of the spud date or the well shall in the set of the spud date or the well shall in the set of the set</li></ol>	he underlying formation.  strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing	
<ol> <li>A copy of the approved notice of intent to drill shall be posted on ea</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well appropriate district office wil</li></ol>	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing	
<ol> <li>A copy of the approved notice of intent to drill shall be posted on ea</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well appropriate district office will be notified before w</li></ol>	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.	
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the display of the appropriate district office will be notified before well is either plught.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be appropriated.  Ibmitted Electronically  For KCC Use ONLY	he underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to:	
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be second of the spudic of the	he underlying formation. strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second structure of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of the surface of the surface of the second of the surface of the	he underlying formation. strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second structure of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of the second structure of the well is either plus of the second structure of the well is either plus of the second structure of the well shall be completed within 30 days of the spud date or the well shall be second structure of the well shall be second of the second structure of the well shall be second of the second structure of the well shall be second of the sec	he underlying formation. strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;	
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second structure of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order amust be completed within 30 days of the spudidate or the well shall be seen that the second structure of the s	he underlying formation. strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second structure of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of the second structure of the well is either plus of the second structure of the well is either plus of the second structure of the well shall be cementary of the second structure of the well shall be completed within 30 days of the spud date or the well shall be second structure of the well shall be completed.  Ibmitted Electronically  For KCC Use ONLY  API # 15	he underlying formation. strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;	
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second structure of the well is dry hole, an agreement between the operator and the displant of the well is dry hole, an agreement between the operator and the displant of the second structure of the well is either plus of the second structure of the well is either plus of the second structure of the well is either plus of the second structure of the well shall be completed within 30 days of the spud date or the well shall be second structure of the well shall be second structure.  Implication of the second structure of the well shall be second structure of the well shall be second structure.  Implication of the second structure of the second st	he underlying formation. strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);	

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	-

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:		
Lease:	feet from N / S Line of Section		
Well Number:	feet from E / W Line of Section		
Field:	SecTwpS. R E W		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		
Show location of the well. Show footage to the nearest le lease roads, tank batteries, pipelines and electrical lines, as requ	AT  ease or unit boundary line. Show the predicted locations of uired by the Kansas Surface Owner Notice Act (House Bill 2032).  eparate plat if desired. 1650 ft.		
	1650 ft.		
	LEGEND		
	O Well Location  Tank Battery Location  Pipeline Location		
	990 ft. ———————————————————————————————————		
	EXAMPLE :		
23			
	: : : :		
	1980' FSL		

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

1126377 Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit	Emergency Pit Burn Pit Proposed		SecTwp R	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:(bbls)		Feet from East / West Line of Section County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No Artificial Liner?  Yes No		No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
material, thickness and installation procedure.	cluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:		
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection:	

CORRECTION #2 1126377

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

# **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R 🔲 East 🗌 West	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: ( ) Fax: ( )		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: State: Zip:+		
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
Select one of the following:		
owner(s) of the land upon which the subject well is or will be le CP-1 that I am filing in connection with this form; 2) if the form I form; and 3) my operator name, address, phone number, fax, a	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically	_	

# **Summary of Changes**

Lease Name and Number: Frank Cerrow 23-42A

API/Permit #: 15-163-24109-00-00

Doc ID: 1126377

Correction Number: 2

Approved By: Rick Hestermann 03/25/2013

Field Name	Previous Value	New Value
Contractor License Number	34233	33493
Contractor Name	Maverick Drilling LLC	American Eagle Drilling LLC
KCC Only - Approved By	Rick Hestermann 03/14/2013	Rick Hestermann 03/25/2013
KCC Only - Approved Date	03/14/2013	03/25/2013
KCC Only - Date Received	03/14/2013	03/22/2013
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11 24437	//kcc/detail/operatorE ditDetail.cfm?docID=11 26377