

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KCC Use:    |  |
|-----------------|--|
| Effective Date: |  |
| District #      |  |
| SGA? Yes No     |  |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1126518

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

| Expected Spud Date:  | Spot Description:   |
|--|---|
| month day year   | Sec Twp S. R [ E [ ] \  |
| DPERATOR: License#   | feet from N / S Line of Section   |
| lame:  | feet from E / W Line of Section   |
| ddress 1:  | Is SECTION: Regular Irregular?  |
| ddress 2:  | (Note: Locate well on the Section Plat on reverse side)   |
| ity: State: Zip: +   | County:   |
| contact Person:  | Lease Name: Well #:   |
| hone:  | Field Name:   |
| ONTRACTOR: License#  | Is this a Prorated / Spaced Field?  |
| ame:   | Target Formation(s):  |
| Well Drilled For: Well Class: Type Equipment:  | Nearest Lease or unit boundary line (in footage):   |
|  | Ground Surface Elevation:feet MS  |
| Oil Enh Rec Infield Mud Rotary  Gas Storage Pool Ext. Air Rotary   | Water well within one-quarter mile:   |
| Gas Storage Pool Ext. Air Rotary  Disposal Wildcat Cable   | Public water supply well within one mile:   |
| Seismic ; # of Holes Other   | Depth to bottom of fresh water:   |
| Other:   | Depth to bottom of usable water:  |
|  | Surface Pipe by Alternate: I II   |
| If OWWO: old well information as follows:  | Length of Surface Pipe Planned to be set:   |
| Operator:  | Length of Conductor Pipe (if any):  |
| Well Name:   | Projected Total Depth:  |
| Original Completion Date: Original Total Depth:  |   |
|  | Water Source for Drilling Operations:   |
| or tirectional, Deviated or Horizontal wellbore?   | Well Farm Pond Other:   |
| Yes, true vertical depth:  | DWR Permit #:   |
| Sottom Hole Location:  | (Note: Apply for Permit with DWR )  |
| CCC DKT #:   | Will Cores be taken?  |
|  | If Yes, proposed zone:  |
| ΔΕ   | FIDAVIT   |
| he undersigned hereby affirms that the drilling, completion and eventual pl  |   |
| is agreed that the following minimum requirements will be met:   | agg. 11g or a 11g 11g 11g 11g 11g 11g 11g 11g 11g 1   |
| is agreed that the following minimum requirements will be met.   |   |
| 4. Notification appropriate district office protects according to force  |   |
| Notify the appropriate district office <i>prior</i> to spudding of well;     A copy of the approved notice of intent to drill shall be nosted on each  | o drilling rig:   |
| 2. A copy of the approved notice of intent to drill shall be posted on eac   | 5 <i>5</i> ,  |
|  | by circulating cement to the top; in all cases surface pipe shall be set  |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distribution.</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ;  |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plug</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in;   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; ed from below any usable water to surface within <b>120 DAYS</b> of spud date.  |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>  | by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>   | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation. trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; ed from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>   | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation. trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; ed from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>   | by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be about the district of the spud before the well shall be about the district of the spud before the well shall be about the district of the spud before the sp</li></ol> | rby circulating cement to the top; in all cases surface pipe shall be set to underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  |
| 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be  Ibmitted Electronically  For KCC Use ONLY   | reby circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification  |
| 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  | rby circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing appliaged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  |
| 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be  Ibmitted Electronically  For KCC Use ONLY  API # 15  | rby circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing appliaged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;   |
| 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be  sibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required  | rby circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing applugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;  |
| 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be  Ibmitted Electronically  For KCC Use ONLY  API # 15  Conductor pipe required feet  Minimum surface pipe required feet per ALT I II II II   | rby circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing appliaged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;   |
| 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be  Ibmitted Electronically  For KCC Use ONLY  API # 15   | rby circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;  |
| 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required feet  Minimum surface pipe required feet per ALT I II  Approved by:  This authorization expires:   | rby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;  |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically</li> </ol> For KCC Use ONLY   | rby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); |

SEWARD CO. 3390' FEL

| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:           |            |               |              |                                 |       |   | Lo       | cation of W  | /ell: Cour | nty:       |           |                             |            |           |
|---------------------|------------|---------------|--------------|---------------------------------|-------|---|----------|--------------|------------|------------|-----------|-----------------------------|------------|-----------|
| Lease:              |            |               |              |                                 |       | f | eet from | N /          | S Line     | of Section |           |                             |            |           |
| Well Number: Field: |            |               |              | feet from E / W Line of Section |       |   |          |              |            |            |           |                             |            |           |
|                     |            |               | _ Se         | SecTwpS. R 🗌 E 🔲 W              |       |   |          |              | W          |            |           |                             |            |           |
| Number of           | Acres attr | ibutable to   | well:        |                                 |       |   | — le     | Section:     | Regu       | ılar or [  | Irregula  | ar                          |            |           |
| QTR/QTR/            | /QTR/QTR   | of acreag     | e:           |                                 |       |   | _        | occion.      | ixcgu      | iiai oi _  | mogai     | ai                          |            |           |
|                     |            |               |              |                                 |       |   | If S     | Section is   | Irregular  |            |           | nearest co                  | rner boun  | dary.     |
|                     |            |               |              |                                 |       |   | Se       | ection corne | er used:   | NE         | NW        | SE S                        | SW         |           |
|                     |            |               |              |                                 |       |   |          |              |            |            |           |                             |            |           |
|                     | 0.1        |               | 6.4          | " 0'                            |       |   | PLAT     |              | , ,        | 0, ,,      | <i>r</i>  |                             | •          |           |
|                     |            |               |              |                                 | _     |   |          |              | -          |            |           | l locations o<br>t (House B |            |           |
|                     | iease roa  | ius, iarik be | atteries, pi | peliries ari                    |       |   |          | plat if desi |            | e Owner    | Nolice Ac | il (House D                 | III 2032). |           |
|                     |            |               |              |                                 |       |   | ,        | ,            |            |            |           |                             |            |           |
|                     |            | :             | :            | :                               |       | : | :        | :            |            |            |           |                             |            |           |
|                     |            | :             |              | :                               |       |   | •        | :            |            |            | LEG       | END                         |            |           |
|                     |            |               | ·<br>·       |                                 | ••••• |   | :        |              |            | C          | ) Well    | Location                    |            |           |
|                     |            | :             |              |                                 |       | : |          |              |            | Ĕ          |           | Battery L                   | ocation    |           |
|                     |            | :             | :            | :                               |       | : | :        | :            |            | _          |           | line Locat                  |            |           |
|                     |            | :             | :            | :                               |       | : | :        | :            |            |            |           | tric Line L                 |            |           |
|                     |            |               |              | :                               |       |   |          | :            |            |            |           | se Road L                   |            |           |
|                     |            |               |              | •                               | ••••• |   | :        | •            |            |            |           |                             |            |           |
|                     |            | :             | :            | :                               |       | : | :        | :            |            |            |           |                             |            |           |
|                     |            | :             |              | :                               |       | : |          | :            |            | EXAMPI     | LE        | :                           | :          |           |
|                     |            | :             | :            | :                               |       | : | :        | :            | -          |            | :         | :                           |            |           |
|                     |            | :             | •<br>•       | 2                               | 3     | : | :        | :            |            | •••••      |           | •                           | •          |           |
|                     |            | :             | :            | :                               |       | : | :        | :            |            |            | :         |                             | :          |           |
|                     |            | :             | ·<br>•       | :                               |       | : | :        | :            |            |            | :         | :                           |            |           |
|                     |            | :             | :<br>:       | •<br>•                          |       | : | :        | :            |            |            |           |                             |            |           |
| 2000 ft             | •••••      |               |              | ລ                               | ••••  |   |          |              |            |            | 0=        | ı.                          |            | 1980' FSL |

NOTE: In all cases locate the spot of the proposed drilling locaton.

### 1250 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1 Kansas Corporation Commission Oil & Gas Conservation Division

1126518

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:   |                        | License Number:   |  |  |  |
|--|------------------------|---|--|--|--|
| Operator Address:  |                        |   |  |  |  |
| Contact Person:  |                        | Phone Number:   |  |  |  |
| Lease Name & Well No.:   |                        |   | Pit Location (QQQQ):   |  |  |
| Type of Pit:   | Pit is:                |   |  |  |  |
| Emergency Pit Burn Pit   | Proposed [             | Existing  | SecTwp R   |  |  |
| Settling Pit Drilling Pit  | If Existing, date con  | structed:   | Feet from North / South Line of Section  |  |  |
| Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  | Pit capacity:          |   | Feet from East / West Line of Section  |  |  |
| (II WI Supply All Five. St. Teal Brilled)  |                        | (bbls)  | County   |  |  |
| Is the pit located in a Sensitive Ground Water A   | rea? Yes N             | No  | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)       |  |  |
| Is the bottom below ground level?  Yes No  | Artificial Liner?      | 0   | How is the pit lined if a plastic liner is not used?                           |  |  |
| Pit dimensions (all but working pits):   | Length (fee            | t)  | Width (feet) N/A: Steel Pits   |  |  |
| Depth fro  | om ground level to dee | pest point:   | (feet) No Pit  |  |  |
| If the pit is lined give a brief description of the line material, thickness and installation procedure. | ner                    |   | dures for periodic maintenance and determining cluding any special monitoring. |  |  |
|  |                        | Depth to shallow  | west fresh water feet.   |  |  |
| feet Depth of water wellfeet   |                        | measured  | well owner electric log KDWR   |  |  |
| Emergency, Settling and Burn Pits ONLY:  |                        | Drilling, Workover and Haul-Off Pits ONLY:              |  |  |  |
| Producing Formation:   |                        | Type of material utilized in drilling/workover:         |  |  |  |
| Number of producing wells on lease:  |                        | Number of working pits to be utilized:                  |  |  |  |
| Barrels of fluid produced daily:   |                        | Abandonment p   | procedure:   |  |  |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit?    Yes    No         |                        | Drill pits must be closed within 365 days of spud date. |  |  |  |
| Submitted Electronically   |                        |   |  |  |  |
|  | ксс                    | OFFICE USE OF   | NLY Steel Pit RFAC RFAS  |  |  |
| Date Received: Permit Numl   | ber:                   | Permi   | Date: Lease Inspection: Yes No   |  |  |

CORRECTION #1 KANSAS CORPORATION COMMISSION

1126518

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

## **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C  | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |  |  |  |
|--|--|--|--|--|
| OPERATOR: License #  | Well Location:   |  |  |  |
| Name:  | SecTwpS. R East West   |  |  |  |
| Address 1:   | County:  |  |  |  |
| Address 2:   | Lease Name: Well #:  |  |  |  |
| City: State: Zip:+   | the lease helew:   |  |  |  |
| Contact Person:  |  |  |  |  |
| Phone: ( ) Fax: ( )  |  |  |  |  |
| Email Address:   |  |  |  |  |
| Surface Owner Information:   |  |  |  |  |
| Name:  | 0 1  |  |  |  |
| Address 1:   | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the  |  |  |  |
| Address 2:   |  |  |  |  |
| City: State: Zip:+   |  |  |  |  |
| the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following:       \[     \] I certify that, pursuant to the Kansas Surface Owner Notice A | dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form |  |  |  |
|  | being filed is a Form C-1 or Form CB-1, the plat(s) required by this   |  |  |  |
|  | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.  |  |  |  |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-   | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.   |  |  |  |
| Submitted Electronically   |  |  |  |  |

| For KCC Use ONLY              |  |
|-------------------------------|--|
| API # 15 - 15-163-24112-00-00 |  |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: Anderson Energy, Inc.                                       | Location of Well: County: Rooks                        |                   |
|---|--|-------------------|
| Lease: Pelton A   | 1250 feet from N / X                                   | S Line of Section |
| Well Number: 2  | 2000 feet from E / X                                   | W Line of Section |
| Field: Wildcat  | Sec 23 Twp. 10 S. R. 19                                | E 🛛 W             |
| Number of Acres attributable to well:                                 | Is Section: Regular or Irregular                       |                   |
| QTR/QTR/QTR of acreage: NW - NE - SE - SW.                            | is Section. Regular of Integular                       |                   |
| 77-77   | If Section is Irregular, locate well from nearest corr | ner boundary.     |
|   | Section corner used: NE NW SE S                        |                   |
| RL  | т  |                   |
| Show location of the well. Show footage to the nearest lea            |  |                   |
| lease roads, tank batteries, pipelines and electrical lines, as requi | ed by the Kansas Surface Owner Notice Act (House Bill  | 2032).            |
| You may attach a sep  |  |                   |
| 117~7   |  |                   |
|   | :  |                   |
| \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                                | LEGEND   |                   |
|   | : O Well Location                                      |                   |
|   | Tank Battery Lo  | ocation           |
|   | Pipeline Location                                      | on                |
| 1 / / 1 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \                               | : Electric Line Lo                                     | cation            |
|   | Lease Road Lo  | cation            |
|   | *  |                   |
| NY/ 1 1 1 1   |  |                   |
|   | EXAMPLE  |                   |
|   | <del></del>  |                   |
| 23  |  |                   |
|   |  |                   |
|   | ····.  |                   |
|   |  |                   |
|   |  | 1980' FSL         |
| 2000 ft. : :  | :  | 1900 FSL          |
|   |  |                   |
|   |  |                   |
|   | SEWARD CO. 3390' FEL                                   |                   |
| · V:  | •  |                   |
| NOTE: In all cases locate the spot of the proposed drilling lo        | aton.  |                   |

#### 1250 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

## **Summary of Changes**

Lease Name and Number: Pelton A 2 API/Permit #: 15-163-24112-00-00

Doc ID: 1126518

Correction Number: 1

Approved By: Rick Hestermann 03/25/2013

| Field Name                                       | Previous Value                                     | New Value  |
|--|--|--|
| Elevation Source                                 | Estimated  | Surveyed   |
| ElevationPDF                                     | 2128 Estimated                                     | 2131 Surveyed                                      |
| Feet to Nearest Water<br>Well Within One-Mile of | 3284   | 3238   |
| Pit<br>Ground Surface<br>Elevation               | 2128   | 2131   |
| KCC Only - Approved<br>By                        | Rick Hestermann<br>03/21/2013                      | Rick Hestermann<br>03/25/2013                      |
| KCC Only - Approved Date                         | 03/21/2013   | 03/25/2013   |
| KCC Only - Date<br>Received                      | 03/21/2013   | 03/25/2013   |
| KCC Only - Regular<br>Section Quarter Calls      | SE SW NE SW  | NW NE SE SW  |
| LocationInfoLink                                 | https://solar.kgs.ku.edu/kcc/detail/locationInform | https://solar.kgs.ku.edu/kcc/detail/locationInform |
| Number of Feet East or<br>West From Section Line | ation.cfm?section=23&t<br>1920                     | ation.cfm?section=23&t<br>2000                     |

# Summary of changes for correction 1 continued

| Field Name                                       | Previous Value  | New Value   |
|--|---|---|
| Number of Feet East or<br>West From Section Line | 1920  | 2000  |
| Number of Feet North or South From Section Line  | 1345  | 1250  |
| Number of Feet North or South From Section       | 1345  | 1250  |
| Line<br>Quarter Call 2                           | NE  | SE  |
| Quarter Call 2                                   | NE  | SE  |
| Quarter Call 3                                   | SW  | NE  |
| Quarter Call 3                                   | SW  | NE  |
| Quarter Call 4 -<br>Smallest                     | SE  | NW  |
| Quarter Call 4 -<br>Smallest                     | SE  | NW  |
| Save Link  | //kcc/detail/operatorE<br>ditDetail.cfm?docID=11<br>25778 | //kcc/detail/operatorE<br>ditDetail.cfm?docID=11<br>26518 |

## **Summary of Attachments**

Lease Name and Number: Pelton A 2

API: 15-163-24112-00-00

Doc ID: 1126518

Correction Number: 1

Approved By: Rick Hestermann 03/25/2013

**Attachment Name**