

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

. month	day year	Spot Description:
monur	uay year	Sec Twp S. R [E [] \
DPERATOR: License#		feet from N / S Line of Section
lame:		feet from E / W Line of Section
.ddress 1:		Is SECTION: Regular Irregular?
ddress 2:		(Note: Locate well on the Section Plat on reverse side)
	e:	County:
Contact Person:		Lease Name: Well #:
hone:		Field Name:
ONTRACTOR: License#		Is this a Prorated / Spaced Field?
lame:		Target Formation(s):
		Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Cla	lass: Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh Rec Inf	field Mud Rotary	Water well within one-quarter mile:
Gas Storage Po	ool Ext. Air Rotary	Public water supply well within one mile:
	'ildcat Cable	,
	ther	Depth to bottom of fresh water:
Other:		Depth to bottom of usable water:
If OWWO: old well information as	: follows:	Surface Pipe by Alternate: I I II
ii ovvvo. old well illioi mation as	ionows.	Length of Surface Pipe Planned to be set:
· · · · · · · · · · · · · · · · · · ·		Length of Conductor Pipe (if any):
Well Name:		Projected Total Depth:
Original Completion Date:	Original Total Depth:	Formation at Total Depth:
	O Vos No	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbor		Well Farm Pond Other:
f Yes, true vertical depth:		DWR Permit #:
Bottom Hole Location:		(Note: Apply for Permit with DWR)
(CC DKT #:		Will Cores be taken?
		If Yes, proposed zone:
	AF	FIDAVIT
he undersigned hereby affirms that the		FIDAVIT Jaging of this well will comply with K.S.A. 55 et. sea.
-	ne drilling, completion and eventual pl	FIDAVII ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum	e drilling, completion and eventual pl requirements will be met:	
is agreed that the following minimum 1. Notify the appropriate district office	ne drilling, completion and eventual pl requirements will be met: ice <i>prior</i> to spudding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
 is agreed that the following minimum Notify the appropriate district office A copy of the approved notice of 	ne drilling, completion and eventual place prior to spudding of well; intent to drill shall be posted on each	ugging of this well will comply with K.S.A. 55 et. seq. n drilling rig;
 is agreed that the following minimum Notify the appropriate district office A copy of the approved notice of The minimum amount of surface 	ne drilling, completion and eventual plane requirements will be met: ice <i>prior</i> to spudding of well; intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> set	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set
agreed that the following minimum Notify the appropriate district office A copy of the approved notice of The minimum amount of surface through all unconsolidated mater	ne drilling, completion and eventual plane requirements will be met: ice <i>prior</i> to spudding of well; intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
 is agreed that the following minimum Notify the appropriate district office A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement 	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the dist	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set
is agreed that the following minimum Notify the appropriate district office A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement of the appropriate district office will	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the distribution of the plug is either plug	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging;
 is agreed that the following minimum Notify the appropriate district office A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement The appropriate district office will If an ALTERNATE II COMPLETION or pursuant to Appendix "B" - Ea 	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
is agreed that the following minimum Notify the appropriate district office. A copy of the approved notice of the appropriate district office will find a ALTERNATE II COMPLETIC Or pursuant to Appendix "B" - Ea	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	n drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; defrom below any usable water to surface within <i>120 DAYS</i> of spud date.
 is agreed that the following minimum Notify the appropriate district office. A copy of the approved notice of the approved in the approved that the approved in the appropriate district office will find a ALTERNATE II COMPLETION of pursuant to Appendix "B" - Ea 	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minimum Notify the appropriate district office. A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement The appropriate district office will If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day 	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set to e underlying formation. It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minimum Notify the appropriate district office. A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement The appropriate district office will If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day 	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETION or pursuant to Appendix "B" - Eamoust be completed within 30 day Submitted Electronically	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set to e underlying formation. It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minimum Notify the appropriate district office. A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement The appropriate district office will If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day 	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	an drilling rig; The drilling rig; The drilling rig; The drilling cement to the top; in all cases surface pipe shall be set The underlying formation. The drilling rig is cased to the top; in all cases surface pipe shall be set The underlying formation. The drilling rig is cased to the top; in all cases surface pipe shall be set The underlying formation. The drilling rig; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying
1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETIC Or pursuant to Appendix "B" - Ea must be completed within 30 day UDMitted Electronically For KCC Use ONLY	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	an drilling rig; The drilling rig; The drilling rig; The drilling rig; The drilling cement to the top; in all cases surface pipe shall be set to underlying formation. The drilling rig remaisses the underlying formation. The drilling rig; The dril
1. Notify the appropriate district office. 2. A copy of the approved notice of a The minimum amount of surface through all unconsolidated mater. 4. If the well is dry hole, an agreem. 5. The appropriate district office will or pursuant to Appendix "B" - Ea must be completed within 30 day. 1. If the well is dry hole, an agreem. 3. The appropriate district office will or pursuant to Appendix "B" - Ea must be completed within 30 day. 2. If the well is dry hole, an agreem. 3. The appropriate district office will or pursuant to Appendix "B" - Ea must be completed within 30 day. 3. The minimum amount of surface will be districted and the well appropriate distriction. 4. If the well is dry hole, an agreem. 5. The appropriate district office will be districted and the well appropriate distriction. 5. The minimum amount of surface through a propriate distriction. 5. The appropriate district office will be districted and the well appropriate distriction. 6. If an ALTERNATE II COMPLETIC Or pursuant to Appendix "B" - Ea must be completed within 30 day. 4. If the well is dry hole, an agreem. 5. The appropriate district office will be districted and the well appropriate distriction. 6. If an ALTERNATE II COMPLETIC Or pursuant to Appendix "B" - Ea must be completed within 30 day. 6. If an ALTERNATE II COMPLETIC OR DISTRICT OR DISTR	ne drilling, completion and eventual plane requirements will be met: since <i>prior</i> to spudding of well; sintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the distance of the plug on the plug on the plug on the plug on the spuddate or the well shall be set of the spuddate or the well shall be set of the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate.	In drilling rig; In dri
is agreed that the following minimum 1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement 5. The appropriate district office will 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Eamust be completed within 30 day Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	ne drilling, completion and eventual planequirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spudding of well, lice <i>prior</i> to spudding of well, lice <i>prior</i> to spudding of well, lice <i>pr</i>	In drilling rig; The drilling cement to the top; in all cases surface pipe shall be set e underlying formation. The drilling rig; The drilling
is agreed that the following minimum 1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement 5. The appropriate district office will 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	ne drilling, completion and eventual planequirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spudding of well, lice <i>prior</i> to spudding of well, lice <i>prior</i> to spudding of well, lice <i>pr</i>	In drilling rig; In dri
is agreed that the following minimum 1. Notify the appropriate district office. 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required	ne drilling, completion and eventual plane requirements will be met: since <i>prior</i> to spudding of well; sintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the distill be notified before well is either plug ON, production pipe shall be cemente astern Kansas surface casing order # ys of the spud date or the well shall be refer to the spud date.	An drilling rig; The drilling r
1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Earn must be completed within 30 day Submitted Electronically For KCC Use ONLY API # 15	ne drilling, completion and eventual plane requirements will be met: since <i>prior</i> to spudding of well; sintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the distill be notified before well is either plug ON, production pipe shall be cemente astern Kansas surface casing order # ys of the spud date or the well shall be refer to the spud date.	In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
t is agreed that the following minimum 1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will on the appropriate district office will or pursuant to Appendix "B" - Earn must be completed within 30 day **Domitted Electronically** For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by:	ne drilling, completion and eventual plane requirements will be met: lice prior to spudding of well; lice prior to spudding of well, lice prior to spudding of	An drilling rig; The drilling r

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _



For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _							_ Lo	cation of W	/ell: County:
Lease:									feet from N / S Line of Section
Well Numb	er:								feet from E / W Line of Section
Field:							_ Se	c	Twp S. R
Number of							15	Section:	Regular or Irregular
QTR/QTR/	QTR/QTR	of acreag	e:				_		
									Irregular, locate well from nearest corner boundary. er used: NE NW SE SW
					d electrica You m	l lines, as	required b		
		:	:	:]		:	:	:	LEGEND
2180 ft				- ©					O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
		:	:	:		:	:	:	
			:	2	 6	:	:	:	EXAMPLE
		: :		: :		: :	: :	:	
		: :	: :	: :		: :	: :	: :	1980' FSL
					••••		: 		SEWARD CO. 3390' FEL
		:	:	:		:	:	:	SEWAKU CU. 3390 FEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date continued in the pit capacity:	Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No Submitted Electronically		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: de closed within 365 days of spud date.	
	KCC	OFFICE USE O	NLY	
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No	



1128845

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R 🔲 East 🗌 West			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease below:			
Phone: () Fax: ()				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2: county, and in the real estate property tax records of the county				
City:				
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
Select one of the following:				
owner(s) of the land upon which the subject well is or will be loce CP-1 that I am filing in connection with this form; 2) if the form the form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I an KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this			
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1			
Submitted Electronically				

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Toto Energy, LLC	Location of Well: County: Edwards
Lease: Wood, Norma E. & Betty Revocable Trust #1	660 feet from N / S Line of Section
Well Number: Wood 26-1	2,180 feet from E / X W Line of Section
Field: Trousdale NorthEast	Sec. <u>26</u> Twp. <u>26</u> S. R. <u>16</u> E X W
Number of Acres attributable to well: 40 QTR/QTR/QTR/QTR of acreage: NE NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT


Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



LEGEND

0	Well Location
	Tank Battery Location
	Pipeline Location
	Electric Line Location
	Lease Road Location




NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

TOTO ENERGY, LLC AFE LEASE NW. 1/4. SECTION 26. T265. R16W EDWARDS COUNTY, KANSAS



- Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.
- Approximate section times were determined using the normal standard of care of cilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillstite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hald Central Kansas Biffield Services. Inc., its officers and employees harmless from all losses, costs and expenses and said entities released from any liability from incidental or consequential damages

 Elevations derived from National Geodetic Vertical Datum.

March 20, 2013

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

April 04, 2013

Terry Madden Toto Energy, LLC 25815 OAK RIDGE DR SPRING, TX 77380

Re: Drilling Pit Application Wood 26-1 NW/4 Sec.26-26S-16W Edwards County, Kansas

Dear Terry Madden:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.