

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1122796

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 | | | |
|---|---|--|--|--|
| Name: | Spot Description: | | | |
| Address 1: | SecTwpS. R 🗌 East 🗌 West | | | |
| Address 2: | Feet from | | | |
| City: State: Zip:+ | Feet from _ East / _ West Line of Section | | | |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: | | | |
| Phone: () | □NE □NW □SE □SW | | | |
| CONTRACTOR: License # | GPS Location: Lat:, Long: | | | |
| Name: | (e.g. xx.xxxxx) (e.gxxx.xxxxx) | | | |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 | | | |
| Purchaser: | County: | | | |
| Designate Type of Completion: | Lease Name: Well #: | | | |
| ☐ New Well ☐ Re-Entry ☐ Workover | Field Name: | | | |
| Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows: | Producing Formation: Elevation: Ground: Kelly Bushing: Feet Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet | | | |
| Operator: | If Alternate II completion, cement circulated from: | | | |
| Well Name: Original Total Depth: Original Total Depth: | feet depth to: w/ sx cmt. Drilling Fluid Management Plan | | | |
| ☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer | (Data must be collected from the Reserve Pit) | | | |
| Commingled Permit #: Dual Completion Permit #: | Chloride content: ppm Fluid volume: bbls Dewatering method used: | | | |
| ☐ SWD Permit #: | Location of fluid disposal if hauled offsite: | | | |
| ENHR Permit #: | Operator Name: | | | |
| GSW Permit #: | Lease Name: License #: | | | |
| Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date | Quarter Sec. TwpS. R East West County: Permit #: | | | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | | | | | |
|---------------------------------|--|--|--|--|--|
| Confidentiality Requested | | | | | |
| Date: | | | | | |
| Confidential Release Date: | | | | | |
| Wireline Log Received | | | | | |
| Geologist Report Received | | | | | |
| UIC Distribution | | | | | |
| ALT I II III Approved by: Date: | | | | | |

Page Two



| Operator Name: | | | | _ Lease I | Name: _ | | | Well #: | | |
|---|---|-----------------------|--------------------------------------|--------------------------|---|-------------------------------------|--------------------|--------------------|------------------------------|--|
| Sec Twp | S. R | East | West | County | : | | | | | |
| INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to | ring and shut-in press o surface test, along v | ures, whe | ther shut-in pre chart(s). Attach | ssure reac extra shee | hed stati | c level, hydrosta space is neede | tic pressures, b | ottom hole temp | erature, fluid recov | |
| Final Radioactivity Lo files must be submitted | | | | | | ogs must be ema | liled to kcc-well- | logs@kcc.ks.go | v. Digital electronic | |
| Drill Stem Tests Taker (Attach Additional | | Y | es No | | | J | on (Top), Depth | | Sample | |
| Samples Sent to Geo | logical Survey | Y | es No | | Nam | е | | Тор | Datum | |
| Cores Taken Ye Electric Log Run Ye | | | | | | | | | | |
| List All E. Logs Run: | | | | | | | | | | |
| | | | | RECORD | Ne | | | | | |
| | 0: 11.1 | | | | | ermediate, product | | " 0 1 | T 15 | |
| Purpose of String | Size Hole Drilled | | ze Casing t (In O.D.) | Weig Lbs. | | Setting Depth | Type of Cement | # Sacks Used | Type and Percer Additives | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | ADDITIONAL | CEMENTI | NG / SQL | JEEZE RECORD | | | | |
| Purpose: | Depth Top Bottom | Туре | of Cement | # Sacks | Used | d Type and Percent Additives | | | | |
| Perforate Protect Casing | Top Dottom | | | | | | | | | |
| Plug Back TD Plug Off Zone | | | | | | | | | | |
| 1 lug 0 li 20 lio | | | | | | | | | | |
| Did you perform a hydrau | ulic fracturing treatment | on this well | ? | | | Yes | No (If No, s | skip questions 2 a | nd 3) | |
| Does the volume of the t | | | - | | - | | _ ` ` | skip question 3) | | |
| Was the hydraulic fractur | ing treatment informatio | n submitted | to the chemical of | disclosure re | gistry? | Yes | No (If No, 1 | ill out Page Three | of the ACO-1) | |
| Shots Per Foot PERFORATION RECORD - Bridge Plugs Specify Footage of Each Interval Perfo | | | | | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth | | | | | |
| Specify Footage of L | | Edon microary choraco | | | (Final And Anna of Malerial Cood) | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| TUBING RECORD: | Size: | Set At: | | Packer A | t· | Liner Run: | | | | |
| | | 0017111 | | | | [| Yes N | o | | |
| Date of First, Resumed | Production, SWD or EN | HR. | Producing Meth | nod: | g 🗌 | Gas Lift (| Other (Explain) | | | |
| Estimated Production Per 24 Hours | Oil | Bbls. | Gas | Mcf | Wat | er B | bls. | Gas-Oil Ratio | Gravity | |
| DIODOCITI | 01.05.040 | | | 4ETUOD 05 | . 00145/ | TION: | | DDOD! ICT! | | |
| DISPOSITION Solo | ON OF GAS: Used on Lease | | N Open Hole | ∥ETHOD OF Perf. | _ | | nmingled | PRODUCTION | ON INTERVAL: | |
| | bmit ACO-18.) | | Other (Specify) | | (Submit | | mit ACO-4) | | | |

2-06-2013

WHATHP

| | | WIHTH |
|-----|----------------|---------------------------------------|
| | | Well=7HP- |
| | Soilo-6 | /ine365-37/ |
| | C/Ay 6-14 | Shuk 371-517 |
| | 11m; 14-19 | lime 517-521 |
| | shale 19-24 | Shale 521-529 |
| | , - , | /imc529-538 |
| | 1/10-24-30 | |
| | Shul- 30-32 | Shale 538-543 |
| - | 1, m. 32-36 | /iwc 543-547 |
| | Shalo 36-45 | Shale 547-587 |
| | line 45-48 | /, me 587-592 |
| | Shale 48-55 | 5halc 592-608 |
| | 1, mc 55-57 | line 608-613 |
| | Shalo 57-77 | Shak 613-615 |
| | line 77-85 | /mc 615-617 |
| • | Shale 85-88 | Shale 617-629 |
| | /mc 88-97 | lin 629-637 |
| | 564k97-169 | Shak637-650 |
| | lime 169-170 | line 650-650 651 |
| 200 | Shule \$70-188 | Shale 651-65 3 140-69-200 |
| | /imc/88-208 | TOP GI Sand 653-655 500 |
| ∸ | Shale 208-228 | 011 sand Brake owith shale 65 |
| | 1imo 228-236 | 656 god oil Sand TO 661 |
| | Shale 236-297 | 656-661 |
| | 1/mc 297-299 | shall 661-699 |
| | Shule 299-308 | 1mc 699-001700 |
| | 1mc368-320 | Shale \$700-724 |
| | | |
| | Shak 320-333 | TD=724 Welldrill 72 |
| | 1inx 333 - 343 | cosing pipe 719 |
| | Shale 343-345 | |
| | lime 345-353 | · · · · · · · · · · · · · · · · · · · |
| 2 | hal 0353 - 357 | |
| | Vimo 357-361 | |
| | Shale 361-365 | 2 |
| | • | |



256715

TICKET NUMBER 38715 LOCATION CHAWAKS FOREMAN Casey Kennedy

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

| 620-431-9210 | or 800-467-8676 | · | CEMEN | JT | • | - | į |
|------------------------|---------------------------------------|--|--------------|---------------------------------------|-----------------|--------------|--|
| DATE | CUSTOMER# | WELL NAME & NUM | BER | SECTION | TOWNSHIP | RANGE | T COUNTY |
| 2/12/13 | 3451 | N. Coon #7- | -HP | SE 11 | 160 | 21 | MI |
| CUSTOMER | a Idada | | T - | | | 177 | 1 2011 |
| /Tag: MAILING ADDRE | g Mark | | - | TRUCK# | DRIVER | TRUCK# | DRIVER |
| Ĭ. | | Suite 205 | İ. | 481 | Casken | Satiety | Meeting |
| 1/551 CITY | ASK OT. | STATE ZIP CODE | , | leleb. | GarMoo | V | |
| 1 | A. | l 1/0 . | | 510 | Set luc | V | |
| Leawoo | | —————————————————————————————————————— | J . | 370 | Jas Ric | <u></u> | <u> </u> |
| JOB TYPEO | | HOLE SIZE | _ HOLE DEPT | H <u>7231</u> | CASING SIZE & V | VEIGHT & 7/2 | <u> </u> |
| CASING DEPTH | | DRILL PIPE | _TUBING | _ | | OTHER | : : |
| SLURRY WEIGH | 41 .1 . 1 1 | SLURRY VOL | | sk | | | |
| | | DISPLACEMENT PSI | | . 4 | RATE 4.56 | pin | _ |
| REMARKS: Le | ld Sately | meeting postablished | d circula | Hon, Mixe | d + pumpe | d 100 # P. | remium |
| Gel tollow | red by 10 | bb/s fresh water, a | rixed to | purped 10 | 08 3ks 20% | to Ab Au | ix coment |
| | | , coment to sur | | | p chan, | purped | 2/2" |
| rubber pli | | ing 70 w/ 4.14 | LUS tre | sh water | pressure d | to 800 7 | 521, |
| released p | ressure, wh | of in cooing. | | · · · · · · · · · · · · · · · · · · · | <u> </u> | | |
| | | | <u> </u> | —— <u>A</u> | | | |
| | | <u> </u> | | | / 🗸 | | <u> </u> |
| | <u> </u> | | | | -4 | | |
| | | <u> </u> | · . | (| / / | | |
| | | | | | | | |
| ACCOUNT CODE | QUANITY | or UNITS DE | SCRIPTION of | SERVICES or PRO | ODUCT | UNIT PRICE | TOTAL |
| 5401 | 1 | PUMP CHARG | E | | | | 1030,00 |
| 5406 | 20 mi | MILEAGE | | <u></u> | , | | 80,00 |
| 5402 | 715' | casing | Cotage | | | | |
| 5407 | MUNIMUM | 1 i ./ | | _ | · | | 35000 |
| 5502 c | 2 Krs | 80 Vac | | | | | 180,00 |
| | | i i | | - | | | 1 |
| ŭ . | | | | <u> </u> | | | |
| 1124 | 108 | \$ 50/50 PO | wyk ce | moust | | | 1182.60 |
| 1118B | | # Premiur | G.0 | | | | 59,01 |
| | | 74" | bber plus | | | | |
| 4402 | | | poer pico | } | | | 28.00 |
| - | | | | | ···· | | <u> </u> |
| - - | | ·-· | | - | · | • | |
| | | | | | | 1 | |
| | | | | | | - committee | DATE OF THE PROPERTY OF THE PR |
| | · · · · · · · · · · · · · · · · · · · | | | | | - ENTREPRIE | 1104 |
| · - | | | | | Y X -4 | | |
| | | | <u> </u> | | | | |
| | | 1 | | | 7.55% | SALES TAX | 95.86 |
| ıvin 3737 | 11 1 | / | | | T | ESTIMATED | • |
| | WHI A | | | | | TOTAL | 3005,47 |
| UTHORIZTION_ | <u> </u> | | TITLE | _ | | DATE | |

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

March 07, 2013

Mark Haas Haas Petroleum, LLC 11551 ASH ST., STE 205 LEAWOOD, KS 66211

Re: ACO1 API 15-121-29424-00-00 N Cone 7-HP SE/4 Sec.11-16S-21E Miami County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Mark Haas