

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1124700

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15					
Name:	Spot Description:					
Address 1:	SecTwpS. R					
Address 2:	Feet from North / South Line of Section					
City: State: Zip:+	Feet from _ East / _ West Line of Section					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()	□NE □NW □SE □SW					
CONTRACTOR: License #	GPS Location: Lat:, Long:					
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
Purchaser:	County:					
Designate Type of Completion:	Lease Name: Well #:					
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:					
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows:	Producing Formation: Elevation: Ground: Kelly Bushing: Feet Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet					
Operator:	If Alternate II completion, cement circulated from:					
Well Name: Original Total Depth: Original Total Depth:	feet depth to: w/ sx cmt. Drilling Fluid Management Plan					
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)					
Commingled Permit #: Dual Completion Permit #:	Chloride content: ppm Fluid volume: bbls Dewatering method used:					
☐ SWD Permit #:	Location of fluid disposal if hauled offsite:					
ENHR Permit #:	Operator Name:					
GSW Permit #:	Lease Name: License #:					
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter Sec. TwpS. R East West County: Permit #:					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

Page Two



Operator Name:				_ Lease I	Name: _			Well #:		
Sec Twp	S. R	East	West	County	:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b	ottom hole temp	erature, fluid recov	
Final Radioactivity Lo files must be submitted						ogs must be ema	liled to kcc-well-	logs@kcc.ks.go	v. Digital electronic	
Drill Stem Tests Taker (Attach Additional		Y	es No			J	on (Top), Depth		Sample	
Samples Sent to Geo	logical Survey	Y	es No		Nam	е		Тор	Datum	
Cores Taken Electric Log Run			es No							
List All E. Logs Run:										
				RECORD	Ne					
	0: 11.1					ermediate, product		" 0 1	T 15	
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives	
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	Percent Additives		
Perforate Protect Casing	Top Dottom									
Plug Back TD Plug Off Zone										
1 lug 0 li 20 lio										
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)	
Does the volume of the t			-		-		_ ` `	skip question 3)		
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, 1	ill out Page Three	of the ACO-1)	
Shots Per Foot			RD - Bridge Plug Each Interval Perl				cture, Shot, Ceme	nt Squeeze Recor	rd Depth	
						(* *			200	
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:				
		0017111				[Yes N	o		
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity	
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!		
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF Perf.	_		nmingled	PRODUCTION	ON INTERVAL:	
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)			

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

March 22, 2013

Anil Pahwa Magnum Engineering Company 500 N SHORELINE BLVD STE 322 CORPUS CHRISTI, TX 78401

Re: ACO1 API 15-125-32166-00-00 Horton 10 NE/4 Sec.04-34S-14E Montgomery County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Anil Pahwa

CEMENT FIELD TICKET AND TREATMENT REPORT

ustomer	MAGNUM ENGINEERING	State, County	Montgomery , Kansas	Cement Type		CLASS A
b Type	LS	Section		Excess (%)		30
ustomer Acct #		TWP		Density		14
ell No.	HORTON #10 I	RGE		Water Required		7.9
ailing Address		Formation		Yeild		1.74
ty & State		Hole Size	6.75	Slurry Weight		
p Code		Hole Depth		Slurry Volume		
ontact		Casing Size	4 1/2	Displacement		12
mail		Casing Depth	730	Displacement PSI		700
ell		Drill Pipe	750	MIX PSI		400
	DADTI FOVALLE			Rate		4.5
spatch Location	BARTLESVILLE	Tubing		Price per Unit	MINISTRACTOR	4.5
ode	Cement Pump Charges and Mileage	Quantity	Unit		•	1,030.0
5401	CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX	\$1,030.00	\$	240.0
5406	EQUIPMENT MILEAGE (ONE-WAY)	60	PER MILE	\$4.00	\$	402.0
5407A	TON MILEAGE DELIVERY	300	PER MILE	\$1.34	\$	402.0
0			0	\$0.00	\$	e de la constante de la consta
0			0	\$0.00	\$	-
0			0	\$0.00	\$	**************************************
0			0	\$0.00	\$	7 - The state of t
0			0	\$0.00	\$	
5402	FOOTAGE	730	PER FOOT	0.22	\$	160.6
				QUIPMENT TOTAL	\$	1,832.6
DEVANCE OF BEINGH	Cement, Chemicals and Water	Marie Marie Marie				
1126	WC. CEMENT (CAL SEAL) 6%OWC. 2% CAL.CLORIDE 2% GE	85.00	0	\$18.80	\$	1,598.0
		80.00	0	\$1.29	\$	103.2
1107A	PHENOSEAL	500.00	0	\$0.46	\$	230.0
1110A	KOL SEAL (50 # SK)	450.00	0	\$0.40	\$	166.5
1111	GRANULATED SALT (50#) SELL BY #			\$0.21	\$	21.0
1118B	PREMIUM GEL/BENTONITE (50#)	100.00	0	\$16.50	\$	89.1
1123	CITY WATER (PER 1000 GAL)	5.40	0			09.1
0			0	\$0.00	\$	Weekland of the second
0			0	\$0.00	\$	Maria Maria
0			0	\$0.00	\$	-
0			0	\$0.00	\$	10 mg
0			0	\$0.00	\$	-
				CHEMICAL TOTAL	\$	2,207.8
SECURIVICAL ELECTRIC	Water Transport	AUGUSTA KOTA			18 Maria	
5501C	WATER TRANSPORT (CEMENT)	3	TER TRANSPORT (CEME	\$112.00	\$	336.0
	WATER HAROLORI (OLIMENT)		0	\$0.00	\$	-
0		and the second	0	\$0.00	\$	
0		Carton Carton Control		RANSPORT TOTAL	\$	336.0
				TOTAL TOTAL	United State	STATE OF THE PROPERTY.
	Cement Floating Equipment (TAXABLE)		The second secon		AVASURES A	SUSPENDENCE OF STREET
	Cement Basket			\$0.00	\$	
0			0	φυ.υυ	Φ	
	Centralizer			1 60.00	1 6	
0	t.	particular and the second	0	\$0.00	\$	
0			0	\$0.00	4	NAMES OF TAXABLE PARTY.
	Float Shoe					AND SERVICE SERVICE
0			0	\$0.00	\$	-
STATE OF STATE AND A	Float Collars				ekingas.	
0			0	\$0.00	\$	
	Guide Shoes		anto richi dalla dela di		199158	
0			0	\$0.00	\$	
maskania lisaki vivisi	Baffle and Flapper Plates	P. LOW SECTION				A (A) Security of the
0	AND THE PROPERTY OF THE PROPER		0	\$0.00	\$	•
Wante State (Control of the	Packer Shoes					
^	Taunor Offices		0	\$0.00	\$	
0		MENUSERAL MUNICIPAL		ASSUMBLE DESCRIPTION	E HARD	
AND DESCRIPTION OF THE PARTY OF	DV Tools	NAME OF TAXABLE PARTY.	0	\$0.00	\$	
0	D. IIV. I. O. I. Oleman Mice	PERSONAL PROPERTY OF THE PERSONAL PROPERTY OF	Market State Authorities and Control	O PROPERTY AND PARTY OF	Della Mile	100100000000000000000000000000000000000
	Ball Valves, Swedges, Clamps, Misc.		0	\$0.00	S(23)/A	
0			0	\$0.00	\$	accepyos consis
0			0	\$0.00	\$	
0				WO.00	elsasuki	A SIL TOTAL
UNEWS REAS	Plugs and Ball Sealers	A STATE OF THE STA	PER UNIT	\$45.00	\$	45.0
4404	4' 1/2" RUBBER PLUG	1	PERUNII	φ40.00	W LEAD	45.1
	Downhole Tools	Carlo de Car	MANUFACTOR OF THE CONTRACT OF	T 60.00	•	
0			0 CEMENT FLOATING E	\$0.00	\$	45.0
			GEWIENT FLOATING E	SUB TOTAL	\$	4,421.
RUCK#	DRIVER NAME	4	6.30%		\$	141.
674	Donnie		6.30%	TOTAL		4,563.
419	MATT M	1	10%		\$	456.
551	JEFF F JAMES W	1				4,106.9
402 T35	JAMES N	1	DISC	COUNTED TOTAL	Ф	4,100.9
	JAMES II	1		//		
AUTHORIZATIO	N		LE	// //		
				V / / /	_	
	E 02/07/2013	FOREMA		10		

CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	MAGNUM ENGINEERING	State, County	Montgomery , Kansas	Cement Type	CLASS A
Customer Acct #	LS	Section	0	Excess (%)	30
Well No.	0	TWP	0	Density	14
Mailing Address	HORTON #10 I	RGE	0	Water Required	7.9
City & State	0	Formation	0	Yeild	1.74
Zip Code	0	Hole Size	6.75	Slurry Weight	0
Contact	0	Hole Depth	0	Slurry Volume	0
mail	0	Casing Size	4.5	Displacement	12
Cell	0	Casing Depth	730	Displacement PSI	700
Office	0	Drill Pipe	0	MIX PSI	400
Dispatch Location	BARTLESVILLE	Tubing	0	Rate	4.5

SAFTY MTG. RIG UP EST CIRC WITH GEL AND H20 CIRC GEL TO SURF. START CMT. RUN 85 SX CLASS A CMT WITH 6% OWC 2%GEL2%
CALCIUM 6# KOL 10% SALT AND .40 PHENO. WASH OUT PUMP AND LINES AND RELEASE PLUG. DISP 12 BBLS TO LAND PLUG.
PLUG LANDED AT 1200# RELEASED AND PLUG HELD. WASH UP PUMP TRK AND HOOK BACK TO WELL AND PRESSURE UP
TO 300# AND SHUT IN LEAVING PC AND MANIFOLD. CMT TO SURF. SAMPLES TAKEN. THANK YOU