



**PostRock**  
Energy Corporation

211 W. 14TH STREET,  
CHANUTE, KS 66720  
620-431-9500

TICKET NUMBER **7435**  
FIELD TICKET REF# \_\_\_\_\_  
FORMAN Nathan Bahman  
AFE D13003  
SSI \_\_\_\_\_  
API 15-205-28088-00-00

**TREATMENT REPORT  
& FIELD TICKET CEMENT**

DATE	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
2-5-13	Shockley, Majorie 6-4	6			Wilson

FORMAN/ OPERATOR	TIME IN	TIME OUT	LESS LUNCH	TRUCK #	TRAILR #	TRUCK HOURS	EMPLOYEE SIGNATURE
Nathan Bahman	11:30	3:30		905575		4	Nat Bah
Greg Blackmore	11:30	3:30		931400	932900	4	Greg Blackmore

JOB TYPE Long String HOLE SIZE 7 7/8 HOLE DEPTH 1200 CASING SIZE & WEIGHT 5 1/2, 14#  
 CASING DEPTH 1195.33 DRILL PIPE \_\_\_\_\_ TUBING \_\_\_\_\_ OTHER Bus Jones rig crew  
 SLURRY WEIGHT 13.5 SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT in CASING 0  
 DISPLACEMENT 29.7 bbl DISPLACEMENT PSI \_\_\_\_\_ MIX PSI \_\_\_\_\_ RATE \_\_\_\_\_

REMARKS:  
Rig crew on location at 12:00. Casing trailer stuck setting up. Waited on doper to spot truck, started running casing at 1:00. Washed in final 50' Ready to cement at 2:30. See COWS ticket for cement job details. Trace oil show. Kopley dug pit bigger

ACCOUNT CODE	QUANTITY OR UNITS	DESCRIPTION OF SERVICES OR PRODUCT	TOTAL AMOUNT
905575	1	Forman Pickup	
		Cement Pump Truck	
		Bulk Truck	
		Transport Truck	
		Transport Trailer	
		80 Vac	
931400	1	Casing Truck	
	1195.33'	Casing	
	7	Centralizers	
	1	Float Shoe	
	1	Wiper Plug	
	-	Frac Baffles	
		Portland Cement	
		Gilsonite	
	16 lbs	Flo-Seal Thixotropic Additive	
	6 sks	Premium Gel	
		Cal Chloride	
		City Water	
		KCL	
		KOL Seal	
	1 sk	Cotton Seed Hulls	
932900	1	Casing trailer	



**CONSOLIDATED**  
Oil Well Services, LLC

TICKET NUMBER 41292  
LOCATION Enova  
FOREMAN Rick Ledford

PO Box 884, Chanute, KS 66720  
620-431-9210 or 800-467-8676

**FIELD TICKET & TREATMENT REPORT**

**CEMENT** API# 15-205-28088

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
9-5-13		Majane Schaeley 6-4				Wilson
CUSTOMER Post Rock Energy Corp			Cus Jen			
MAILING ADDRESS 4402 Johnson Rd			TRUCK #	DRIVER	TRUCK #	DRIVER
CITY Chanute			520	John		
STATE KS			515	Meile		
ZIP CODE			452/T103	Jim		

JOB TYPE CLS 0 HOLE SIZE 7 7/8" HOLE DEPTH 1246' CASING SIZE & WEIGHT 5 1/2" 14#  
 CASING DEPTH 1195 33' DRILL PIPE \_\_\_\_\_ TUBING \_\_\_\_\_ OTHER \_\_\_\_\_  
 SLURRY WEIGHT 135 # SLURRY VOL 57 Bbl WATER gal/sk 8.8 CEMENT LEFT in CASING 0'  
 DISPLACEMENT 29.2 DISPLACEMENT PSI 600 MIX PSI 1100 Bag plug RATE \_\_\_\_\_

REMARKS: Safety meeting - Rig up to 5 1/2" casing w/ washhead washdown 44' to PBTD.  
 Pump 600 gal flush w/ huls 10 Bbl water spacer, 20 Bbl dye water. Mixed 125 sbs class  
 A cement w/ 2% cacl<sub>2</sub>, 2% metasilicate, 1/2% CIL-115, 1/10% ceathix-P + 10" Kel-seal/sk @ 13.5#/gal  
 yield 182 washout pump + line, release plug. Displace w/ 29.2 Bbl fresh water. Final pump pressure  
 600 PSI. Bag plug to 1100 PSI. release pressure, float + plug hold. Good cement returns to  
 surface = 2 Bbl slurry to pit. Job complete. Rig down.

Thank You

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	1030.00	1030.00
5406	8	MILEAGE 200' well of 3	n/c	n/c
11495	125 sbs	class A cement	14.95	2666.25
1160	330 #	2% cacl <sub>2</sub>	.74	244.20
1111A	330 #	2% metasilicate	2.00	660.00
1135A	82 #	1/2% CIL-115	10.55	865.10
	16 #	1/10% ceathix-P	n/c	n/c
1116A	1750 #	10" Kel-seal/sk	.46	805.00
5407A	9.1	tax mileage bulk tax x 50 miles	1.34	609.76
5501	4 hrs	Water transport	112.00	448.00
1123	9000 gals	City water	16.50/1000	148.50
			sub total	7496.75
		6.3%	SALES TAX	336.36
			ESTIMATED TOTAL	7763.11

Ravin 3737 AUTHORIZATION [Signature] TITLE \_\_\_\_\_ DATE \_\_\_\_\_

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

Pipe #	Length	Running Total	Baffle Location	PostRock Energy- Casing Tally Sheet
1	40.18	40.18		Date: 2/4/2013
2	38.48	78.66		Well Name & #: Majorie Shockley 6-4
3	37.94	116.6		Township & Range: 28S-17E
4	38.11	154.71		County/State: Wilson/Kansas
5	39.49	194.2		AFE#: D13003
6	39.73	233.93		API# 15-205-28088-00-00
7	39.49	273.42		Comments:
8	39.25	312.67		Projected TD- 1220'
9	40.39	353.06		
10	38.23	391.29		Joints are numbered in yellow
11	38.39	429.68		
12	38.38	468.06		Added 1 joint & 3 subs (32-35)
13	38.25	506.31		32) 38.37
14	38.42	544.73		33) 9.85
15	39.05	583.78		34) 3.85
16	38.68	622.46		35) 8.15
17	39.49	661.95		Added these subs for
18	38.03	699.98		flexibility to adjust to actual TD
19	39.36	739.34		
20	38.22	777.56		
21	39	816.56		Trailer# 932900
22	38.38	854.94		
23	39.31	894.25		
24	38.55	932.8		
25	38.61	971.41		Actual TD 1200
26	39.55	1010.96		Log Bottom 1204
27	38.28	1049.24		Casing Talley 1195.33
28	38.98	1088.22		No Baffles
29	39.06	1127.28		Centralizer first joint then every five joints to surface
30	38.08	1165.36		Added 8.15 sub from Grady 5-6
<del>31</del>	<del>39.39</del>	<del>1204.75</del>		
<del>32</del>	<del>38.37</del>	<del>1243.12</del>		
33	9.85	1175.21		
34	3.85	1179.06		
35	8.15	1187.21		
36	8.12	1195.33		This sub #32 from Grady 5-6

PostRock Energy Corp.