


Note: All footages calculated from cement floor level except formation

ELD-IMG 6/29/43
LPC (3)
File (1)


2-22-43 - Swabbed 120 barrels of oil in 5 hours
2-25-43 - Established a maximum allowed Eohometer potential of 3,000 barrels of oil, no water.
Hole filled 2800' with oil in 40 minutes
Run 3,473' of 7" OD 24# 10 thread L.W. and S.M.s. casing; run 7" float collar and guide shoe; set at 3436'; cemented with 200 sacks of cement.
Run 240' of 10 3/4" 3 gauge Armo spiral weld casing; set at 239'; cemented with 240 sacks of cement.

Total Depth 3460'
Top Ar buckle time 3435'
Elevation 2017'

FORMATION	FEET
Shale	0
Shale and shells	40
Sand and shale	450
Red bed & shale	1060
Red bed	1350
Lime	1380
Shale	1425
Shale and shells	1500
Shale	1555
Lime	1600
Shale & shells	1755
Broken lime	2260
Brok. lime & shells	2310
Shale & lime streaks	2395
Lime and shale	2430
Shale & shells	2490
Shale & lime shells	2530
Shale & lime streaks	2580
Lime	2630
Shale & shells	2680
Shale & shells	2730
Shale & shells	2785
Shale & shells	2800
Shale & shells	2855
Shale & shells	2900
Shale & shells	2955
Shale & shells	3000
Shale & shells	3050
Shale & shells	3100
Shale & shells	3155
Shale & shells	3200
Shale & shells	3255
Shale & shells	3300
Shale & shells	3350
Shale & shells	3400
Shale & shells	3450
Shale & shells	3500
Shale & shells	3550
Shale & shells	3600
Shale & shells	3650
Shale & shells	3700
Shale & shells	3750
Shale & shells	3800
Shale & shells	3850
Shale & shells	3900
Shale & shells	3950
Shale & shells	4000
Shale & shells	4050
Shale & shells	4100
Shale & shells	4150
Shale & shells	4200
Shale & shells	4250
Shale & shells	4300
Shale & shells	4350
Shale & shells	4400
Shale & shells	4450
Shale & shells	4500
Shale & shells	4550
Shale & shells	4600
Shale & shells	4650
Shale & shells	4700
Shale & shells	4750
Shale & shells	4800
Shale & shells	4850
Shale & shells	4900
Shale & shells	4950
Shale & shells	5000
Shale & shells	5050
Shale & shells	5100
Shale & shells	5150
Shale & shells	5200
Shale & shells	5250
Shale & shells	5300
Shale & shells	5350
Shale & shells	5400
Shale & shells	5450
Shale & shells	5500
Shale & shells	5550
Shale & shells	5600
Shale & shells	5650
Shale & shells	5700
Shale & shells	5750
Shale & shells	5800
Shale & shells	5850
Shale & shells	5900
Shale & shells	5950
Shale & shells	6000
Shale & shells	6050
Shale & shells	6100
Shale & shells	6150
Shale & shells	6200
Shale & shells	6250
Shale & shells	6300
Shale & shells	6350
Shale & shells	6400
Shale & shells	6450
Shale & shells	6500
Shale & shells	6550
Shale & shells	6600
Shale & shells	6650
Shale & shells	6700
Shale & shells	6750
Shale & shells	6800
Shale & shells	6850
Shale & shells	6900
Shale & shells	6950
Shale & shells	7000
Shale & shells	7050
Shale & shells	7100
Shale & shells	7150
Shale & shells	7200
Shale & shells	7250
Shale & shells	7300
Shale & shells	7350
Shale & shells	7400
Shale & shells	7450
Shale & shells	7500
Shale & shells	7550
Shale & shells	7600
Shale & shells	7650
Shale & shells	7700
Shale & shells	7750
Shale & shells	7800
Shale & shells	7850
Shale & shells	7900
Shale & shells	7950
Shale & shells	8000
Shale & shells	8050
Shale & shells	8100
Shale & shells	8150
Shale & shells	8200
Shale & shells	8250
Shale & shells	8300
Shale & shells	8350
Shale & shells	8400
Shale & shells	8450
Shale & shells	8500
Shale & shells	8550
Shale & shells	8600
Shale & shells	8650
Shale & shells	8700
Shale & shells	8750
Shale & shells	8800
Shale & shells	8850
Shale & shells	8900
Shale & shells	8950
Shale & shells	9000
Shale & shells	9050
Shale & shells	9100
Shale & shells	9150
Shale & shells	9200
Shale & shells	9250
Shale & shells	9300
Shale & shells	9350
Shale & shells	9400
Shale & shells	9450
Shale & shells	9500
Shale & shells	9550
Shale & shells	9600
Shale & shells	9650
Shale & shells	9700
Shale & shells	9750
Shale & shells	9800
Shale & shells	9850
Shale & shells	9900
Shale & shells	9950
Shale & shells	10000



BARRY POOL
ROOKS CO., KANSAS
4" = One Mile



CONTINENTAL OIL COMPANY

EXHIBIT A

