

For KCC	Use:
Effective	Date:
District #	·
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:			Spot Description:
	month day	year	
OPERATOR: License#			(0/0/0/0) foot from N / S Line of So
			feet from E / W Line of Se
			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
' '	State: Zip:		•
ontact Person:	·		County: Well #:
hone:			Field Name:
ONTPACTOR: License#			
			is the arrotated repaided risid.
<u></u>			.a.got : 0a.o.(o).
Well Drilled For:	Well Class: Type E	Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec	Infield N	lud Rotary	Ground Surface Elevation:
Gas Storage	Pool Ext.	ir Rotary	Water well within one-quarter mile: Yes Yes
Disposal		able	Public water supply well within one mile:
Seismic ;# of Ho	oles Other		Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well info	rmation as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
Operator:			
Original Completion Date:	Original Total D	epth:	
Nine etional Deviated on Henine	مع ما المدين المغم	Yes No	Water Source for Drilling Operations:
Directional, Deviated or Horizon	rital wellbore?		
f Vas true vertical denth:			Well Farm Pond Other:
f Yes, true vertical depth:			DWR Permit #:
Bottom Hole Location:			DWR Permit #:(Note: Apply for Permit with DWR)
Bottom Hole Location:			DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? Yes
Bottom Hole Location:			DWR Permit #:(Note: Apply for Permit with DWR)
Bottom Hole Location:			DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? Yes
Sottom Hole Location:CCC DKT #:		AF	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:
Rottom Hole Location: CC DKT #: The undersigned hereby affir		AF on and eventual p	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:
Sottom Hole Location: CCC DKT #: The undersigned hereby affir t is agreed that the following	ms that the drilling, completi	AF on and eventual p be met:	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:
Sottom Hole Location: KCC DKT #: The undersigned hereby affir t is agreed that the following 1. Notify the appropriate of the state	ms that the drilling, completi	AF on and eventual p be met: ng of well;	DWR Permit #:
Sottom Hole Location: CCC DKT #: The undersigned hereby affir t is agreed that the following 1. Notify the appropriate of the approved and the proved and t	rms that the drilling, completi minimum requirements will l district office <i>prior</i> to spuddi d notice of intent to drill <i>shal</i> , of surface pipe as specified	AF on and eventual p be met: ng of well; I be posted on each	DWR Permit #:
CCC DKT #: The undersigned hereby affire t is agreed that the following 1. Notify the appropriate of the approved and the a	rms that the drilling, completi minimum requirements will l district office <i>prior</i> to spuddi d notice of intent to drill <i>shal</i> , of surface pipe as specified ated materials plus a minimu	AF on and eventual p be met: ng of well; I be posted on each below shall be se im of 20 feet into the	DWR Permit #:
CCC DKT #: The undersigned hereby affire t is agreed that the following 1. Notify the appropriate of the approved and the a	rms that the drilling, completi minimum requirements will l district office <i>prior</i> to spuddi d notice of intent to drill <i>shall</i> of surface pipe as specified ated materials plus a minimu an agreement between the o	AF on and eventual p be met: ng of well; I be posted on each below shall be se im of 20 feet into the perator and the dis	DWR Permit #:
CCC DKT #: The undersigned hereby affire is agreed that the following 1. Notify the appropriate of the approved and the app	rms that the drilling, completi minimum requirements will I district office <i>prior</i> to spuddi d notice of intent to drill <i>shall</i> of surface pipe as specified ated materials plus a minimu an agreement between the o	AF on and eventual p be met: ng of well; I be posted on each below shall be se im of 20 feet into the perator and the dises well is either plug	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in;
The undersigned hereby affires agreed that the following 1. Notify the appropriate of the approved of the appropriate distriction of the appropriate distriction of the appropriate distriction of the appropriate of	rms that the drilling, completi minimum requirements will led district office <i>prior</i> to spudding district of intent to drill <i>shall</i> of surface pipe as specified ated materials plus a minimulan agreement between the opt office will be notified before OMPLETION, production pipe	on and eventual pose met: Ing of well; I be posted on each below shall be selim of 20 feet into the perator and the dise well is either plugie shall be cement	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and formation and placement is necessary prior to plugging; aged or production casing is cemented in; and formation and placement is necessary prior to plugging; aged from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms agreed that the following 1. Notify the appropriate of the approved of the appropriate districution of the appropriate distric	rms that the drilling, completi minimum requirements will ledistrict office <i>prior</i> to spudding district office <i>prior</i> to spudding district of intent to drill <i>shall</i> of surface pipe as specified ated materials plus a minimular agreement between the open of	on and eventual pose met: Ing of well; I be posted on each below shall be selim of 20 feet into the perator and the dise well is either plugue shall be cement ace casing order #	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in;
CCC DKT #: The undersigned hereby affir t is agreed that the following 1. Notify the appropriate 2. A copy of the approved 3. The minimum amount through all unconsolida 4. If the well is dry hole, a 5. The appropriate districe 6. If an ALTERNATE II CCC Or pursuant to Appendice the content of the content	rms that the drilling, completi minimum requirements will ledistrict office <i>prior</i> to spudding district office <i>prior</i> to spudding district of intent to drill <i>shall</i> of surface pipe as specified ated materials plus a minimular agreement between the open of	on and eventual pose met: Ing of well; I be posted on each below shall be selim of 20 feet into the perator and the dise well is either plugue shall be cement ace casing order #	DWR Permit #:
CCC DKT #: The undersigned hereby affiret is agreed that the following 1. Notify the appropriate of the approved of the well is dry hole, and of the appropriate distriction of the a	rms that the drilling, completi minimum requirements will ledistrict office <i>prior</i> to spudding district office <i>prior</i> to spudding district of intent to drill <i>shall</i> of surface pipe as specified ated materials plus a minimular agreement between the open of	on and eventual pose met: Ing of well; I be posted on each below shall be selim of 20 feet into the perator and the dise well is either plugue shall be cement ace casing order #	DWR Permit #:
The undersigned hereby affirms agreed that the following 1. Notify the appropriate of the approved of the appropriate of the well is dry hole, and of the appropriate	rms that the drilling, completi minimum requirements will indistrict office <i>prior</i> to spudding district office <i>prior</i> to spudding district of surface pipe as specified atted materials plus a minimula an agreement between the obtaining of the spuddistrict office will be notified before OMPLETION, production pipedix "B" - Eastern Kansas surfaction 30 days of the spuddate	on and eventual pose met: Ing of well; I be posted on each below shall be selim of 20 feet into the perator and the dise well is either plugue shall be cement ace casing order #	DWR Permit #:
CCC DKT #: The undersigned hereby affire the agreed that the following 1. Notify the appropriate of the approved of the appropriate of the well is dry hole, and the well is dry hole, and the appropriate distriction of the appropriate of t	rms that the drilling, completi minimum requirements will indistrict office <i>prior</i> to spudding district office <i>prior</i> to spudding district of surface pipe as specified atted materials plus a minimula an agreement between the obtaining of the spuddistrict office will be notified before OMPLETION, production pipedix "B" - Eastern Kansas surfaction 30 days of the spuddate	on and eventual pose met: Ing of well; I be posted on each below shall be selim of 20 feet into the perator and the dise well is either plugue shall be cement ace casing order #	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms agreed that the following 1. Notify the appropriate of the approved of the appropriate of the well is dry hole, and of the appropriate	rms that the drilling, completi minimum requirements will indistrict office <i>prior</i> to spudding district office <i>prior</i> to spudding district of surface pipe as specified atted materials plus a minimula an agreement between the obtaining of the spuddistrict office will be notified before OMPLETION, production pipedix "B" - Eastern Kansas surfaction 30 days of the spuddate	on and eventual pose met: Ing of well; I be posted on each below shall be selim of 20 feet into the perator and the dise well is either plugue shall be cement ace casing order #	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FFIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms agreed that the following 1. Notify the appropriate of the approved of the appropriate of the well is dry hole, and the well is dry hole, and the appropriate distriction of the appropriate	rms that the drilling, completi minimum requirements will indistrict office <i>prior</i> to spudding district of intent to drill <i>shall</i> of surface pipe as specified atted materials plus a minimulan agreement between the obstroffice will be notified before OMPLETION, production piptix "B" - Eastern Kansas surfathin 30 days of the spud dates	on and eventual pote met: If be posted on each below shall be set into the perator and the dise well is either pluggers shall be cement acce casing order # or the well shall be	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; teed from below any usable water to surface within 120 DAYS of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
cottom Hole Location:CC DKT #:	rms that the drilling, completi minimum requirements will indistrict office <i>prior</i> to spudding district office <i>prior</i> to spudding the district of intent to drill <i>shall</i> of surface pipe as specified atted materials plus a minimum an agreement between the operation of the operation of the district office will be notified before OMPLETION, production pipe district office will be not filed before of the spuddate	on and eventual pote met: Ing of well; I be posted on each below shall be set into the perator and the dise well is either pluggers shall be cement ace casing order # or the well shall be	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FFIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms agreed that the following 1. Notify the appropriate of the approved and the approved and through all unconsolided. If the well is dry hole, and the appropriate districes of the appropriate districes of the appropriate districes. The appropriate districes of the appropriate districes of the appropriate districes of the appropriate districts of the appropriate of the appropriate districts of the appropriate of th	rms that the drilling, completi minimum requirements will lidistrict office <i>prior</i> to spuddid notice of intent to drill <i>shall</i> of surface pipe as specified ated materials plus a minimulan agreement between the out office will be notified before OMPLETION, production pipelix "B" - Eastern Kansas surfathin 30 days of the spud dates cally	on and eventual pote met: Ing of well; I be posted on each below shall be set into the perator and the distensive shall be cement acce casing order # or the well shall be th	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms is agreed that the following 1. Notify the appropriate of the approved and the approved and through all unconsolided. If the well is dry hole, and the appropriate districes of the appropriate districes of the appropriate districes. The appropriate districes of the appropriate districes of the appropriate districes of the appropriate districts of the appropria	rms that the drilling, completi minimum requirements will indistrict office <i>prior</i> to spudding district office <i>prior</i> to spudding the district of intent to drill <i>shall</i> of surface pipe as specified atted materials plus a minimum an agreement between the operation of the operation of the district office will be notified before OMPLETION, production pipe district office will be not filed before of the spuddate	on and eventual pote met: Ing of well; I be posted on each below shall be set into the perator and the distensive shall be cement acce casing order # or the well shall be th	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. Strict office on plug length and placement is necessary prior to plugging; greed or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. If 33,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
Sottom Hole Location:	rms that the drilling, completi minimum requirements will lidistrict office <i>prior</i> to spuddid notice of intent to drill <i>shall</i> of surface pipe as specified ated materials plus a minimulan agreement between the out office will be notified before OMPLETION, production pipelix "B" - Eastern Kansas surfathin 30 days of the spud dates cally	on and eventual pote met: If be posted on each below shall be set into the perator and the dise well is either pluggers and the well is either pluggers or the well shall be t	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
CCC DKT #: The undersigned hereby affire the agreed that the following 1. Notify the appropriate of the approved of the agreed that through all unconsolide of the well is dry hole, at the appropriate distriction of the appropriate distriction of the appropriate of the appr	rms that the drilling, completi minimum requirements will lidistrict office <i>prior</i> to spuddid notice of intent to drill <i>shall</i> of surface pipe as specified ated materials plus a minimulan agreement between the obstroffice will be notified before OMPLETION, production pip dix "B" - Eastern Kansas surfain 30 days of the spud date cally	on and eventual pote met: If be posted on each below shall be set into the perator and the dise well is either pluggers and the well is either pluggers or the well shall be t	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. Strict office on plug length and placement is necessary prior to plugging; greed or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. If 33,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

Spud date: _

please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	 _
Signature of Operator or Agent:		



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:					Location of	f Well: County:	
Lease:						feet from N / S Lin	e of Section
Well Numb	oer:					feet from E / W Lin	e of Section
Field:					Sec	Twp S. R 🗌 E	W
					15 36011011.	Regular or Irregular	
						is Irregular, locate well from nearest corner bou	ndary.
					Section corr	rner used: NE NW SE SW	
			s ninelines and	l electrical lines as		undary line. Show the predicted locations of ansas Surface Owner Notice Act (House Bill 2032). esired.	
		:		:		LEGEND	
	:			:	:	LEGEND	
	:	:	:	:	: :	O Well Location	
						Tank Battery Location	
			····	•••••		Pipeline Location	
		:	i	:		Electric Line Location	
		i		:		Lease Road Location	
	:	:	:	:	: :		
2310 ft	:	:		•		EXAMPLE : :	٦
	:	:	<u>:</u>	<u>:</u>	: :	-	
			1				
	:	:	:	:	: :	: : :	
		:	:				
	· · · · · · · · · · · · · · · · · · ·			:	:		40001 501
	:	:	:	:	<u>:</u> :		1980' FSL
			:				
				• • • • • • • • • • • • • • • • • • • •	•		
	:	:	:	:	: ;		

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Proposed Exi Settling Pit Drilling Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Pit is: Proposed Exi Fit capacity:			SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No Submitted Electronically		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: de closed within 365 days of spud date.		
KCC OFFICE USE ONLY					
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No		



1131045

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	



GREAT PLAINS ENERGY
Operator

Norton-KS County-State

Suite B

Great Plains Energy 6121 S. 58th Street

Lincoln, NE. 68516

Fall & Associates

Stake and Elevation Service 719 W. 5" Street P.O. Box 404 Cencerdia, KS. 66901 1-800-536-2821

Gonco	0. Box 484 rdia, KS. 66961 10-536-2821			
1-01	10-060-2021		Date	3-27-13
				lumber 0322131
1-1		Kasson Tru Farm Nar		
umber		ram isa	ne	
15	25w	2310'FNL 231	O'FWL	
- manual management	R	Location	Elevation	2314 Gr.
			Ordered E	By: Dan
	Scale 1"=1000"	li .		
2310′	5' Iron rod & moderate slope W/4 corner.	4' wood stake or wheat stubble.	n slight to Ingress from	
	Tours of the state			

11 mi S to Reager

Stake

2310'_

