

#### Kansas Corporation Commission Oil & Gas Conservation Division

1136883

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15			
Name:	Spot Description:			
Address 1:	Sec Twp S. R 🗌 East 🗌 West			
Address 2:	Feet from North / South Line of Section			
City: State: Zip:+	Feet from East / West Line of Section			
Contact Person:	Footages Calculated from Nearest Outside Section Corner:			
Phone: ()	□NE □NW □SE □SW			
CONTRACTOR: License #	County:			
Name:	Lease Name: Well #:			
Wellsite Geologist:	Field Name:			
Purchaser:	Producing Formation:			
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:			
☐ New Well ☐ Re-Entry ☐ Workover	Total Depth: Plug Back Total Depth:			
☐ Oil         ☐ WSW         ☐ SIOW           ☐ Gas         ☐ D&A         ☐ ENHR         ☐ SIGW           ☐ OG         ☐ GSW         ☐ Temp. Abd.           ☐ CM (Coal Bed Methane)         ☐ Cathodic         ☐ Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet  Multiple Stage Cementing Collar Used?			
If Workover/Re-entry: Old Well Info as follows:	·			
Operator: Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)			
Original Comp. Date: Original Total Depth: Conv. to ENHR	Chloride content: ppm Fluid volume: bbls  Dewatering method used:			
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:			
Commingled Permit #:	Operator Name:			
Dual Completion Permit #:	Lease Name: License #:			
SWD Permit #:	Quarter Sec TwpS. R			
☐ ENHR         Permit #:           ☐ GSW         Permit #:	County: Permit #:			
Spud Date or Date Reached TD Completion Date or Recompletion Date  Recompletion Date  Recompletion Date				

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY				
Letter of Confidentiality Received				
Date:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I II III Approved by: Date:				

Side Two



Operator Name:			Lease Name	ə:		_ Well #:		
Sec Twp	S. R	East West	County:					
ime tool open and clo	sed, flowing and shut s if gas to surface tes	I base of formations per in pressures, whether s it, along with final chart well site report.	shut-in pressure	reached static leve	l, hydrostatic pres	sures, bottom h	ole temperature, fluid	
Orill Stem Tests Taken (Attach Additional S		Yes No		Log Formation	on (Top), Depth ar	nd Datum	Sample	
Samples Sent to Geolo	ogical Survey	Yes No	N	lame		Тор	Datum	
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	I Electronically	Yes No Yes No Yes No						
List All E. Logs Run:								
			RECORD	New Used	tion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
		ADDITIONA	L CEMENTING /	SQUEEZE RECORE	)			
Purpose:  — Perforate — Protect Casing — Plug Back TD — Plug Off Zone	Depth Top Bottom	Type of Cement # Sack		1	Type and I	Type and Percent Additives		
Shots Per Foot	PERFORATIO Specify F	ON RECORD - Bridge Pluootage of Each Interval Pe	gs Set/Type rforated		acture, Shot, Cemen Amount and Kind of Ma		d Depth	
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No			
Date of First, Resumed I	Production, SWD or EN	HR. Producing Me	thod:	Gas Lift	Other (Explain)			
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf	Water E	Bbls.	Gas-Oil Ratio	Gravity	
DISPOSITIO	ON OF GAS:  Used on Lease  mit ACO-18.)	Open Hole		ually Comp. Co	ommingled bmit ACO-4)	PRODUCTIO	ON INTERVAL:	

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

April 28, 2013

Christian L. Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: ACO1 API 15-003-25793-00-00 P. Winfrey 9-T SW/4 Sec.27-20S-20E Anderson County, Kansas

#### **Dear Production Department:**

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Christian L. Martin  $\alpha \cup \beta \cap \beta$ 

LOCATION Offaura KS

FOREMAN Fred Mader

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

### FIELD TICKET & TREATMENT REPORT CEMENT

020 101 0210 1				OFINEIA				
DATE	CUSTOMER#	WELL	L NAME & NUMI		SECTION	TOWNSHIP	RANGE	COUNTY
3/19/43 CUSTOMER	780.6	PWINT	ven # 9.	7_	\$€W 27	ಎಂ	20	AN
	.,		Ø			中華主義。這一種自然中	<del>。新作连加</del> 值。	= 10; = 12 · 17
MAILING ADDRE	water In	. د .		-	TRUCK#	DRIVER	TRUCK#	DRIVER
				}	506	Fre Mad		My
6421 CITY		1. Dr TATE	ZIP CODE	-	495	Har Bec	430	
					<u>369</u>	ider Mas	DM	
Oklahon		OK	73116	ا ل	518	Set Tuc	ST	
JOB TYPE LOW		OLE SIZE	5 <sup>7</sup> /8		850	CASING SIZE & V	/EIGHT <u>ンプ</u> を	CUE
CASING DEPTH		RILL PIPE	<u> </u>	_TUBING	-		OTHER	
SLURRY WEIGH			<del></del>		<u></u>	CEMENT LEFT in		W lug
DISPLACEMENT						RATE 5801	η	<u> </u>
REMARKS:	lold arew	meex	Estal	blish p	ump rat	- Mixx Pu	mp 100#	Cel
F (45	h- Mix +	Pompo	s k	s 50/50	Poz Mix	rement 2	76 Cul. (	encex
<u> </u>	Surface.	Flush	Dump	x lines	clean.	Displace	2/2" r	ublaw
plug	to cash	S TO.	PIESS	01x 40	800 F/S	1. Releas	2 04628	J 1/ R
- to s	et float v	alve.	Shut in	casin	9 /			
					Ø		·	
						1		
Eva	us Energy	Dev-	Inc -	trau:s		Fuel VI	1 arles	
	17					1		
ACCOUNT CODE	QUANITY or	UNITS	DE	SCRIPTION of	SERVICES or PR	ODUCT	UNIT PRICE	TOTAL
5401			PUMP CHARG	Ē		495		103000
5406	2	5mi	MILEAGE			795		10000
5402	841	٥	Casma	footage				N/C
5407A	173	88.	Ton mi			510		233 00
5502C	1/2	hr	80 BB	L Vac II	ruck	369		13500
					_			
1124	1.5	5 5145	50/50	Por mix	Courset	· · · · · · · · · · · · · · · · · · ·	W	125925
· · · · · · · · · · · · · · · · · · ·		794 <b>*</b>	: <i>"</i>	on al				•
11/8/3			22" Rul	Ci Oi	·			6174
4402			2/2 PW 1	ber Pl	<u>ug</u>			2800
			-				<b></b>	
			<u> </u>		<del></del>	\$ 1. June 2010	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 1
			<u> </u>		<u> </u>		1 1	
	L					I ION	namalul	
							Pollibio	*Th
			-			y.		
	<u> </u>		<u> </u>			£: .		
Havin 3737		· · · · · · · · · · · · · · · · · · ·	L	,, ,,		7.8%	SALES TAX	105=2
i raviii didi	, .					•	ESTIMATED	200-21
AHTHORIZTION	Hute	<u> </u>		TITI F			TOTAL	2952 21

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form



## Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083

Fax: 913-557-9084

#### **WELL LOG**

Paola, KS 66071

Tailwater, Inc. P. Winfrey #9-T API #15-003-25,793 March 15 - March 18, 2013

Thickness of Street	_	,
Thickness of Strata 10	<u>Formation</u>	<u>Total</u>
3	soil & clay	10
37	clay& gravel	13
28	shale 	50
	lime	78
65 40	shale	143
10	lime	153
5	shale	158
37	lime	195
12	shale	207
22	lime	229
3	shale	232
21	lime	253 base of the Kansas City
172	shale	425
3	lime	428
3	shale	431
3	lime	434
2	shale	436
8	lime	444 oil show
7	shale	451
11	broken sand	462 brown & green, light bleeding
11	shale	473
20	oil sand	493 green, good bleeding
2	shale	495
1	coal	496
7	shale	503
6	lime	509
15	shale	524
8	lime	532
33	shale	565
7	lime	572
29	shale	601
3	broken sand	604 brown & green, light bleeding
3	shale	607
4	broken sand	611 brown & green, light bleeding
34	shale	645
1	lime & shells	646
1	sand	647 black, no oil show
5	oil sand	652 brown, ok bleeding
		, <del>.</del>

#### P. Winfrey #9-T

### Page 2

116	shale	768
7	sand	775 white, no oil
5	oil sand	780 brown, good bleeding
70	shale	850 TD

Drilled a 9 7/8" hole to 22.5' Drilled a 5 5/8" hole to 850'

Set 22.5' of 7" surface casing cemented with 6 sacks of cement.

Set 840.5' of 2 7/8" 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

July 23, 2013

Christian L. Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: ACO-1 API 15-003-25793-00-00 P. Winfrey 9-T SW/4 Sec.27-20S-20E Anderson County, Kansas

Dear Christian L. Martin:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 03/15/2013 and the ACO-1 was received on July 16, 2013 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

**Production Department**