

Kansas Corporation Commission Oil & Gas Conservation Division

1136916

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R 🗌 East 🗌 West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used? Yes No
Gas GSW GSW Temp. Abd. CM (Coal Bed Methane)	If yes, show depth set: Feet
Cathodic Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from:
If Workover/Re-entry: Old Well Info as follows:	feet depth to: w/ sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW	Chloride content: ppm Fluid volume: bbls Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	QuarterSecTwpS. R East West
ENHR Permit #:	
GSW Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Side Two

1136916

Operator Name:			Lease Name: _			_ Well #:	
Sec Twp	S. R	East West	County:				
time tool open and clo	sed, flowing and shut es if gas to surface tes	d base of formations per -in pressures, whether s st, along with final chart(well site report.	shut-in pressure rea	ached static level,	hydrostatic press	sures, bottom he	ole temperature, fluid
Drill Stem Tests Taken (Attach Additional S		Yes No		₋og Formatio	n (Top), Depth an	d Datum	Sample
Samples Sent to Geol	·	☐ Yes ☐ No	Nar	ne		Тор	Datum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	d Electronically	Yes No Yes No Yes No					
List All E. Logs Run:							
		CASING Report all strings set-		lew Used termediate, producti	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
	1	ADDITIONAL	_ _ CEMENTING / SQ	UEEZE RECORD	I		
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks Used		Type and F	Percent Additives	
Shots Per Foot		ON RECORD - Bridge Pluç ootage of Each Interval Per			cture, Shot, Cement mount and Kind of Ma	•	Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		
Date of First, Resumed	Production, SWD or EN	HR. Producing Met	hod:		other (Explain)		
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf Wa	ter Bl	pls. (Gas-Oil Ratio	Gravity
DISPOSITIO	Used on Lease	Open Hole		ly Comp. Con	nmingled mit ACO-4)	PRODUCTIO	N INTERVAL:

Lease Name: Guatney	Spud Date: 1-8-2013	Surface Pipe Size: 8 1/2"	Depth: 40'	TD: 1441
Operator: C&S Oil	Well #8	Bit Diameter: 6 3/4"		
Footage taken	Sample type			
0_3	soil			
3_167	shale			
167_229	lime			
	shale			
	lime			
600_604	shale			
604_619	lime		,	
619_812	shale			
812_818	lime			
	shale			
818_885				_
885_896	lime			
896_911	shale			
911_916	lime			
916_930	shale			
930_934	lime			
934_954	shale			
954_956	lime			
956_974	shale			
974_976	lime			
976_982	shale			
982_989	broken sand free oil			
989_1011	shale			
1011_1012	cap			
1012_1015	shale			
1015_1021	broken sand free oil			
	oil sand			
1021_1024				
1024_1027	broken sand			
1027_1334	shale			
1334_1339	black shale			
1339_1350	shale			
1350_1364	broken lime			
1364_1366	hard lime			
1366_1369	oil show			
1369_1384	lime			
1384_1390	good oil			
1390_1441	lime			
	41 TD			
			-	-
			-	
		9		

Hurricane Services, Inc. 3613 A Y Road Madison, KS 66860 Office # 620-437-2661 Brad Cell # 620-437-6765

Ticket Number	100204	
Location	Madison	_
Foreman	Brad Butler	

Cement Service ticket

Date	Customer #	Well Name & Number	Sec./T	ownship/Range	County
1-9-13		Guatney # 8	26-	23-16E	Woodson
Customer		Mailing Address	City	State	Zip
Ron-	Bob Oil				

Job Type:	2	ongstring		Truck#	Driver
		3 3		201	Kelly
Hole Size: 63/4	"	Casing Size: 4½"	Displacement: 2234 Bbls.	202	Mark
Hole Depth:		Casing Weight:	Displacement PSI: 950	104	Danny
Bridge Plug:		Tubing:	Cement Left in Casing: o	144-150	Rick
Packer:	-	PBTD: /4/33 -			
Quantity Or Units		Description of	l of Servcies or Product	Pump charge	790.00
		Mileage	or services or resource	\$3.25/Mile	97.50
.30		ivilleage		\$5.25/Wille	17.30
17-				157.0.0	2012
	SACKS	Quick Set cemen	T	17.90	2917.70
810	165	KO1-SEAL 5 # P	1/3K.	.55	445.50
400	lbs.	GeL> Flush Ah	end	,30	120.00
		,			
21/2	Hrs	WATER Truck		84.00	210.00
4	Hs.	WATER Transport		105.00	420.00
8000	GAIL	WATER		13.00 PU/1000	104.00
	A CONTRACTOR OF THE CONTRACTOR				
		Wirelme Servi		50.00	N/C
9,56 Toi	ns	Bulk Truck > Minimum C	heise	\$1.15/Mile	250.00
		, , , , , , , , , , , , , , , , , , ,			
1		Plugs 41/2" Top Rubbe	- Plus	38.00	38.00
		/10000		Subtotal	5392.70
				Sales Tax	264.64
				Estimated Tota	THE STATE OF THE S
n		0	0.00.00.00		-2 61

Remarks: Ris 475" casing, Pumped 10Bbls WATER Alread 20Bbl. Gel Flush, Pumped 50Bbls, WATER TO Bring Gel
Grand To condition Hole, Pumped 10 BW. Drewater Ahrad, Mixed 163 SKS, Quick Set Cementy 5th KOI-SEAL
Shut down - washout Pump Lines - Release Top Rubber Plug - Displaced Plug with 22%, Blds water
Final Pumping at 950 BI - Bumport Plus To 1300 BI - Release Plessure - Float Held.
Close Casing in w/ OBI Good Cement Fething with 8 Bh. Slury

<u>Called</u> by Boh Customer Signature