

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KCC Use:    |        |  |  |  |
|-----------------|--------|--|--|--|
| Effective Date: |        |  |  |  |
| District #      |        |  |  |  |
| SGA?            | Yes No |  |  |  |

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1136939

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

| Expected Spud Date:   | Spot Description:  |
|---|--|
| month day year  |  |
| DPERATOR: License#  | feet from N / S Line of Section  |
| lame:   | feet from E / W Line of Section  |
| ddress 1:   | Is SECTION: Regular Irregular?   |
| ddress 2:   | (Note: Locate well on the Section Plat on reverse side)  |
| City: State: Zip: +   | County:  |
| Contact Person:   | Lease Name: Well #:  |
| Phone:  | Field Name:  |
| CONTRACTOR: License#  | Is this a Prorated / Spaced Field?   |
| lame:   | Target Formation(s):   |
| Well Drilled For: Well Class: Type Equipment:   | Nearest Lease or unit boundary line (in footage):  |
| Oil Enh Rec Infield Mud Rotary  | Ground Surface Elevation:feet MS   |
| Gas Storage Pool Ext. Air Rotary  | Water well within one-quarter mile:  |
| Disposal Wildcat Cable  | Public water supply well within one mile:  |
| Seismic ; # of Holes Other  | Depth to bottom of fresh water:  |
| Other:  | Depth to bottom of usable water:   |
| IK OMMA(O) and small information and fill   | Surface Pipe by Alternate: I II  |
| If OWWO: old well information as follows:   | Length of Surface Pipe Planned to be set:  |
| Operator:   | Length of Conductor Pipe (if any):   |
| Well Name:  | Projected Total Depth:   |
| Original Completion Date: Original Total Depth:   | Formation at Total Depth:  |
| Directional, Deviated or Horizontal wellbore?   | Water Source for Drilling Operations:  |
| Directional, Deviated or Horizontal wellbore? Yes No f Yes, true vertical depth:  | WellFarm PondOther:  |
| Bottom Hole Location:   | DWR Permit #:  |
| KCC DKT #:  | (Note: Apply for Permit with DWR )   |
|   | Will Cores be taken? Yes N  If Yes, proposed zone:   |
|   | 11 166, proposed 2016.   |
| AFF   | DAVIT  |
|   |  |
| he undersigned hereby affirms that the drilling, completion and eventual plu  | ging of this well will comply with K.S.A. 55 et. seq.  |
|   | ging of this well will comply with K.S.A. 55 et. seq.  |
|   | ging of this well will comply with K.S.A. 55 et. seq.  |
| t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each   | drilling rig;  |
| <ul><li>2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li><li>3. The minimum amount of surface pipe as specified below <i>shall be set</i> to</li></ul>  | drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall be set</b>   |
| t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the   | drilling rig;<br>y circulating cement to the top; in all cases surface pipe <b>shall be set</b><br>underlying formation.   |
| t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the districtions.  | drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ;  |
| t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg   | drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in;   |
| <ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>   | drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in;   |
| <ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>   | drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>   | drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1.</li> </ol>  | drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>  | drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol> </li> </ol>   | drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>  | drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.   |
| <ol> <li>is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol> </li> </ol>   | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.   |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -   | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;   |
| is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  sibmitted Electronically  For KCC Use ONLY  API # 15   | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;  |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ### DIAMPHIES ONLY  API # 15   | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;  |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be  ### IDDMITTED TO THE WELL OF THE WELL  | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;   |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ### IDENTIFY OF THE O | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ### IDENTIFY OF THE OFFICE OF THE OFFICE OF THE OFFICE OF THE OFFICE | drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;  |



| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                              | Location of Well: County:  |
|--|--|
| _ease:                                 | feet from N / S Line of Section  |
| Vell Number:                           | feet from E / W Line of Section  |
| Field:                                 | Sec Twp S. R 🗌 E 🔲 W   |
| Number of Acres attributable to well:  | is section.   Integular of   Integular   |
|  | If Section is Irregular, locate well from nearest corner boundary.   |
|  | Section corner used: NE NW SE SW   |
|  |  |
|  |  |
| Channels and the well. Channels at the | PLAT   |
| •                                      | nearest lease or unit boundary line. Show the predicted locations of es, as required by the Kansas Surface Owner Notice Act (House Bill 2032). |
|  | nttach a separate plat if desired.  1956 ft.   |
|  | 1956 ft.   |
|  |  |
|  | LEGEND   |
|  | O Well Location  |
|  | Tank Battery Location  |
|  | Pipeline Location  |
|  | : Electric Line Location   |
|  | Lease Road Location  |
|  | ····· 842 ft.  |
|  |  |
|  | EXAMPLE  |
| 30                                     |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  | 1980' FSL  |
|  |  |
|  |  |
|  |  |
|  |  |

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |  |                              | License Number:   |  |
|---|--|------------------------------|---|--|
| Operator Address:   |  |                              |   |  |
| Contact Person:   |  | Phone Number:                |   |  |
| Lease Name & Well No.:  |  |                              | Pit Location (QQQQ):  |  |
| Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled) | Pit is:  Proposed  If Existing, date coll  Pit capacity: | Existing  nstructed:  (bbls) | Sec.       Twp.       R.       East       West         Feet from       North / South Line of Section         Feet from       East / West Line of Section         County |  |
| Is the pit located in a Sensitive Ground Water A  | rea? Yes   | No                           | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)   |  |
| Is the bottom below ground level?  Yes No Artificial Liner?  Yes N  |  | No                           | How is the pit lined if a plastic liner is not used?  |  |
| Pit dimensions (all but working pits):  | Length (fee  | et)                          | Width (feet) N/A: Steel Pits  |  |
| Depth fro   | om ground level to dee                                   | epest point:                 | (feet) No Pit   |  |
| Distance to account water well within one or its  | d with   | Dooth to abollo              |   |  |
| Distance to nearest water well within one-mile of   | or pit:  | Source of inforr             | west fresh water feet.<br>nation:   |  |
| feet Depth of water wellfeet  |  | measured                     | well owner electric log KDWR  |  |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  |  | Type of materia              | ver and Haul-Off Pits ONLY:  I utilized in drilling/workover:  king pits to be utilized:  procedure:  |  |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No  |  | ·                            | e closed within 365 days of spud date.  |  |
| Submitted Electronically  |  |                              |   |  |
| KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS  |  |                              |   |  |
| Date Received: Permit Num   | ber:   | Permi                        | t Date: Lease Inspection: Yes No  |  |



1136939

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


| Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)   | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)   |  |  |
|---|---|--|--|
| OPERATOR: License #   | SecTwpS. R East _ West  |  |  |
| Name:   |   |  |  |
| Address 1:  |   |  |  |
| Address 2:  |   |  |  |
| City:   | If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:   |  |  |
| Contact Person:   |   |  |  |
| Phone: ( ) Fax: ( )   |   |  |  |
| Email Address:  |   |  |  |
| Surface Owner Information:  |   |  |  |
| Name:   | When filing a Form T-1 involving multiple surface owners, attach an additional  |  |  |
| Address 1:  | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the   |  |  |
| Address 2:  | county, and in the real estate property tax records of the county treasurer.  |  |  |
| City:   |   |  |  |
| the KCC with a plat showing the predicted locations of lease roads, tank  | dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. |  |  |
| ☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s). | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this  |  |  |
| task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-  | fee with this form. If the fee is not received with this form, the KSONA-1  |  |  |
| Submitted Electronically  |   |  |  |

plot is opened f

L.D. DRILLING, INC. LARRY LUNDGREN LEASE NE. 1/4. SECTION 30. T145. R29W GOVE COUNTY. KANSAS

Directions;

From the intersection of Highway 23 and a E-W county road in Cove. Kansas, 90 5.7 miles West on a county road, then go 10.0 miles South on a county road to the NW. carner of Section 30. then go 0.50 miles East to a flagged gate on the south side of road, then go 0.47 miles southeast to location.



- Controlling data is based upon the best maps and photographs ovaliable to us and upon a regular section of land containing EQ ocres.
- estrict or toru containing any octas.

  Approximate specified links every determined using the normal standard of core of olifield surveyors before the standard of core of olifield surveyors are corner with the exposition the procles section links proceeding in the state of Kinstal Section is the section of the work that militarie location in the section is work that militaries contained the standard links are contained to the contained the section of the section of

April 26. 2013

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

April 29, 2013

L. D. DAVIS L. D. Drilling, Inc. 7 SW 26TH AVE GREAT BEND, KS 67530-6525

Re: Drilling Pit Application LARRY LUNDGREN "B" 1-30 NE/4 Sec.30-14S-29W Gove County, Kansas

#### Dear L. D. DAVIS:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.