

For KCC	Use:
Effective	Date:
District #	<u> </u>
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
monun day year	Sec Twp S. R 🔲 E 🔲 W
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City:	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
W # 5 # 4 5	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes No
Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic ;# of HolesOther	Depth to bottom of usable water:
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
	•
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
f Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DVVR Permit #.
(CC DKT #:	(Teter i pp.) ioi i oiliid thai ziri t
	If Yes, proposed zone:
	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on eac	
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set 	t by circulating cement to the top; in all cases surface pipe shall be set
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 	t by circulating cement to the top; in all cases surface pipe shall be set be underlying formation.
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distribution. 	t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ;
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 	t by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in;
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is a surface pipe shall be set the underlying formation. It is a surface pipe shall be set the underlying formation. It is a surface pipe shall be set the underlying formation. It is a surface pipe shall be set the underlying formation in the underlying formation.
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	t by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in;
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging ; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging ; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the disentation of the plug of the appropriate district office will be notified before well is either plug of the shall be cemented. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 	t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging ; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the disentation of the strict office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 	t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is that the underlying formation. It i
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the disentation of the plug of the appropriate district office will be notified before well is either plug of the shall be cemented. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 	the prior in all cases surface pipe shall be set the underlying formation. It is underlying for
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the disentation of the properties of the appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically 	t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is that the underlying formation. It is that the underlying formation is the underlying formation. It is that the underlying formation is the underlying formation. It is that the underlying formation is the underlying formation in the underlying formation is the underlying formation in the underlying formation. It is that the underlying formation in the underlying formation is the underlying formation. It is that the underlying formation in the underlying formation in the underlying formation. It is that the underlying formation in the underlying formation in the underlying formation. It is that the underlying formation in the underlying formation. It is that the underlying formation in the underlying formation. It is that the underlying formation in the underlying formation in the underlying formation. It is that the underlying formation in the underlying formation in the underlying formation in the underlying formation in the underlying formation. It is that the underlying formation in t
2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through	the priculating cement to the top; in all cases surface pipe shall be set the underlying formation. Intrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing ge plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
2. A copy of the approved notice of intent to drill shall be posted on each and the intent to drill shall be posted on each and the intent to drill shall be posted on each and the intent to the shall be seen through all unconsolidated materials plus a minimum of 20 feet into the intention of the intention of the shall be seen the operator and the district office will be notified before well is either plug in the intention of t	the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is underl
2. A copy of the approved notice of intent to drill shall be posted on each and the intent to drill shall be posted on each and the intent to drill shall be posted on each and the intent to it is either plug and the intent to	the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It in the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is in the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is in the circulating cement to the top; in all cases are prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set through all the set through all the set of the	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Careage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on each and the intent to drill shall be posted on each and the intent to drill shall be set through all unconsolidated materials plus a minimum of 20 feet into the intent to the well is dry hole, an agreement between the operator and the distance of the appropriate district office will be notified before well is either plug in the intention of the intention o	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to filed proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is necessary prior to plugging; surface pipe shall be set to plugging;
2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the discontinuous control of the specified before well is either plug to the specified before well is either plug to the specified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order where the specified within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to filed provation orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

Spud date: _

Well will not be drilled or Permit Expired	Date:	
please check the box below and return to the add	Iress below.	
ii weli wili not be drilled of permit has expired (Se	e. authorized expiration date)	


Signature of Operator or Agent:

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section feet from E / W Line of Section
Field:	SecTwpS. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
PL.	AT
Show location of the well. Show footage to the nearest lease roads, tank batteries, pipelines and electrical lines, as requestions are also as a sequence of the sequence of t	•
	LEGEND



EXAMPLE SEWARD CO. 3390' FEL

Well Location

Tank Battery Location
Pipeline Location

NOTE: In all cases locate the spot of the proposed drilling locaton.

1140 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1 1137017

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		•	License Number:	
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R	
Settling Pit Drilling Pit	g Pit If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	County	
Le the mit leasted in a Consisting Consumd Western		. ,	· ·	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
	Length (fee	,	Width (feet) N/A: Steel Pits	
•	om ground level to dee		dures for periodic maintenance and determining	
			cluding any special monitoring.	
		Depth to shallo Source of inforr	west fresh water feet. nation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	l utilized in drilling/workover:	
Number of producing wells on lease:		Number of worl	sing pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.	
.				
Submitted Electronically				
	KCC	OFFICE USE O		
			Liner Steel Pit RFAC RFAS	
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	

CORRECTION #1 KANSAS CORPORATION COMMISSION

1137017

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tan are preliminary non-binding estimates. The locations may be entered of Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be I CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a	acknowledge that, because I have not provided this information, the		
task, I acknowledge that I am being charged a \$30.00 handling	fee with this form. If the fee is not received with this form, the KSONA-1		
Submitted Electronically			

Notank Battery onsite. Roads are being planned for now.



No Pipelivies planned at this time. No electrical or waterlines in place at this

Summary of Changes

Lease Name and Number: Fitzpatrick FF3

API/Permit #: 15-001-30672-00-00

Doc ID: 1137017

Correction Number: 1

Approved By: Rick Hestermann 04/29/2013

Field Name	Previous Value	New Value
KCC Only - Approved By	Rick Hestermann 04/23/2013	Rick Hestermann 04/29/2013
KCC Only - Approved Date	04/23/2013	04/29/2013
KCC Only - Date Received	04/23/2013	04/29/2013
LocationInfoLink Nearest Lease Or Unit Boundary	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=9&to 660	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=9&to 165
Number of Feet North or South From Section	1080	1140
Line Number of Feet North or South From Section	1080	1140
Line RFAC	Yes	No
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11 36380	//kcc/detail/operatorE ditDetail.cfm?docID=11 37017

Summary of Attachments

Lease Name and Number: Fitzpatrick FF3

API: 15-001-30672-00-00

Doc ID: 1137017

Correction Number: 1

Approved By: Rick Hestermann 04/29/2013

Attachment Name

Fitzpatrick revised well schematic - puts wells 440' apart north to south