

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	<u> </u>
SGA?	Yes No

SGA?

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

	month	day year	Spot Description:
	month	uay year	
OPERATOR: License#			feet from N / S Line of Section
Name:			feet from E / W Line of Section
Address 1:			Is SECTION: Regular Irregular?
City:	State:	Zip: +	County:
Contact Person:			Lease Name: Well #:
Phone:			Field Name:
CONTRACTOR: License#	:		
Name:			is the division operation.
			Target Formation(s):
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh F	Rec Infield	Mud Rotary	Ground Surface Elevation:feet MSL
Gas Stora	ige Pool Ex	t. Air Rotary	Water well within one-quarter mile:
Dispo	osal Wildcat	Cable	Public water supply well within one mile: Yes No
Seismic ;# o	of Holes Other		Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
[	:		Surface Pipe by Alternate: III
If OVVVVO: old well	information as follow	VS:	Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
Well Name:			Projected Total Depth:
Original Completion Da	ate: C	riginal Total Depth:	Formation at Total Depth:
			Water Source for Drilling Operations:
Directional, Deviated or Ho	rizontal wellbore?	Yes N	Well Farm Pond Other:
·			DWK Femili #
			(Note: Apply for Fernit with DWK
KCC DKT #:			Will Cores be taken? Yes No
			If Yes, proposed zone:
			AFFIDAVIT
The undersigned hereby	affirms that the dril	_	plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follow		-	plugging of this well will comply with N.S.A. 35 et. seq.
	9 .		
•			
Notify the appropria		•	0 0,
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> </ol>			not by airculating coment to the tent in all come curfoce nine about he not
<ol> <li>Notify the approprise</li> <li>A copy of the approprise</li> <li>The minimum amo</li> </ol>	ount of surface pipe		set by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>Notify the appropri</li> <li>A copy of the appro</li> <li>The minimum amo through all unconse</li> </ol>	ount of surface pipe olidated materials p	olus a minimum of 20 feet into	the underlying formation.
<ol> <li>Notify the appropri</li> <li>A copy of the appro</li> <li>The minimum amo through all uncons</li> <li>If the well is dry ho</li> </ol>	ount of surface pipe olidated materials p ble, an agreement b	olus a minimum of 20 feet into etween the operator and the	
<ol> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amo through all unconst</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> </ol>	ount of surface pipe olidated materials p lle, an agreement b strict office will be n	olus a minimum of 20 feet into etween the operator and the notified before well is either p	o the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging</i> ;
<ol> <li>Notify the appropri</li> <li>A copy of the appro</li> <li>The minimum amo through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE or pursuant to Approprised</li> </ol>	ount of surface pipe olidated materials pole, an agreement be strict office will be not COMPLETION, poendix "B" - Eastern	olus a minimum of 20 feet into etween the operator and the notified before well is either p production pipe shall be ceme a Kansas surface casing orde	the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in;  ented from below any usable water to surface within <i>120 DAYS</i> of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropri</li> <li>A copy of the appro</li> <li>The minimum amo through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE or pursuant to Approprised</li> </ol>	ount of surface pipe olidated materials pole, an agreement be strict office will be not COMPLETION, poendix "B" - Eastern	olus a minimum of 20 feet into etween the operator and the notified before well is either p production pipe shall be ceme a Kansas surface casing orde	to the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in;  ented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>Notify the appropri</li> <li>A copy of the appro</li> <li>The minimum amo through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE Or pursuant to App</li> </ol>	ount of surface pipe olidated materials pole, an agreement be strict office will be not COMPLETION, poendix "B" - Eastern	olus a minimum of 20 feet into etween the operator and the notified before well is either p production pipe shall be ceme a Kansas surface casing orde	the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in;  ented from below any usable water to surface within <i>120 DAYS</i> of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amon through all unconstance</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE of pursuant to Appropriate dis</li> </ol>	ount of surface pipe olidated materials pole, an agreement be strict office will be not completely of the strict of the st	olus a minimum of 20 feet into etween the operator and the notified before well is either p production pipe shall be ceme a Kansas surface casing orde	the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in;  ented from below any usable water to surface within <i>120 DAYS</i> of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amon through all unconstance</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE of pursuant to Appropriate dis</li> </ol>	ount of surface pipe olidated materials pole, an agreement be strict office will be not completely of the strict of the st	olus a minimum of 20 feet into etween the operator and the notified before well is either p production pipe shall be ceme a Kansas surface casing orde	the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appropria 3. The minimum amosthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate descriptions ubmitted Electron	ount of surface pipe olidated materials pole, an agreement be strict office will be not completely of the strict of the st	olus a minimum of 20 feet into etween the operator and the notified before well is either p production pipe shall be ceme a Kansas surface casing orde	the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amon through all unconstance</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE of pursuant to Appropriate dis</li> </ol>	ount of surface pipe olidated materials pole, an agreement be strict office will be not completely of the strict of the st	olus a minimum of 20 feet into etween the operator and the notified before well is either p production pipe shall be ceme a Kansas surface casing orde	to the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in;  ented from below any usable water to surface within <i>120 DAYS</i> of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing  Il be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
1. Notify the appropria 2. A copy of the appropria 3. The minimum amosthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate descriptions ubmitted Electron	ount of surface pipe olidated materials pole, an agreement be strict office will be not completely of the strict of the st	olus a minimum of 20 feet intretween the operator and the notified before well is either peroduction pipe shall be ceme Kansas surface casing order the spud date or the well sha	the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropria 2. A copy of the appropria 3. The minimum amost through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE or pursuant to Appropriate to Electron  ubmitted Electron  For KCC Use ONLY  API # 15 -	ount of surface pipe olidated materials pole, an agreement be strict office will be not completely be nically	olus a minimum of 20 feet intretween the operator and the notified before well is either peroduction pipe shall be ceme Kansas surface casing orde the spud date or the well sha	the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
1. Notify the appropria 2. A copy of the appropria 3. The minimum amosthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate of the completed  ubmitted Electron  For KCC Use ONLY  API # 15  Conductor pipe required	nunt of surface pipe olidated materials pole, an agreement be strict office will be not completely be not completely and the strict office will be not completely be not completely and the strict office within 30 days of the completely office of the strict office within 30 days of the completely office of the strict office of the completely office of the strict office of the completely of the completely of the completely office of the completely of the complete	olus a minimum of 20 feet intretween the operator and the notified before well is either peroduction pipe shall be ceme a Kansas surface casing ordethe spud date or the well sha	the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amost through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE of the or pursuant to Appropriate dis 9. Or pursuant to Appropriate dis 1. Or pursuant to Appropriate dis 1. Or pursuant to Appropriate dis 1. Or pursuant to Appropriate displayed to the completed displayed to the completed displayed to the complete displayed to the complet	ount of surface pipe olidated materials pole, an agreement be strict office will be not completely be not completely and the within 30 days of the completely bearings.	olus a minimum of 20 feet intretween the operator and the notified before well is either peroduction pipe shall be ceme a Kansas surface casing ordethe spud date or the well sha	content of the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amost through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE of the or pursuant to Appropriate of the completed  ubmitted Electron  For KCC Use ONLY  API # 15  Conductor pipe required of the completed of the completed of the complete of the co	ount of surface pipe olidated materials pole, an agreement be strict office will be not completely be not completely and the within 30 days of the completely bearings.	olus a minimum of 20 feet intretween the operator and the notified before well is either peroduction pipe shall be ceme taxansas surface casing order the spud date or the well share feetfeet per ALT II	content of the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amost through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE of the or pursuant to Appropriate of the completed  ubmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required of the completed of the completed of the complete	ount of surface pipe olidated materials p ole, an agreement b strict office will be n II COMPLETION, p pendix "B" - Eastern d within 30 days of t	olus a minimum of 20 feet intretween the operator and the notified before well is either peroduction pipe shall be ceme taxansas surface casing order the spud date or the well share feetfeet per ALT II	conthe underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing libe plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_



For KCC Use ONLY	
API # 15	-

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

## 4455 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date continued in the pit capacity:	Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth from ground level to deep  If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe proce	dures for periodic maintenance and determining any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  Submitted Electronically		Type of materia  Number of work  Abandonment p  Drill pits must b	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:  de closed within 365 days of spud date.
	KCC	OFFICE USE O	NLY
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS  t Date: Lease Inspection: Yes No



1137073

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R East	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: ( ) Fax: ( )		
Email Address:		
Surface Owner Information:		
Name:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 1:		
Address 2:		
City:		
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this	
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1	
Submitted Electronically		

For KCC Use ONLY	
API # 15	

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Birk Petroleum	Location of Well: County: Coffey
Lease: Brink	4,455 feet from N / X S Line of Section
Well Number: 24	4,455 feet from X E / W Line of Section
Field: Parmely	Sec. 32 Twp. 22 S. R. 17 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
Show location of the well. Show footage to the nearest le lease roads, tank batteries, pipelines and electrical lines, as requ You may attach a se	ease or unit boundary line. Show the predicted locations of uired by the Kansas Surface Owner Notice Act (House Bill 2032).
	LEGEND  O Well Location  Tank Battery Location  Pipeline Location  Electric Line Location  Lease Road Location
	EXAMPLE
	1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

April 30, 2013

Brian Birk Birk, Brian L. dba Birk Petroleum 874 12TH RD SW BURLINGTON, KS 66839-9255

Re: Drilling Pit Application Brink 24 NW/4 Sec.32-22S-17E Coffey County, Kansas

## Dear Brian Birk:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.