For KCC Use:

Eff	e	ct	iv	е	Date:

District	#	

SGA? Yes No

# 

OIL & GAS CONSERVATION DIVISION

March 2010 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

1137168

NOTICE	<b>OF INTENT</b>	TO DRILL
--------	------------------	----------

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Ce	ertification of Comp	liance with	the Kansas	Surface	Owner Notification A	Act, MUST	T be submitted with this form.

Expected Spud Date:	Spot Description:
month  day  year    OPERATOR:  License#	
Name:	feet from L E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For:    Well Class:    Type Equipment:      Oil    Enh Rec    Infield    Mud Rotary      Gas    Storage    Pool Ext.    Air Rotary      Disposal    Wildcat    Cable      Seismic ;    # of Holes    Other      Other:	Nearest Lease or unit boundary line (in footage):
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	( <b>Note:</b> Apply for Permit with DWR )
100 Ditt #	Will Cores be taken?
	If Yes, proposed zone:

## AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below **shall be set** by circulating cement to the top; in all cases surface pipe **shall be set** through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

## Submitted Electronically

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	feet per ALT.
Approved by:	
This authorization expires:	
Spud date: Age	ent:

### Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

\_ Well will not be drilled or Permit Expired Date: \_ Signature of Operator or Agent:



For KCC Use ONLY

API # 15 - \_\_\_\_


## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 📃 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Side Two

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010

Form must be Typed

1137168

# APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West		
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit ( <i>If WP Supply API No. or Year Drilled</i> )	Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: (For Emergency Pite	mg/l s and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	٧o	How is the pit lined if a plastic line	er is not used?	
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet)	N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet)	No Pit	
Distance to nearest water well within one-mile	of pit:	Depth to shallow Source of inforr	west fresh water nation:	feet.	
feet Depth of water well	feet	measured	well owner elec	ctric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:	Abandonment p	procedure:			
Does the slope from the tank battery allow all s flow into the pit?	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically					
	KCC OFFICE USE ONLY				
Date Received: Permit Num	ber:	Permi	t Date: Lease Ir	nspection: Yes No	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

OIL & GAS CONS CERTIFICATION OF C	ATION COMMISSION 1137168 ERVATION DIVISION 1137168 ERVATION DIVISION Form Must Be Typed Form Must Be Signed All blanks must be Filled
T-1 (Request for Change of Operator Transfer of Injection of	f Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); or Surface Pit Permit); and CP-1 (Well Plugging Application). ompanying Form KSONA-1 will be returned. Cathodic Protection Borehole Intent) <b>T-1</b> (Transfer) <b>CP-1</b> (Plugging Application)
OPERATOR: License #	Well Location:
Surface Owner Information:      Name:      Address 1:      Address 2:      City:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

#### Select one of the following:


- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- □ I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

## Submitted Electronically

I

Т



# PLAT AND CERTIFICATION OF ACREAGE ATTRIBUTABLE TO A GAS WELL' Kansas Corporation Commission, Conservation Division

Finney State Office Building, 130 South Market, Room 2078 Wichita, Kansas 67202

API NUMBER 15-

	LOCATION OF WELL: COUNTY Stanton
OPERATOR Linn Operating, Inc. LEASE Winger WELL NUMBER A-4 ATU-98 FIELD Hugoton-Panoma	$\frac{190 \text{ N}}{165 \text{ W}}$ feet from south/north line of section
NUMBER OF ACRES ATTRIBUTABLE TO WELL 640 OTR/OTR/OTR OF ACREAGE NW NW NW	SECTION 5 TWP 28 (S) RG 39W E/W IS SECTION X REGULAR OF IRREGULAR IF SECTION IS IRREGULAR, LOCATE WELL FROM NEAREST CORNER BOUNDARY. (check line below) Section corner used: NE X NW SE SW

(Show the location of the well and shade attributable acreage for prorated or spaced wells). (Show the footage to the nearest lease or unit boundary line; and show footage to the nearest common source supply well).

•	· · · · · · · · · · · · · · · · · · ·	se attainere map
•••••	· · · · · · · · · · · · · · · · · · ·	EXAMPLE .
	· · · · · · · · · · · · · · · · · · ·	
	• •	SEWARD CO.

The undersigned hereby certifies as \_\_\_\_\_ Regulatory Compliance Advisor \_\_\_\_ (title) for

day of

Linn Operating, Inc.

(Co.), a duly authorized agent, that all

information shown hereon is true and correct to the best of my knowledge and belief, that all acreage claimed attributable to the well named herein is held by production from that well and hereby make application for an allowable to be assigned to the well upon the filing of this form and the State test, whichever is later.

Signature Man


Subscribed and sworn to before me on this

12-27-20

Notary Public FORM CG-8 (12/94)

2013 ـهد

My Commission expires



Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

May 08, 2013

Shawn Hildreth Linn Operating, Inc. 600 TRAVIS STE 5100 HOUSTON, TX 77002

Re: Drilling Pit Application WINGER A-4 ATU-98 NW/4 Sec.05-28S-39W Stanton County, Kansas

Dear Shawn Hildreth:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

# If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.