CORRECTION #1

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15
Name:			Spot Description:
Address 1:			SecTwp S. R
Address 2:			Feet from North / South Line of Section
City: Sta	ate: Zi	p:+	Feet from East / West Line of Section
Contact Person:			Footages Calculated from Nearest Outside Section Corner:
Phone: ()			□NE □NW □SE □SW
CONTRACTOR: License #			GPS Location: Lat:, Long:
Name:			(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:			Datum: NAD27 NAD83 WGS84
Purchaser:			County:
Designate Type of Completion:			Lease Name: Well #:
New Well Re-l	Entry	Workover	Field Name:
			Producing Formation:
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW □ SIGW	Elevation: Ground: Kelly Bushing:
Gas D&A	GSW	Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	d3vv	remp. Abu.	Amount of Surface Pipe Set and Cemented at: Fee
Cathodic Other (Core,	. Expl., etc.);		Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info			If yes, show depth set: Fee
Operator:			If Alternate II completion, cement circulated from:
Well Name:			feet depth to:w/sx cm
Original Comp. Date:			·
Deepening Re-perf.	Conv. to E	NHR Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back	Conv. to G	SW Conv. to Producer	(Data must be collected from the Reserve Pit)
Comming to d	Downsit #		Chloride content: ppm Fluid volume: bbls
<ul><li>Commingled</li><li>Dual Completion</li></ul>			Dewatering method used:
SWD			Location of fluid disposal if hauled offsite:
☐ ENHR			Location of haid disposal in hadied offsite.
☐ GSW			Operator Name:
_			Lease Name: License #:
Spud Date or Date Read	ched TD	Completion Date or	QuarterSecTwpS. R East Wes
Recompletion Date Reached 1D Completion Date Recompletion Date			County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

CORRECTION #1

Operator Name:				_ Lease l	Name: _			Well #:		
Sec Twp	S. R	East V	West	County	:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in pres o surface test, along	sures, whether s with final chart(	shut-in pre s). Attach	ssure reac extra shee	hed stati t if more	c level, hydrosta space is neede	itic pressures, bot d.	tom hole temp	erature, flui	d recovery,
Final Radioactivity Lo- files must be submitte						gs must be ema	ailed to kcc-well-lo	gs@kcc.ks.go	v. Digital el	ectronic log
Drill Stem Tests Taker (Attach Additional S		Yes	No				on (Top), Depth ar			mple
Samples Sent to Geo	logical Survey	Yes	☐ No		Nam	e		Тор	Da	tum
Cores Taken Electric Log Run		☐ Yes ☐ Yes	☐ No ☐ No							
List All E. Logs Run:										
			CASING		☐ Ne					
	0: 11-1-	· ·				ermediate, product		# O	T	d Damasat
Purpose of String	Size Hole Drilled	Size Cas Set (In O		Weig Lbs. /		Setting Depth	Type of Cement	# Sacks Used		d Percent itives
		AD	DITIONAL	CEMENTIN	NG / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Ce	ement	# Sacks	Used		Type and F	ercent Additives		
Perforate Protect Casing										
Plug Back TD Plug Off Zone										
Did you perform a hydrau	•					Yes	No (If No, ski	p questions 2 ar	nd 3)	
Does the volume of the to							= :	p question 3)	of the ACO	()
Was the hydraulic fractur	ing treatment information	on submitted to the	e chemicai d	isciosure re	gistry?	Yes	No (If No, fill	out Page Three	or the ACO-1	<i>)</i> 
Shots Per Foot		ION RECORD - I Footage of Each I					cture, Shot, Cement mount and Kind of Ma		d	Depth
TUBING RECORD:	Size:	Set At:		Packer A	i:	Liner Run:	Yes No			
Date of First, Resumed	Production, SWD or Ef	NHR. Prod	ducing Meth	ıod:		1				
			Flowing	Pumpin	g	Gas Lift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er B	bls. (	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:		M	METHOD OF	COMPLE	ETION:		PRODUCTION	ON INTERVA	
Vented Sold		Open		Perf.	Dually	Comp. Cor	mmingled			
	bmit ACO-18.)		(Specify)		(Submit )	ACO-5) (Sub	mit ACO-4)			

### CEMENT FIELD TICKET AND TREATMENT REPORT

ustomer bb Type ustomer Acct # /ell No. lailing Address ity & State ip Code ontact	Rockin Bar Nothing Long String  RBN #14	Section TWP RGE	Montgomery , Kansas 11 34S 14E	Excess (%) Density Water Required	30 13.8	
ustomer Acct # /ell No. lailing Address ity & State ip Code ontact		RGE			13.8	
/eli No. lailing Address ity & State ip Code ontact	RBN #14	RGE		Water Required		
lailing Address ity & State ip Code ontact						
ity & State ip Code ontact		Formation		Yeild	1.75	
p Code ontact		Hole Size	5 5/8	Slurry Weight		
ontact		Hole Depth	710	Slurry Volume		
		Casing Size	2 7/8INCH,	Displacement		4
					<del></del>	250
mail		Casing Depth	700	Displacement PSI	<u> </u>	
ell		Drill Pipe		MIX PSI	L	200
ispatch Location	BARTLESVILLE	Tubing		Rate	4bpm	
ode	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit		
5401	CEMENT PUMP (2 HOUR MAX)	11	2 HRS MAX	\$1,030.00	\$	1,030.00
5406	EQUIPMENT MILEAGE (ONE-WAY)	35	PER MILE	\$4.00	\$	140.00
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$350.00	\$	350.00
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	
5402	FOOTAGE	700	PER FOOT	0.22	\$	154.00
			ı	EQUIPMENT TOTAL	\$	1,674.00
	Cement, Chemicals and Water	T	T			
1126A	THICK SET CEMENT (8LB OWC 4% GEL 2% CAL. CLORIDE	70	0	\$19.20	\$	1,344.00
1120A 1107A	PHENOSEAL	40	0	\$1.29	\$	51.60
110/A 1110A	KOL SEAL (50 # SK)	350	0	\$0.46	\$	161.00
1110A 1118B	PREMIUM GEL/BENTONITE (50#)	150	0	\$0.21	\$	31.50
		2.500	0	\$16.54	\$	41.35
1123	CITY WATER (PER 1000 GAL)	2.000	0	\$0.00	\$	-
0		<del> </del>	1 0	\$0.00	\$	_
0		<del> </del>	0	\$0.00	\$	
0			0	\$0.00	\$	<u>-</u>
0		<del> </del>	0	\$0.00	\$	-
0		<del> </del>	1 0	\$0.00	\$	
0		L	1	CHEMICAL TOTAL	\$	1,629.45
			T	T CHEWICAL TOTAL	14	1,023.40
	Water Transport	<del></del>		0440.00	-	224.00
5501C	WATER TRANSPORT (CEMENT)	2		\$112.00	\$	224.00
0			0	\$0.00	\$	•
0		<u> </u>	0	\$0.00	\$	-
			T	RANSPORT TOTAL	\$	224.00
	Cement Floating Equipment (TAXABLE)		<u> </u>		<u> </u>	
	Cement Basket				,	
0			0	\$0.00	\$	-
	Centralizer					***************************************
0			0	\$0.00	\$	-
0			0	\$0.00	\$	-
	Float Shoe					
ō I			0	\$0.00	\$	
	Float Collars					
0			0	\$0.00	\$	_
	Guide Shoes					
0			0	\$0.00	\$	
	Baffle and Flapper Plates					
0			0	\$0.00	\$	
	Packer Shoes					
0	r advici driede	T	0	\$0.00	\$	-
	DV Tools				•	
0	27 .00,0	T	0	\$0.00	\$	•
	Ball Valves, Swedges, Clamps, Misc.				<del></del>	
0	Dan Carrogorosgoo, Olampo, Imoo.	T	0	\$0.00	\$	•
0			Ö	\$0.00	\$	-
0			0	\$0.00	\$	-
	Plugs and Ball Sealers	L				
4402	2 1/2 Rubber Plug	1 1	0	\$28.00	\$	28.00
	Downhole Tools	<u></u>	<u> </u>	<del>7</del>	*	
0	DOWNHOLE 10013	T	0	\$0.00	\$	
<u> </u>	<u></u>	L	CEMENT FLOATING E	QUIPMENT TOTAL		28.00
	DRIVER NAME	1	OLINEIT I LOATING L	SUB TOTAL	\$	3,555.45
	Kirk Sanders	1	6.30%	SALES TAX	\$	104.42
	John Wade	1		TOTAL		3,659.87
398	Dallas	]	10%			365.99
398 518	IN I.	1	BIA/	COUNTED TOTAL	5	3,293.88
398 518	Nunnley	4	กเอเ	JOURIED IOIAL		0,200.00
398 518	Nunnièy	1	บเอเ	COUNTED TOTAL	•	
398 518	Nunniey		Dist	COUNTED TOTAL	3	


DATE

## 5000000191

### CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	Rockin Bar Nothing	State, County	Montgomery , Kansas	Cement Type	CLASS A
Customer Acct #		Section	11	Excess (%)	30
Well No.	0	TWP	34S	Density	13.8
Mailing Address	RBN #14	RGE	14E	Water Required	0
City & State	0	Formation	0	Yeild	1.75
Zip Code	0	Hole Size	5 5/8	Siurry Weight	0
Contact	0	Hole Depth	710	Slurry Volume	0
∃mail	0	Casing Size	2 7/8INCH,	Displacement	4
Cell	0	Casing Depth	700	Displacement PSI	250
Office	0	Drill Pipe	0	MIX PSI	200
Dispatch Location	BARTLESVILLE	Tubing	0	Rate	4bpm
REMARKS					

Ran gel to establish circ., ran 70sx of Thick Set Cement. Flushed pump and lines, dropped plug and displaced to set. Put 200# on well and shut in. Shut down and
Washed up. Circulated cement to surface.



## **Summary of Changes**

Lease Name and Number: Melander A RBN 14

API/Permit #: 15-125-32207-00-00

Doc ID: 1132759

Correction Number: 1

Approved By: NAOMI JAMES

Field Name	Previous Value	New Value
Approved Date	08/29/2012	04/11/2013
Completion Or Recompletion Date		11/12/2012
Date of First or Resumed Production or		11/25/2012
SWD or Enhr Perf_Material_1		24,000 lbs of sand
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 92033	//kcc/detail/operatorE ditDetail.cfm?docID=11 32759

## **Summary of Attachments**

Lease Name and Number: Melander A RBN 14

API: 15-125-32207-00-00

Doc ID: 1132759

Correction Number: 1

**Attachment Name** 

**RBN #14 Cement Tickets** 

RBN #14 Gamma Ray Log



CONFIDENTIAL KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION WELL COMPLETION FORM

1092033

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip: +	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
☐ New Well ☐ Re-Entry ☐ Workover	Total Depth: Plug Back Total Depth:
☐ Oil         ☐ WSW         ☐ SIOW           ☐ Gas         ☐ D&A         ☐ ENHR         ☐ SIGW           ☐ OG         ☐ GSW         ☐ Temp. Abd.           ☐ CM (Coal Bed Methane)         ☐ Cathodic         ☐ Other (Core, Expl., etc.):           ☐ If Workover/Re-entry: Old Well Info as follows:	Amount of Surface Pipe Set and Cemented at: Feet  Multiple Stage Cementing Collar Used?
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:  Deepening Re-perf. Conv. to ENHR Conv. to SWD  Conv. to GSW  Plug Back: Plug Back Total Depth  Commingled Permit #:	Chloride content: ppm Fluid volume: bbls  Dewatering method used:  Location of fluid disposal if hauled offsite:  Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	QuarterSecTwpS. R East West
☐ ENHR         Permit #:           ☐ GSW         Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date: