

Confidentiality Requested:

Yes No

#### Kansas Corporation Commission Oil & Gas Conservation Division

1135956

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15		
Name:	Spot Description:		
Address 1:	SecTwpS. R 🗌 East 🗌 West		
Address 2:	Feet from		
City: State: Zip:+	Feet from _ East / _ West Line of Section		
Contact Person:	Footages Calculated from Nearest Outside Section Corner:		
Phone: ()	□NE □NW □SE □SW		
CONTRACTOR: License #	GPS Location: Lat:, Long:		
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)		
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84		
Purchaser:	County:		
Designate Type of Completion:	Lease Name: Well #:		
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:		
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):  If Workover/Re-entry: Old Well Info as follows:	Producing Formation: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet		
Operator:	If Alternate II completion, cement circulated from:		
Well Name:	feet depth to:w/sx cmt.		
Original Comp. Date: Original Total Depth:  Deepening Re-perf. Conv. to ENHR Conv. to SWD  Plug Back Conv. to GSW Conv. to Producer  Commingled Permit #:  Dual Completion Permit #:  SWD Permit #:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)  Chloride content: ppm Fluid volume: bbls  Dewatering method used:  Location of fluid disposal if hauled offsite:		
☐ ENHR         Permit #:           ☐ GSW         Permit #:	Operator Name:		
Connection Connection	Lease Name: License #:		
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter         Sec.         Twp.         S. R.         East         West           County:         Permit #:		

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY		
Confidentiality Requested		
Date:		
Confidential Release Date:		
Wireline Log Received		
Geologist Report Received		
UIC Distribution		
ALT I II III Approved by: Date:		

Page Two



Operator Name:			L	ease Name: _			Well #:	
Sec Twp	S. R	East We	est C	County:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in pres	sures, whether sh	ut-in pressur	e reached stati	c level, hydrosta	tic pressures, bott		rval tested, time tool erature, fluid recovery,
Final Radioactivity Lo files must be submitted					ogs must be ema	iled to kcc-well-lo	gs@kcc.ks.go	v. Digital electronic log
Drill Stem Tests Taker (Attach Additional		Yes [	No	L	_	on (Top), Depth an		Sample
Samples Sent to Geo	logical Survey	Yes	No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		Yes Yes	No No					
List All E. Logs Run:								
		(	CASING REC	ORD Ne	ew Used			
		· ·		ıctor, surface, inte	ermediate, producti	1		I
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D		Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADD	ITIONAL CEN	MENTING / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cem	ent #	Sacks Used		Type and P	ercent Additives	
Perforate Protect Casing	100 20111111							
Plug Back TD Plug Off Zone								
1 lag on zono								
Did you perform a hydrau	ulic fracturing treatment	on this well?			Yes	No (If No, ski	o questions 2 ar	nd 3)
Does the volume of the to		•				_ ` ` '	p question 3)	
Was the hydraulic fractur	ing treatment information	on submitted to the c	hemical disclo	sure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)
Shots Per Foot  PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth					
	, ,	<u> </u>			,		,	·
TUBING RECORD:	Size:	Set At:	Pa	acker At:	Liner Run:			
						Yes No		
Date of First, Resumed	Production, SWD or Ef		cing Method: owing	Pumping	Gas Lift C	other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. G	as Mcf	Wate	er Bi	ols. G	as-Oil Ratio	Gravity
DIODOCITI	ON OF CAS:		N 4 - T - 1		TION:		PPODUOTIO	ON INTERVAL.
Vented Solo	ON OF GAS:  Used on Lease	Open Ho		IOD OF COMPLE $\Box$		nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)	Other (Si	necify)	(Submit		mit ACO-4)		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

April 23, 2013

Christian L. Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: ACO1 API 15-003-25727-00-00 H & H Wittman 1-T NW/4 Sec.08-20S-21E Anderson County, Kansas

#### **Dear Production Department:**

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Christian L. Martin



## Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

#### **WELL LOG**

Tailwater, Inc.
H & H Wittman #1-T
API#15-003-25,727
January 16 - January 17, 2013

Thickness of Strata	<b>Formation</b>	<u>Total</u>
14	soil & clay	14
11	shale	25
1	lime	26 making water
23	shale	49
28	lime	77
70	shale	147
10	lime	157
7	shale	164
33	lime	197
9	shale	206
23	lime	229
3	shale	232
20	lime	252 base of the Kansas City
34	shale	286
8	sand	294 making gas
89	shale	383
5	oil sand	388 brown, good bleeding
6	broken sand	394 brown & grey, good bleeding
29	shale	423
3	lime	426
3	shale	429
5	lime	434
3	shale 	437
10	lime	447
30	shale	477
1	coal	478
12	shale	490
1	coal	491
5	shale 	496
10 11	lime	506
5	shale 	517
5 24	lime	522
11	shale	546
47	lime	557
4	shale	604
4 26	sand	608 green, no oil
	shale	634
1	lime & shells	635

H & H Wittman #1-T	H &	H Wittman	#1-T
--------------------	-----	-----------	------

### Page 2

122	shale	757
7	oil sand	764 brown, good bleeding
87	shale	851
8	sand	859 white, no oil
141	shale	1000 with a few coal seams
		1000 TD

Drilled a 9 7/8" hole to 25.9' Drilled a 5 5/8" hole to 1000'

Set 25.9' of 7" surface casing cemented with 6 sacks of cement.

Set 989.5' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.