Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1136437

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15		
Name:	Spot Description:		
Address 1:			
Address 2:	Feet from Dorth / South Line of Section		
City: State: Zip:+	Feet from East / West Line of Section		
Contact Person:	Footages Calculated from Nearest Outside Section Corner:		
Phone: ()			
CONTRACTOR: License #	GPS Location: Lat:, Long:		
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx) Datum: NAD27 NAD83 WGS84		
Wellsite Geologist:			
Purchaser:	County:		
Designate Type of Completion:	Lease Name: Well #:		
New Well Re-Entry Workover	Field Name: Producing Formation:		
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:		
☐ OG ☐ GSW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:		
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet		
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?		
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet		
Operator:	If Alternate II completion, cement circulated from:		
Well Name:	feet depth to:w/sx cmt.		
Original Comp. Date: Original Total Depth:			
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan		
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)		
	Chloride content: ppm Fluid volume: bbls		
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:		
SWD Permit #:	Location of fluid disposal if hauled offsite:		
ENHR Permit #:			
GSW Permit #:	Operator Name:		
	Lease Name: License #:		
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West		
Recompletion Date Recompletion Date	County: Permit #:		

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

	Page Two	
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	eets)	Yes No		.og Formatio	n (Top), Depth an	d Datum	Sample
Samples Sent to Geolog	,	Yes No	Nam	е		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING Report all strings set-c	RECORD Ne		on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	JEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives	
Protect Casing							
Plug Off Zone							
Did you perform a hydraulic fracturing treatment on this well? Yes No (If No, skip questions 2 and 3)							
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 g			ceed 350,000 gallons	? Yes	No (If No, skip	question 3)	
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?				Yes	No (If No, fill o	out Page Three o	of the ACO-1)

Shots Per Foot			Specify Footage of Each Interval Perforated					ement Squeeze Record of Material Used)	Depth	
TUBING RECORD:	Si	ze:	Set At:		Packer	At:	Liner R	un:	No	
Date of First, Resumed	Product	ion, SWD or ENHF	3.	Producing Met	hod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITIO	ON OF (GAS:					_	PRODUCTION INT	ERVAL:	
Vented Sold	ed Sold Used on Lease Open Hole Perf. Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)									
(If vented, Sul	bmit ACC	D-18.)	Other (Specify)			(0001111 700 4)				

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner Sam Brownback, Governor

April 23, 2013

Christian L. Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: ACO1 API 15-003-25697-00-00 Pedrow 2-IW NE/4 Sec.28-20S-20E Anderson County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Christian L. Martin

ないたい 38748 TICKET NUMBER CONSOLIDATED 256 LOCATION Ottawa KS Oil Well Services; LLC FOREMAN_Fred Madur FIELD TICKET & TREATMENT REPORT PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676 CEMENT DATE CUSTOMER # WELL NAME & NUMBER SECTION TOWNSHIP RANGE COUNTY 2IW 23/13 7206 vow NE 28 20 N AN 20 CUSTOMER TRUCK # ORIVER TRUCK # water DRIVER MAILING ADDRESS Soto 506 Eve Mad Witz 642 Avonda 495 0 Harbec HB CITY ZIP CODE 370 Gar Moo GM 73116 ØK 510 Sof Tuc 57 5768 HOLE SIZE JOB HOLE DEPTH 7.33 2718" EUE 5% CASING SIZE & WEIGHT CASING DEPTH DRILL PIPE TUBING OTHER SLURRY WEIGHT SLURRY VOL WATER gal/sk CEMENT LEFT in CASING PLUC 4.2880 DISPLACEMENT PSI DISPLACEMENT, MIX PSI RATE S Establish REMARKS: 5. X Purmo Dum 105 5 45 50 50 Por 11-11 manx Flush S 6 cei Alma +


150/00 Olus #5.M \$00 PSI 30 min on Fa 55 U Avessure 40 laat Value Cosm in

aQ,

Evans Devi Luc. (vavis Energy

1	PUMP CHARGE			
_		495		1030
	MILEAGE	•		NIC
723	Casing Foo toge			NIC
Minimore	Ton Miles	510		17500
-2 hrs	80 BBL Vac Truck	370		180 00
				114975
277#				5817
1	22" Rubber Plug			2800
		T	COMPICI	ne :
		halad .		
		7-873	SALES TAX	27173
		Minimum Ton Miles ·2 hrs 80 BBL Vac Truck 1055KS 50/50 Por Mix Cement 277# Premium Cel 1 ·2½" Rubber Plug 4	Minimum Ton Miles 510 .2 hrs 80 BBL Vac Truck 370 1055ks 50/50 Por Mix Cement 277# Premium Cul 1 :212" Rubber Plug 7.8%	Minimum Ton Miles 510 ·2 hrs 80 BBL Vac Truck 370 ·1055ks 50/50 Por Mix Cement 277# Premium Cal · 2/2" Rubber Plug · 2/2" Rubber Plug · 2/2" Sales Tax ESTIMATED TOTAL

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Paola, KS 66071

Phone: 913-557-9083 Fax: 913-557-9084

WELL LOG Tailwater, Inc. Pedrow #2-IW API#15-003-25,697 January 21 - January 23, 2013

Thickness of Strata	Formation	Total
9	soil & clay	9
84	shale	93
25	lime	118
68	shale	186
10	lime	196
6	shale	202
34	lime	236
6	shale	242
22	lime	264
3	shale	267
22	lime	289 base of the Kansas City
171	shale	460
3	lime	463
5	shale	468
7	lime	475 oil show
6	shale	481
13	oil sand	494 green, light bleeding
6	shale	500
8	oil sand	508 green, ok bleeding
17	oil sand	525 grey, light bleeding, wet
1	coal	526
7	shale	533
6	lime	539
15	shale	554
8	lime	562
33	shale	595
7	lime	602
29.5	shale	631.5
4	broken sand	635.5 brown & green, ok bleeding
4	broken sand	639.5 brown & grey, light bleeding
29.5	shale	669
1	lime & shells	670
4	oil sand	674 brown, ok bleeding
1.5	broken sand	675.5 brown & grey, light bleeding
6.5	shale	682
1	broken sand	683 black & brown, thin bleeding seams
2	sand	685 black, no oil
1	broken sand	686 brown & grey, few thin bleeding seams
47	shale	733 TD

Pedrow #2-IW

Page 2

Drilled a 9 7/8" hole to 23.7' Drilled a 5 5/8" hole to 733'

Set 23.7' of 7" surface casing cemented with 6 sacks of cement.

Set 723.4' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.

Pedrow #2-IW

Core Times

	Minutes	Seconds
672		45
673		46
674		43
675		36
676		36
677		31
678		32
679		34
680		57
681		49
682		45
683		45
684		56
685		44
686		43

Page 3