



3300

Light Gray - Tan LS -  
Tight -

Gray - Tan LS - some of  
above

Spina shale

3350

Shale - Gray to black -

3400

3407(1047)

Gray to Tan - LS - 10%

Thin e. Stone Gray - 10%  
pencil thin shale -

Light Tan - Dark LS -  
Shale streak -

LS - Dark to light Tan - fully  
dark - NS

3450

pink gray block

Light Tan LS - 10%  
Fully dark -

LS - Tan to dark LS -  
10%

Limestone - Full Tan  
Full shale - 10%

3500

Light Tan - Dark LS  
10%

Dark shale

Light Tan LS - 709  
Dance

Light Tan LS - 709 - stain -  
slight stain  
Some stain

3500  
Tanks very orange this  
side

Light Tan LS - 709  
No show

Light Tan LS - 709  
100% stain

Light Tan LS - 709  
No show

3400  
Tan LS - 709 - stain -  
No show

Good @ R.R.D. and  
staining - some stain

Light Tan LS - 709  
No show

3300

3200

LE - 709 - stain -  
No show

3100

3000  
Slight stain - 709 - stain  
Dance

Light Tan LS - 709 - stain

Tan LS - 709 - No show

3800  
Some - Interim line of stain  
Dance for LS

Light Tan LS - 709 - stain  
No show

Some of above

White to light Tan LS  
with 10% stain, some stain

3700  
Slight stain - 709 - stain  
Dance

Light Tan LS - 709 - stain  
No show

white to late Tan 15

white to late Tan 15  
temperature @ 105°F  
0.00

● signs 9.00 - in 1.0. 5.00  
6.5. 1.00 - 1.00/5.00

38.00

● Light 2.00 - 2.00  
Tan 15 - 2.00  
1.00 - 1.00

● 51.00 - 5.00  
Tan 15 - 5.00

38.50

● 51.00 - 5.00  
Slope 2.00 - 2.00

● Edge 3.00 - 3.00  
1.00 - 1.00

Back to 1.00 - 1.00

● 51.00 - 5.00  
No show 1.00 - 1.00

Back to 1.00 - 1.00  
No show

30.00

● 51.00 - 5.00

● 51.00 - 5.00

● 51.00 - 5.00  
Kings, black, 5.00

● 51.00 - 5.00  
Kings, black, 5.00

38.70

● 51.00 - 5.00

● 51.00 - 5.00  
5.00 - 5.00

● 51.00 - 5.00  
5.00 - 5.00

● 51.00 - 5.00  
5.00 - 5.00

40.00

● 51.00 - 5.00  
5.00 - 5.00

● 51.00 - 5.00  
5.00 - 5.00

-OST 1-

3955 to 4050'  
(Man-Congl.-Arb)

30-43-45-80

1st up - Building to 7'

2nd up - " " " "

2nd 58 - surf 80

Recovered -

124' 40cm

3070 75cm

62' 60 (50-50)

62' 50 (205 800)

248' Total

15-53-85

86-126

3520-1205

Pipe Strap -  
DST #1 -  
Short .05"

4056  
4057  
4058  
4059  
4060  
4061  
4062  
4063  
4064  
4065  
4066  
4067  
4068  
4069  
4070  
4071  
4072  
4073  
4074  
4075  
4076  
4077  
4078  
4079  
4080  
4081  
4082  
4083  
4084  
4085  
4086  
4087  
4088  
4089  
4090  
4091  
4092  
4093  
4094  
4095  
4096  
4097  
4098  
4099  
4100

Very very dark  
(4070) ...  
lost a lot of the show  
slight odor -

Grayish Dk. Sand @ 135 ft  
strong odor

Orange Sharp & ...  
Black Stone

White Sandstone - 105.

White Sandstone - 105.  
White Sandstone - 105.  
White Sandstone - 105.

White Sandstone - 105.  
White Sandstone - 105.  
White Sandstone - 105.

White Sandstone - 105.  
White Sandstone - 105.  
White Sandstone - 105.

0.57"<sup>2</sup>  
4056 to 4066

15-45-15-60  
1st sp - 2 min. B  
1st - 6" BB  
2nd sp - 4 min. B  
FSE - 2" BB

Rec. - 186' 60"  
124' 60" (30G)  
210' Muddy BM

620' Total

IF - 52-168

PF - 175-264

DSIP - 1220

FSDP - 1221

10,000 CTNHS

33 5.001

