



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Berexco LLC

34-29S-24W Ford

2020 N Bramblewood
Wichita, KS 67206

Minor 1-34

Job Ticket: 50913

DST#: 1

ATTN: Ryan Seib

Test Start: 2013.04.12 @ 18:24:26

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

75000 ppm

Viscosity: 54.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 11.99 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 10800.00 ppm

Filter Cake: 0.02 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
118.00	MCW 40%M 60%W	0.580
67.00	SGCM 2%G 98%M	0.940

Total Length: 185.00 ft Total Volume: 1.520 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW was .19 @ 38 degrees

Pressure vs. Time

