

Kansas Corporation Commission Oil & Gas Conservation Division

137404

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Name: Address 1:	OPERATOR: License #	API No. 15
Address 2:	Name:	Spot Description:
City:	Address 1:	SecTwpS. R 🔲 East 🗌 West
Contact Person:	Address 2:	Feet from North / South Line of Section
NR	City:	Feet from _ East / _ West Line of Section
CONTRACTOR: License # County: Name: Wellsite Geologist: Purchaser: Posignate Type of Completion: New Well Re-Entry Workover Oil WSW SWD SIOW Gas D&A ENHR SIGW OG BA ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Mehane) GSW Temp. Abd. If Workover/Re-entry: Old Well Info as follows: Operator: Well Name: Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to GSW Plug Back: Plug Back Total Depth Commingled Permit #: Dewatering method used: Location of fluid disposal if hauled offsite: Operator Name: Lease Name: License #: Quarter Sec. Twp. S. R. East West County: Permit #: County: Permit #:	Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Lease Name:	Phone: ()	□NE □NW □SE □SW
Wellsite Geologist:	CONTRACTOR: License #	County:
Purchaser:	Name:	Lease Name: Well #:
Designate Type of Completion: New Well Re-Entry Workover Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. If Workover/Re-entry: Old Well Info as follows: Grain Comp. Date: Original Total Depth: Corov. to GSW Plug Back: Plug Back Total Depth Shis BND Permit #: Lease Name: License #: GSW Permit #: Quarter Sec. Twp. S. R. East West County: Permit #:	Wellsite Geologist:	Field Name:
New Well	Purchaser:	Producing Formation:
New Well	Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
Oil		, ,
Well Name:	Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used?
Well Name:Original Total Depth:	Operator:	
Original Comp. Date: Original Total Depth: bbls Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW Plug Back: Plug Back Total Depth Commingled Permit #: Dual Completion Permit #: SWD Permit #: ENHR Permit #: GSW Permit #: GSW Permit #: Original Total Depth: bbls Chloride content: ppm Fluid volume: bbls Dewatering method used: bewatering method used: Location of fluid disposal if hauled offsite: Operator Name: License #: Quarter Sec Twp S. R East West County: Permit #:	Well Name:	
GSW Permit #: County: Permit #:	Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW Plug Back: Plug Back Total Depth Commingled Permit #: Dual Completion Permit #: SWD Permit #:	Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite: Operator Name: License #:
	Spud Date or Date Reached TD Completion Date or	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

Side Two

1137404

Operator Name:			Lease Name:			_ Well #:		
Sec Twp	S. R	East West	County:					
time tool open and clo	sed, flowing and shues if gas to surface to	nd base of formations put-in pressures, whether est, along with final chall well site report.	er shut-in pressure re	ached static level,	hydrostatic press	sures, bottom h	ole temperature, fluid	
Drill Stem Tests Taken (Attach Additional S		Yes No		Log Formation	n (Top), Depth an	d Datum	Sample	
Samples Sent to Geol	ogical Survey	Yes No	Naı	me		Тор	Datum	
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy	d Electronically	Yes No Yes No Yes No						
List All E. Logs Run:								
				New Used				
Purpose of String	Size Hole	Report all strings s	set-conductor, surface, ir Weight	Setting	on, etc. Type of	# Sacks	Type and Percent	
r dipose of Stillig	Drilled	Set (In O.D.)	Lbs. / Ft.	Depth	Cement	Used	Additives	
	I	ADDITION	NAL CEMENTING / SQ	UEEZE RECORD			I	
Purpose:	Depth	Type of Cement		# Sacks Used Type and Percen				
Perforate Protect Casing	Top Bottom	31						
Plug Back TD								
Plug Off Zone								
Shots Per Foot PERFORATION RECORD - E Specify Footage of Each II		ION RECORD - Bridge F Footage of Each Interval	Plugs Set/Type Perforated		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) De			
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No			
Date of First, Resumed	Production, SWD or EN	NHR. Producing N		Gas Lift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf Wa	ater Bl	ols. (Gas-Oil Ratio	Gravity	
DIODOGITIC	DN 05 040		METHOD OF OCCUP	FTIONI		DDOD! IOT!	NALIAITEDVA	
	ON OF GAS:	Open Hole	METHOD OF COMP		nmingled	PRODUCTIO	ON INTERVAL:	
Vented Sold		Other (Specify)	(Subm		mit ACO-4)			

BIRK PETROLE 874 12 TH RD SW BURLINGTON, 620-364-1311 - OI CHARGE TO ADDRESS LEASE & WELL KIND OF JOB DIR. TO LOC.	WELL CEMENTING KS 66839 FFICE, 620-364-6646 - CELL COUNTY COUNTY ST Z	ATE: ///28//2 CITY CIP OLD_NEW	2
QUANTITY	MATERIAL USED		SERV. CHG
120 SX	Porthad Coment		
120 50	TOTAM A CATICAL		
×.			
	BULK CHARGE		
	BULK TRK. MILES		
	PUMP TRK. MILES		
	PLUGS		
	TOTAL		
T.D. /03	24' CSG. SET AT 1007' V	OLUME	
SIZE HOLE	5 7/8 " V	OLUME	
MAX. PRESS.	SIZE PIPE 278"		
PLUG DEPTH	PKER DEPTH PLUC	USED	
TIME FINISHED:	A		
REMARKS:	innect to pipe. Pump cement in	to well. G	and Circ.
NAME			
MANUL	•		
CEMENTER O	R TREATER OWNER'S REP.	5	

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:

BBOOL

4

B & B COOPERATIVE VENITURES 900 S. FOURTH ST.

> BURLINGTON KS F.F.A39

BI/HAZEN A B & B COOP, VENTURES/BIRK OIL 58 W TO WAYSIDE RD N 1 1/2 MI

WELL# HAZEN A #36 LE ROY KS 66857

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
				% CAL	MA	% ATP	
12:52:02p	WELL.	12.00 yd	12.00 yd	0.00	32	0.00	COFCO
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	o Date	6	95.00 yd				
11-28-12	Today .	1	12.00 yd	22806	G/yd 0.0	4.00 in	33199

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
property if I places the material in this load where, your desire, it is is
our wight-to-help-pord in every way that we can tibut in order to do this
the driver is requesting that you sign this RELEASE relieving him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings sideways,
curbs, etc., by the delivery of this material, and that you
also agree to help him remove mud from the wheels of his wehicle so
that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

EXTENDED PRICE UNIT PRICE QUANTITY CODE DESCRIPTION 12.00 MELL WELL (10 SACKS PER UNIT) 12.00 51.00 612.00 300.00 12.00 25.00 12.00 MIXAHAUL MIXING & HAULING LOS DOS BAND 2.75 TRUCKING 2.50 50.00 TRUCKING CHARGE

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	SubTotal \$ 1037_00	
3:53	3.20		1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	Ü -	Tax % 6.300 66 2 65 33	
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN OTHER ADDED WATER	TIME DUE	O-der \$ 1102.33	
1'14	2.84				ADDITIONAL CHARGE 1	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2	
2-75					GRAND TOTAL	