

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

Spot Description:    Spot Description:   Spot Description:   Spot Description:   Sect.   TwpS. R  E   W		re (5) days prior to commencing well s Surface Owner Notification Act, MUST be submitted with this form.
Section   Sect	Expected Stud Date:	Snot Description:
OPERATOR: Licenses	month day year	·
Section   Regular   Impediar   Restrown   E /   W Line of Section   Radioses 1:   Address 2:   City   Slate:   Zip:   County:   County		
Address 5:   Contact Person:	OPERATOR: License#	
Address 2:   Chip:   Signo:   Zip:	Name:	
Country: Contact Person: Contract	Address 1:	Is SECTION: Regular Irregular?
ContraCtors: Ucense# Name: Field Marne:   Lease Name:   Well #: Field Marne:   Lease Name:   Well Drilled For:   Well Class:   Type Equipment:   String Properties   String Pro	Address 2:	(Note: Locate well on the Section Plat on reverse side)
Lease Name:   Well #:	·	County:
Field Name:		Lease Name: Well #:
Name:    Neil Drilled For:   Weil Class:   Type Equipment.   Nearest Lease or unit boundary line (in footage):   Nearest L	Phone:	Field Name:
Name:	CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Nearost Lease or unit boundary line (in footage):   Set MSL   Galos	Name:	
Ground Surface Elevation:   feet MSL   Water well within one-quarter mile:   yas   No   No   Water well within one-quarter mile:   yas   No   No   Water well within one-quarter mile:   yas   yas   Yas   No   Water well within one-quarter mile:   yas   yas   No   Water well within one-quarter mile:   yas   yas   yas   yas   yas	Wall Drillad For: Wall Class: Type Fauinment:	
Oil   Enh Rec   Infloid   Mula Rotary   Water well within one-quarter mile:   Yes   No   Public water supply well within one-quarter mile:   Yes   No   Public water supply well within one mile:   Depht to bottom of fresh water:   Depht to Detom of fresh water:   Depht to D		· · · · · · · · · · · · · · · · · · ·
Gas   Grage   Pool EXI.   Cable   Ca		
Seismic : # of Holes Other Other: Organor: Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Formation at Total Depth: Other Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DVMR Permit #: Will Cores be taken? If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district Office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date, Or pursuant to Appendix "B"- Eastern Kansas surface casing order #133,891-4, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  For KCC Use ONLY API # 15 - Conductor pi		
Depth to bottom of usable water:		
Surface Pipe by Alternate:		•
Length of Surface Pipe Planned to be set:    Length of Conductor Pipe (if any):	Other:	
Operator:  Well Name: Original Completion Date: Original Total Depth:  Directional, Deviated or Horizontal wellbore?  Water Source for Drilling Operations:  Will Cores be taken?  Will Cores be taken?  Will Cores be taken?  Will Cores be taken?  If ves, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig: 3. The minimum amount of surface pipe as specified below shall be set by circulating sement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is ceremeted;  Submitted Electronically  For KCC Use ONLY  API # 15 -  Minimum surface pipe required feet per ALT.	If OWWO: old well information as follows:	
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations.  Water Source for Drilling Operations.  Water Source for Drilling Operation At Experiment Source developed on each drilling rigger or Source developed	in evivo. did non midimation de followe.	
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Water Source For Drilling Operation For Mod Operation For Drilling Operations: Water Source For Dr	Operator:	
Water Source for Drilling Operations:   Water Source for Drilling Operation   Water Source for Drilling Operation   Water Source for Drilling Operations:   Water Source for Drilling Operation   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation Promation operation or Drilling Operation Promation Promation Promat		-
Well   Farm Pond   Other:	Original Completion Date: Original Total Depth:	Formation at Total Depth:
If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  DWR Permit #:  (Note: Apply for Permit with DWR   )  Will Cores be taken?  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix 'B'- Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required feet  Minimum surface pipe required feet per ALT.		
Bottom Hole Location:		
Will Cores be taken?   Yes   No	•	DWR Permit #:
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required		
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15	KCC DKT #:	- Will Cores be taken? Yes No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically    For KCC Use ONLY		If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically    For KCC Use ONLY	A.F.	FIDAVIT
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required		
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Submitted Electronically    For KCC Use ONLY		lugging of this well will comply with K.S.A. 55 et. seq.
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	It is agreed that the following minimum requirements will be met:	
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15		
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  For KCC Use ONLY  API # 15 -  Conductor pipe required		
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required		
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required		
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	, , ,	, , , , , , , , , , , , , , , , , , , ,
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15		
For KCC Use ONLY  API # 15		
Remember to:   For KCC Use ONLY	must be completed within 30 days of the spud date or the well shall b	e plugged. In all cases, NOTIFY district office prior to any cementing.
Remember to:   For KCC Use ONLY		
Remember to:   For KCC Use ONLY		
Remember to:   For KCC Use ONLY	Submitted Electronically	
For KCC Use ONLY  API # 15	,	Pamambar to:
API # 15	For KCC Use ONLY	
Conductor pipe requiredfeet	ADI # 15	·
Conductor pipe required		·
Minimum surface pipe requiredfeet per ALTIII	Conductor pipe requiredfeet	
Approved by:	Minimum surface pipe requiredfeet per ALTIII	
This authorization expires: (This authorization void if drilling not started within 12 months of approval date.)  - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.		
(This authorization expires:		
	·	
	1 2.2010.1.2010.1.101.1.19 Tot otal tod Wallet 12 Mollillo of approval date.)	- If well will not be drilled or permit has expired (See: authorized expiration date)

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

\_ Agent: .

please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	-

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:						Location of we	II: County:			
Lease:							feet	from N /	S Line of Se	ection
Well Number:										
							i ieiu.			
Number of	f Acres attr	ributable to	well:			Is Section:	Regular or	Irregular		
QTR/QTR	/QTR/QTR	of acread	e:	-	_	is Section.		irregulai		
						If O and and a last		· · · · · · · · · · · · · · · · · · ·		_
						If Section is Irregular, locate well from nearest corner boundary.				
						Section corner used: NE NW SE SW				
					PL	.AT				
	SI	how location	on of the well. S	how footage to	the nearest le	ease or unit bounda	ary line. Show the pre	edicted locations o	of	
	lease roa	ads, tank b	atteries, pipeline	es and electrica	al lines, as req	uired by the Kansas	s Surface Owner No	tice Act (House B	ill 2032).	
						parate plat if desire		,	,	
		231	O ft.			, ,				
		:	: :		: :	:				
			:							
		:						LEGEND		
	•••••						0	Well Location		
		:				Tank Battery Location				
	•••••							<ul> <li>Pipeline Locat</li> </ul>		
			:					<ul> <li>Electric Line L</li> </ul>	ocation	
		:						Lease Road L	ocation	
		·	• • • • • • • • • • • • • • • • • • • •		· · .					
000 (		: ]	: :		: :	:				
886 ft.	+	$\div$					EXAMPLE	:	:	
		<u>:</u>	<u>: : : : : : : : : : : : : : : : : : : </u>		<u> </u>	<u> </u>	EXAMPLE :	:	:	
		:	: :	23	: :	:	:	:	:	
		:		23			•••••			
			:		:			:	:	
		:	: :		: :	:		:		
		:								
			•		:		:	:	:	
		:	: :		: :	:		<b>0-7</b>	1980	0' FSL
		:	: :						·	
		:			: :	:	:		:	
									:	
		•	•		. :	•			:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section		
Workover Pit   Haul-Off Pit   (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes N	No			
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet)N/A: Steel Pits		
	om ground level to dee				
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS					
Date Received: Permit Num	her·	Permi	t Date: Lease Inspection: Yes No		



1137726

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East West
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following:       \[     \] I certify that, pursuant to the Kansas Surface Owner Notice A	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form
	being filed is a Form C-1 or Form CB-1, the plat(s) required by this
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

/B/		† PUTN <i>i</i>	<b>Л</b> М		† THOMPSON	⊉ BATHAZOR
		Lead line 1240	oʻ	2 THOMPSON	Å PUTNAM INV /A/	
'B/	1 PU MOREL	TNAM INC CO IAI  7 PUTNAM INV	\ <b>N</b>	<b>3</b> P <b>UTNAM INV /A</b> line 750'	V	1 <sup>†</sup> A BALTHAZORA'
	² MBBFNAM IN√E	PSTMENT COMPANY	8 8 Putnam		PUTNAM	\$ BALTHAZ
A	† sutor /a/	† LEWIS /B/		↑ W HINMAN W	žŽ ILLI <b>ÁWAINN</b> IAN	
	3 SUTOR /A/	Å LEWIS FAMILY F	FARMS			Ż HINMAN

#### CITATION OIL & GAS CORPORATION PUTNAM LEASE NW. 1/4, SECTION 23, T9S, R21W GRAHAM COUNTY, KANSAS



<sup>\*</sup>Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

Elevations derived from National Geodetic Vertical Datum

きア

May 15, 2013

<sup>\*</sup>Approximate section lines were determined using the normal standard of care of allfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not quaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diltield Services. Inc. its officers and employees harmless from all lasses, costs and expenses and said entities released from any liability from incidental ar consequential damages.