

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

	month day	year	Spot Description:
	monun day	year	(Q/Q/Q/Q) Sec Twp S. R 🔲 E
DPERATOR: License#			feet from N / S Line of Sec
lame:			feet from E / W Line of Sec
.ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip: _		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Ty	pe Equipment:	Ground Surface Elevation:feet N
Oil Enh F	Rec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Stora	* H	Air Rotary	· ————————————————————————————————————
Dispo		Cable	
Seismic ;# c			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
-			
			Projected Total Depth:
Original Completion Da	ate: Original Tot	tal Depth:	
inantianal Davietad av Ha	٥ مع مطال سيا المغمونية	□ Vaa □ Na	Water Source for Drilling Operations:
Directional, Deviated or Ho	mzontai welibore?	Yes No	Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR )
			VIII COTOS DE LAIGHT:
			If Yes, proposed zone:
			FIDAVIT
		AF	HIDAVII
he undersigned hereby	affirms that the drilling, comp		ugging of this well will comply with K.S.A. 55 et. seq.
-	affirms that the drilling, comprise ving minimum requirements	pletion and eventual pl	
t is agreed that the follow	ving minimum requirements	pletion and eventual pl will be met:	
t is agreed that the follow  1. Notify the appropria		pletion and eventual pl will be met: udding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amounts	ving minimum requirements of ate district office <i>prior</i> to spu oved notice of intent to drill so unt of surface pipe as specif	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be see	ugging of this well will comply with K.S.A. 55 et. seq.  h drilling rig; t by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amounthrough all unconso</li> </ol>	ving minimum requirements of a district office <i>prior</i> to spure oved notice of intent to drill so unt of surface pipe as specifically a minimum and materials plus a minimum and minimum and materials plus a minimum and minimum requirements of the district of the minimum requirements of the district of the minimum requirements of the district of	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq.  h drilling rig; t by circulating cement to the top; in all cases surface pipe <b>shall be set</b> he underlying formation.
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hor</li> </ol>	ving minimum requirements of ate district office <i>prior</i> to sput oved notice of intent to drill <i>s</i> unt of surface pipe as specifical colidated materials plus a minule, an agreement between the	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging;
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> </ol>	ving minimum requirements of a district office <i>prior</i> to sput oved notice of intent to drill <i>s</i> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug	by drilling rig; the by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. Strict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in;
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I</li> </ol>	ving minimum requirements of ate district office <i>prior</i> to spure oved notice of intent to drill <i>s</i> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be II COMPLETION, production	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente	h drilling rig; the by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. Strict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.
<ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ving minimum requirements of ate district office <i>prior</i> to spure oved notice of intent to drill <i>s</i> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be a complete of the	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	by drilling rig; the by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. Strict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in;
<ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ving minimum requirements of ate district office <i>prior</i> to spure oved notice of intent to drill <i>s</i> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be a complete of the	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	by drilling rig; the by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. Strict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ving minimum requirements of ate district office <i>prior</i> to spure oved notice of intent to drill <i>s</i> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be a complete of the	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	by drilling rig; the by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. Strict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amore through all unconst</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to Appropriate dis</li> </ol>	ving minimum requirements of attention of surface pipe as specificated materials plus a minile, an agreement between the strict office will be notified be II COMPLETION, production bendix "B" - Eastern Kansas is within 30 days of the spud of the	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	by drilling rig; the by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. Strict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amore through all unconst</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to Appropriate dis</li> </ol>	ving minimum requirements of attention of surface pipe as specificated materials plus a minile, an agreement between the strict office will be notified be II COMPLETION, production bendix "B" - Eastern Kansas is within 30 days of the spud of the	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	th drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. Strict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; ed from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ving minimum requirements of attention of surface pipe as specificated materials plus a minile, an agreement between the strict office will be notified be II COMPLETION, production bendix "B" - Eastern Kansas is within 30 days of the spud of the	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro- 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ubmitted Electron  For KCC Use ONLY	ving minimum requirements of attemption attemption of surface of intent to drill so unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas at within 30 days of the spud of inically	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug in pipe shall be cemente surface casing order # date or the well shall be	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed  Ibmitted Electron  For KCC Use ONLY  API # 15 -	ving minimum requirements of attemption attemption of surface of intent to drill so unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be surface of the surface of t	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dist efore well is either plug n pipe shall be cemente surface casing order # date or the well shall be	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electron  For KCC Use ONLY  API # 15  Conductor pipe required	ving minimum requirements of ate district office <i>prior</i> to spud oved notice of intent to drill so unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be seried in COMPLETION, production bendix "B" - Eastern Kansas and within 30 days of the spud of the	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dise fore well is either plug n pipe shall be cemente surface casing order # date or the well shall be	h drilling rig; the prior to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electron  For KCC Use ONLY  API # 15  Conductor pipe required	ving minimum requirements of attemption attemption of surface of intent to drill so unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be surface of the surface of t	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dise fore well is either plug n pipe shall be cemente surface casing order # date or the well shall be	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required  Minimum surface pipe recompleted	ving minimum requirements of ate district office <i>prior</i> to spud oved notice of intent to drill so unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be seried in COMPLETION, production bendix "B" - Eastern Kansas and within 30 days of the spud of the	pletion and eventual plewill be met: udding of well; shall be posted on each fied below shall be senimum of 20 feet into the operator and the disefore well is either plug in pipe shall be cemente surface casing order #date or the well shall be better the well shall be better per ALT.	h drilling rig; the prior to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  UDMITTED  FOR KCC Use ONLY  API # 15 -  Conductor pipe required -  Minimum surface pipe rec	ving minimum requirements of atte district office <i>prior</i> to spurate district office <i>prior</i> to spurate district of surface pipe as specifically an agreement between the strict office will be notified be strict of the specific within 30 days of the spud of	pletion and eventual plewill be met: udding of well; shall be posted on each fied below shall be senimum of 20 feet into the operator and the disefore well is either plug in pipe shall be cemente surface casing order #date or the well shall be better the well shall be better per ALT.	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  JDMITTED Electron  For KCC Use ONLY  API # 15  Conductor pipe required  Minimum surface pipe recompleted by:  This authorization expires	ving minimum requirements of atte district office <i>prior</i> to spurate district office <i>prior</i> to spurate district of surface pipe as specifically an agreement between the strict office will be notified be strict of the specific within 30 days of the spud of	pletion and eventual pletion and eventual plewill be met: udding of well; shall be posted on each fied below shall be senimum of 20 feet into the operator and the diselfore well is either plugh pipe shall be cemente surface casing order # date or the well shall be set per ALT.	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Spud date: \_



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:								
Lease:	feet from N / S Line of Section								
Well Number:	feet from E / W Line of Section								
Field:	SecTwpS. R 🗌 E 🔲 W								
Number of Acres attributable to well:	Is Section: Regular or Irregular								
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW								

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 2590 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:					
Operator Address:								
Contact Person:			Phone Number:					
Lease Name & Well No.:			Pit Location (QQQQ):					
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A	Pit is: Proposed  If Existing, date con Pit capacity:  urea?  Yes	Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty  Chloride concentration:mg/l					
Is the bottom below ground level?	Artificial Liner?	No	(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?					
Pit dimensions (all but working pits):  Depth fro	Length (fee							
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining acluding any special monitoring.					
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:					
feet Depth of water well	feet	measured	well owner electric log KDWR					
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s flow into the pit?  Yes No  Submitted Electronically		Type of materia  Number of work  Abandonment p  Drill pits must b	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:  de closed within 365 days of spud date.					
	KCC	OFFICE USE O	NLY  Liner Steel Pit RFAC RFAS					
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No					



1137989

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the rner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	_

				-	and the second s	4	· contraction of the contraction			Market Confession Conf		of design	1	1				
				- Company of the Comp			-	11		nersell and the same set of the same		-						
				1								Over education of Days of			agangtute Arcalos (collecto)		-	
					-		ALCO CONTRACTOR DE CONTRACTOR	Manager Strategy and Control of the				Afficial security and security				The second secon	a constant	
	Y			ga ga				e company of the comp			-	The second second					and the second s	Name of the last o
	-	K.no	pp		1		raprocente grap			- The second second		-	MANUS CONTROL PARAMETER PA		-		-	na especialis
					1		ng pangker di Angel	- Agent	-	-		-						HOSELHIS SERVICE
			-				enteneral								1		-	
			-	+		_		-					ŀ					
-	1	DE COMPANY.					-	_			-	AND DESCRIPTION OF THE PERSON NAMED IN COLUMN 1	1					Meeting

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

# **NOTICE**

## **Nearest Lease or Unit Boundary Line**

K.A.R. 82-3-108 provides that all oil and gas well locations must comply with setback requirements, unless an exception has been granted by the Commission. Depending upon whether the subject well is an oil well or gas well, and also depending upon the county in which the well is located, the setback may be 330 feet or 165 feet from the nearest lease or unit boundary.

This Intent to Drill ("C-1") form indicates that the distance between the well and the nearest lease or unit boundary will comply with the setback requirement. Accordingly, the C-1 has been approved. However, the C-1 also stated that the well location is very near a boundary line of a Section or a Quarter-Section. This notice is being sent as a courtesy reminder, in case an error was made on the C-1.

As the operator of the proposed well, you must independently verify that the proposed well location complies with the applicable regulatory setback. If at any time it should appear that a well does not comply with the regulatory setback, the well may be subject to being shut-in pending Commission approval of an application for a well location exception. In addition, if such an application is not granted by the Commission, you may be required to plug the well.

If the proposed well location will comply with the regulatory setback, this notice may be disregarded. Please contact the KCC Production Department with any questions or concerns.