



Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION 1138162
OIL & GAS CONSERVATION DIVISION

Form CP-4
March 2009

Type or Print on this Form
Form must be Signed
All blanks must be Filled

WELL PLUGGING RECORD
K.A.R. 82-3-117

OPERATOR: License #: _____
 Name: _____
 Address 1: _____
 Address 2: _____
 City: _____ State: _____ Zip: _____ + _____
 Contact Person: _____
 Phone: (_____) _____
 Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic
 Water Supply Well Other: _____ SWD Permit #: _____
 ENHR Permit #: _____ Gas Storage Permit #: _____
 Is ACO-1 filed? Yes No If not, is well log attached? Yes No
 Producing Formation(s): List All (If needed attach another sheet)
 _____ Depth to Top: _____ Bottom: _____ T.D. _____
 _____ Depth to Top: _____ Bottom: _____ T.D. _____
 _____ Depth to Top: _____ Bottom: _____ T.D. _____

API No. 15 - _____
 Spot Description: _____
 _____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West
 _____ Feet from North / South Line of Section
 _____ Feet from East / West Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
 County: _____
 Lease Name: _____ Well #: _____
 Date Well Completed: _____
 The plugging proposal was approved on: _____ (Date)
 by: _____ (KCC District Agent's Name)
 Plugging Commenced: _____
 Plugging Completed: _____

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: _____ Name: _____
 Address 1: _____ Address 2: _____
 City: _____ State: _____ Zip: _____ + _____
 Phone: (_____) _____
 Name of Party Responsible for Plugging Fees: _____
 State of _____ County, _____, ss.
 _____ Employee of Operator or Operator on above-described well,
 (Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

QUALITY WELL SERVICE, INC.

5657

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Heath's Cell 620-727-3410
Office / Fax 620-672-3663

Rich's Cell 620-727-3409
Brady's Cell 620-727-6964

Date	1-8-13	Sec.	1	Twp.	29	Range	23	County	Ford	State	CO	On Location		Finish	8:00-8:30
Lease	White 20	Well No.	2-1		Location Kingsdown, KS 2N 1/2 W Sinto										
Contractor	Ual #1				Owner										
Type Job	Surface				To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.										
Hole Size	12 1/4				T.D.	689									
Csg.	8 5/8				Depth	695									
Tbg. Size					Depth										
Tool					Depth										
Cement Left in Csg.	20 ct				Shoe Joint	The above was done to satisfaction and supervision of owner agent or contractor.									
Meas Line					Displace	Cement Amount Ordered 250sx 65/35 6% gel 3% CC									
EQUIPMENT											100sx com 3% CC 2% gel 1/4 C.F.				
Pumptrk	No.	3		Cody		Common 235									
Bulktrk	No.	7		Mike		Poz. Mix 85									
Bulktrk	No.	10		Anthony		Gel. 14									
Pickup	No.					Calcium 12									
JOB SERVICES & REMARKS											Hulls				
Rat Hole											Salt				
Mouse Hole											Flowseal 82.50				
Centralizers											Kol-Seal				
Baskets											Mud CLR 48				
D/V or Port Collar											CFL-117 or CD110 CAF 38				
Run 16 Jts of 8 5/8 casing and landing jt											Sand				
											Handling 346				
											Mileage 5.0				
Est Circulation with mud pump											FLOAT EQUIPMENT				
											Guide Shoe				
Hooked up and mixed 250sx 65/35 and tailed in with 100sx com - shut											Centralizer				
down - released plug and disp 40 bbl of H2O - shut in @ 500 psi.											Baskets				
											AFU Inserts				
											Float Shoe				
											Latch Down				
Cement did circulate to surface											8 5/8 bottle plug				
											8 5/8 plug				
											Pumptrk Charge on surface				
											Mileage 5.0				
X Signature <i>[Signature]</i>											Tax				
											Discount				
											Total Charge				

QUALITY WELL SERVICE, INC.

5817

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Heath's Cell 620-727-3410
Office / Fax 620-672-3663

Rich's Cell 620-727-3409
Brady's Cell 620-727-6964

Date	1-17-13	Sec.	1	Twp.	29	Range	23	County	Ford	State	KS	On Location		Finish	11:00-11:30am
Lease	White	Well No.	2-1		Location Kingsdown, KS 2N 2W Sinto										
Contractor	Dal # 1				Owner										
Type Job	Rotary Plug				To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.										
Hole Size					T.D.	5400									
Csg.					Depth	Charge To Vincent Oil Corp									
Tbg. Size					Depth	Street									
Tool					Depth	City State									
Cement Left in Csg.					Shoe Joint	The above was done to satisfaction and supervision of owner agent or contractor.									
Meas Line					Displace	Cement Amount Ordered 170sx 60/40 4% gel 1/4" # F10									
EQUIPMENT															
Pumptrk	No.	8		Cody		Common 105									
Bulktrk	No.	9		m. 2e		Poz. Mix 65									
Bulktrk	No.					Gel. 6									
Pickup	No.					Calcium									
JOB SERVICES & REMARKS															
Rat Hole	30sx				Hulls										
Mouse Hole	20sx				Salt										
Centralizers					Flowseal 42.50										
Baskets					Kol-Seal										
D/V or Port Collar					Mud CLR 48										
1st plug @ 1575 = 50sx				CFL-117 or CD110 CAF 38											
2nd plug @ 720 = 50sx				Sand											
3rd plug @ 60 = 20sx				Handling 176											
RH = 30sx				Mileage 50											
MH = 20sx				FLOAT EQUIPMENT											
				Guide Shoe											
				Centralizer											
				Baskets											
				AFU Inserts											
				Float Shoe											
				Latch Down											
				8 5/8 Dry hole plug											
				Pumptrk Charge PTH											
				Mileage 50											
Thank You!												Tax			
												Discount			
X Signature M.A.												Total Charge			