

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KCC Use: | | | | |
|-----------------|--------|--|--|--|
| Effective Date: | | | | |
| District # | | | | |
| SGA? | Yes No | | | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1138403

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

| month o | d | Spot Description: |
|---|--|---|
| monur | day year | |
| DPERATOR: License# | | feet from N / S Line of Section |
| lame: | | feet from E / W Line of Section |
| ddress 1: | | Is SECTION: Regular Irregular? |
| ddress 2: | | (Note: Locate well on the Section Plat on reverse side) |
| City: State: | | County: |
| Contact Person: | | Lease Name: Well #: |
| Phone: | | |
| CONTRACTOR: License# | | Field Name: Is this a Prorated / Spaced Field? Yes No. |
| Name: | | · |
| vario. | | Target Formation(s): |
| Well Drilled For: Well Class: | Type Equipment: | Nearest Lease or unit boundary line (in footage): |
| Oil Enh Rec Infield | Mud Rotary | Ground Surface Elevation:feet MS |
| Gas Storage Pool Ext. | Air Rotary | Water well within one-quarter mile: |
| Disposal Wildcat | Cable | Public water supply well within one mile: |
| Seismic ; # of Holes Other | | Depth to bottom of fresh water: |
| Other: | | Depth to bottom of usable water: |
| LE CIADACO - ald could intermediate as a fall- | | Surface Pipe by Alternate: I II |
| If OWWO: old well information as follows: | | Length of Surface Pipe Planned to be set: |
| Operator: | | Length of Conductor Pipe (if any): |
| Well Name: | | Projected Total Depth: |
| Original Completion Date: Orig | ginal Total Depth: | Formation at Total Depth: |
| | | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? | Yes No | Well Farm Pond Other: |
| If Yes, true vertical depth: | | DWR Permit #: |
| Bottom Hole Location: | | (Note: Apply for Permit with DWR) |
| KCC DKT #: | | Will Cores be taken? |
| | | If Yes, proposed zone: |
| | ٨Ε | FIDAVIT |
| | = == | |
| The undersigned hereby affirms that the drilling | a completion and eventual bi | agging of this won win comply with it.o.A. 33 ct. 3cq. |
| | | |
| It is agreed that the following minimum requirer | ments will be met: | |
| t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prior</i> | ments will be met: r to spudding of well; | |
| t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prior</i> 2. A copy of the approved notice of intent to | ments will be met: r to spudding of well; o drill shall be posted on eac | h drilling rig; |
| t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prior</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as | ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be see | h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set |
| t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>priot</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus | ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the | h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. |
| t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prior</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus | ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis | h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging ; |
| It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>priot</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti | ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug | h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging ; |
| t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>priot</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Ka | ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order # | th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; but from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>priot</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, prodor pursuant to Appendix "B" - Eastern Ka | ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order # | th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; but from below any usable water to surface within 120 DAYS of spud date. |
| It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, prodor pursuant to Appendix "B" - Eastern Ka | ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order # | th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; but from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Ka must be completed within 30 days of the | ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order # | th drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; but from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Ka must be completed within 30 days of the | ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order # | th drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; but from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the | ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order # | th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; but from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Ka must be completed within 30 days of the | ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order # | th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. The trict office on plug length and placement is necessary prior to plugging ; The great or production casing is cemented in; The drom below any usable water to surface within 120 DAYS of spud date. The sur |
| t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the | ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis diffied before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be | th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. |
| t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the ubmitted Electronically For KCC Use ONLY API # 15 - | ments will be met: r to spudding of well; o drill shall be posted on each specified below shall be set s a minimum of 20 feet into the ween the operator and the dis iffied before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be | th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. The trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification |
| It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>priot</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the ubmitted Electronically For KCC Use ONLY API # 15 | ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be feet | th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; |
| It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the ubmitted Electronically For KCC Use ONLY API # 15 - | ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be feet | th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; |
| It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>priot</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the ubmitted Electronically For KCC Use ONLY API # 15 | ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis diffied before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be feet feet feet per ALT. I I II | th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, procount of pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the ubmitted Electronically For KCC Use ONLY API # 15 | ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis diffied before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be feet feet feet per ALT. I I II | th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the submitted Electronically For KCC Use ONLY API # 15 | ments will be met: r to spudding of well; o drill shall be posted on each specified below shall be set is a minimum of 20 feet into the ween the operator and the distiffed before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be spud date or the well shall be greater than the surface casing order # e spud date or the well shall be greater than the surface casing order # e spud date or the well shall be greater than the surface casing order # e spud date or the well shall be greater than the surface case in the surface | th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

Side Two



| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: |
|---------------------------------------|--|
| Lease: | feet from N / S Line of Section |
| Well Number: | feet from E / W Line of Section |
| Field: | Sec Twp S. R 🗌 E 🔲 W |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

1760 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | | License Number: | | |
|---|--|---|--|--|--|
| Operator Address: | | | | | |
| Contact Person: | | Phone Number: | | | |
| Lease Name & Well No.: | | Pit Location (QQQQ): | | | |
| Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Emergency Pit Burn Pit Proposed Settling Pit Drilling Pit If Existing, date co Workover Pit Haul-Off Pit | | SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty | | |
| Is the pit located in a Sensitive Ground Water A | rea? Yes | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | |
| Is the bottom below ground level? | Artificial Liner? | | How is the pit lined if a plastic liner is not used? | | |
| Pit dimensions (all but working pits): | Length (feet) | | Width (feet) N/A: Steel Pits | | |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | om ground level to dee | Describe proce | dures for periodic maintenance and determining any special monitoring. | | |
| Distance to nearest water well within one-mile | of pit: | Depth to shallo Source of infor | west fresh water feet. mation: | | |
| feet Depth of water wellfeet | | measured | well owner electric log KDWR | | |
| Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No Submitted Electronically | | Type of materia Number of work Abandonment p Drill pits must b | over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: de closed within 365 days of spud date. | | |
| KCC OFFICE USE ONLY | | | | | |
| Date Received: Permit Num | ber: | | Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No | | |



1138403


Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1) | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) | | |
|---|--|--|--|
| OPERATOR: License # | Well Location: | | |
| Name: | • | | |
| Address 1: | | | |
| Address 2: | Lease Name: Well #: | | |
| City: State: Zip:+ | If filing a Form T-1 for multiple wells on a lease, enter the legal description o | | |
| Contact Person: | the lease below: | | |
| Phone: () Fax: () | | | |
| Email Address: | | | |
| Surface Owner Information: | | | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additional | | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer. | | |
| Address 2: | | | |
| City: | | | |
| the KCC with a plat showing the predicted locations of lease roads, tank | dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. | | |
| ☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s). | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this | | |
| task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received with this form, the KSONA-1 | | |
| Submitted Electronically | | | |





Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

May 08, 2013

CLARK EDWARDS
PostRock Midcontinent Production LLC
Oklahoma Tower
210 Park Ave, Ste 2750
OKLAHOMA CITY, OK 73102

Re: Drilling Pit Application EBY 4-16 SE/4 Sec.04-27S-15E Wilson County, Kansas

Dear CLARK EDWARDS:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.