Kansas Corporation Commission 1139216

Form CP-111 June 2011 Form must be Typed Form must be signed

## TEMPORARY ABANDONMENT WELL APPLICATION

All blanks must be complete

OPERATOR: License#				API No. 15-				
Name:				Spot Descr	iption:			
Address 1:					· Sec	Twp	S. R	_
Address 2:						feet from		
City: State: Zip: +           Contact Person:				GPS Location: Lat:, Long:, Long:, Datum: NAD27 NAD83 WGS84				
								Phone:( )
Contact Person Email:				Lease Nam	e:		Well #:	
Field Contact Person:						Gas OG WSV		
Field Contact Person Phon	e:()_			l —		ENHR	Permit #:	
	,				orage Permit #:	 Date Shut-In	:	
	Conductor	Surface	Pro	duction	Intermediate	Liner	Т	Tubing
Size								
Setting Depth								
Amount of Cement								
Top of Cement								
Bottom of Cement								
Depth and Type:	T. I ALT. II Depth o	f: DV Tool:(depth)	w / Inch	Set at:	s of cement Pol	rt Collar:(depth)		
Geological Date:								
Formation Name	Formation <sup>-</sup>	Top Formation Base			Complet	ion Information		
1	At:	to Feet	Perfo	ration Interval	to	Feet or Open Hole In	terval to	Feet
2	At:	to Feet	Perfo	ration Interval	to	Feet or Open Hole In	ervalto	Feet
IINDED DENALTY OF DE	D IIIDV I UEDEDV ATTE			ctronicall		CORRECT TO THE RE	ET OF MV KNO	WII EDGE
Do NOT Write in This Space - KCC USE ONLY	Date Tested:	Results:			Date Plugged:	Date Repaired:	Date Put Back in	n Service:
Review Completed by:			Comn	nents:				
TA Approved: Yes	Denied Date:							
		Mail to the Appr	ropriate	KCC Conserv	ation Office:			

## KCC District Office #1 - 210 E. Frontview, Suite A, Dodge City, KS 67801 Phone 620.225.8888 KCC District Office #2 / UPGS - 3450 N. Rock Road, Building 600, Suite 601, Wichita, KS 67226 Phone 316.630.4000 KCC District Office #3 - 1500 SW Seventh Steet, Chanute, KS 66720 Phone 620.432.2300 KCC District Office #4 - 2301 E. 13th Street, Hays, KS 67601-2651 Phone 785.625.0550

SHELL GULF OF MEXICO, INC. (34574)	MEANS 2802-17			
PETE MARTIN DRILLING (34645) (SET THE CONDUCTOR)	1-H Conductor	1-H Mouse Hole		
Call in DATE OF SPUD	11/9/2012	1-H Mouse Hole		
		11/15/2012		
spud in date	11/13/2012	11/16/2012		
T.D date	11/13/2012	11/16/2012		
Size Hole Drilled	26"	20"		
Size Caseing Set (in O.D )	18"	14"		
conductor wall thickness	250	188		
Weight Lbs./Ft.	47.76	27.76		
Setting Depth	60'	77"		
	Type 1/2 portland cement	Type 1/2 portland cement		
Type of Cement				
Cubic yards of cement	5су	6су		
2500 PSI Grout Mix	yes	yes		
Type and Percent of Additives	15% fly ash	15% fly ash		

Comments	0 to 15ft is red clay hit 15 to 21 grey clay 21 to 35 sand,35-39 green clay 39-40 sand 40-60 clay water at 18ft	0 to 15ft is red clay hit 15 to 21 grey clay 21 to 35 sand,35-39 green clay 39-40 sand 40-62 clay 62-64 rock 64-77 grey water at 18ft
Size Hole Drilled		
Size Caseing Set (in O.D )		
Weight Lbs./Ft.		
Setting Depth		
Type of Cement		
# of Sacks Used		
Type and Percent of Additives		
Purpose of String		
Size Hole Drilled		

Size Caseing Set (in O.D )	
Weight Lbs./Ft.	
Setting Depth	
Type of Cement	
# of Sacks Used	
Type and Percent of Additives	
Purpose of String	