

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	Sec Twp S. R E V
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ity:	County:
ontact Person:hone:	Lease Name: Well #:
HOHE.	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field? Yes No
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
ii OvvvvO. oid well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes Notes true vertical depth:	
Bottom Hole Location:	DVVK Permit #.
KCC DKT #:	(Note: Apply for Formit Wall 2011
	Will Cores be taken? Yes No
	ii les, proposed zorie.
A	FFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual	plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
	ach drilling rig;
2. A copy of the approved notice of intent to drill shall be posted on ea	
3. The minimum amount of surface pipe as specified below shall be s	
The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into	the underlying formation.
3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into4. If the well is dry hole, an agreement between the operator and the ope	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i>
 3. The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction. 5. The appropriate district office will be notified before well is either plus 	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging</i> ; ugged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the construction of the surface of the s	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging</i> ; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the construction of the surface of the s	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the construction. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order 	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. ##133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the construction of the surface of the s	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. ##133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the constraint of the surface of the sur	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. ##133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the constraint of the surface of the sur	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the constraint of the surface of the sur	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to:
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall shall be completed. **Description** **Descrip	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall shall be completed. **Description** **Descrip	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to:
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerally or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall shall be completed. **Description** **Desc	the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall shall with the complete shall be completed. **Jumitted Electronically** **For KCC Use ONLY** API # 15	the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerally or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall shall be completed. **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed. **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed. **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed. **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed. **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed. **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed. **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed. **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed. **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed. **The appropriate district office will be notified before well is either plus of the spud date or the spud date or the well shall be completed. **The appropriate district office will be notified before well is either plus of the spud date or the well shall be notified before well is either plus of the spud date or the spud date or the spud date or the spud date or	the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the composition of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall shall be composited. **The appropriate district office will be notified before well is either plus of the spud date or the well shall be cement of the spud date or the well shall be completed. **The appropriate district office will be notified before well is either plus of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the spud date or the well shall be cement of the spud date or the spud date or the well shall be cement of the spud date or	the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the composition of the second of the	the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

_ Agent: .



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

4785 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date continued. Pit capacity:	Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
Distance to nearest water well within one-mile of	of nit-	Donth to challe	west fresh waterfeet.
Distance to nearest water well within one-fille t	л рп.	Source of inform	nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY: I utilized in drilling/workover: xing pits to be utilized: procedure:
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	·	e closed within 365 days of spud date.
Submitted Electronically			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No



Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

ator: Edward E B	irk			Location of Well: Cour	nty: Odicy	
: Harreld				4,785	feet from N / X S Line of S	ection
Number: 9				3,135	feet from E / W Line of S	ection
Crandall				Sec. 12 Twp. 2	23 S. R. 15 E W	
er of Acres attr	ibutable to we	ell:		Is Section: Regu	ular or Irregular	
QTR/QTR/QTR	of acreage:	SW - NE	- NE - NW	is occiton. Zirtege	and or megalar	
				If Section is Irregular	r, locate well from nearest corner boundary	1.
				Section corner used:	NE NW SE SW	
			PI	LAT		
SI	now location o	f the well Show	footage to the nearest l	lease or unit houndary line	Show the predicted locations of	
	ion iocation o	Tare trem. Criett	rootage to the nearest h	case of ann boardary mic.	Show the predicted locations of	
					ce Owner Notice Act (House Bill 2032).	
			nd electrical lines, as req			
			nd electrical lines, as req	quired by the Kansas Surfac		
			nd electrical lines, as req	quired by the Kansas Surfac		
			nd electrical lines, as req	quired by the Kansas Surfac		
			nd electrical lines, as req	quired by the Kansas Surfac	ce Owner Notice Act (House Bill 2032). LEGEND	
			nd electrical lines, as req	quired by the Kansas Surfac	LEGEND O Well Location	
			nd electrical lines, as req	quired by the Kansas Surfac	LEGEND O Well Location Tank Battery Location	
			nd electrical lines, as req	quired by the Kansas Surfac	LEGEND O Well Location Tank Battery Location Pipeline Location	
			nd electrical lines, as req	quired by the Kansas Surfac	LEGEND O Well Location Tank Battery Location — Pipeline Location Electric Line Location	
			nd electrical lines, as req	quired by the Kansas Surfac	LEGEND O Well Location Tank Battery Location Pipeline Location	
			nd electrical lines, as req	quired by the Kansas Surfac	LEGEND O Well Location Tank Battery Location — Pipeline Location Electric Line Location	
			nd electrical lines, as req	quired by the Kansas Surfac	LEGEND O Well Location Tank Battery Location — Pipeline Location — Electric Line Location Lease Road Location	
			nd electrical lines, as req	quired by the Kansas Surfac	LEGEND O Well Location Tank Battery Location — Pipeline Location Electric Line Location	
			nd electrical lines, as req	quired by the Kansas Surfac	LEGEND O Well Location Tank Battery Location — Pipeline Location — Electric Line Location Lease Road Location	

1980' FSL

SEWARD CO. 3390' FEL

 ${\it NOTE: In all \ cases \ locate \ the \ spot \ of \ the \ proposed \ drilling \ locaton.}$

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- $2. \ \, \text{The distance of the proposed drilling location from the south / north and east / west outside section lines}.$
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

May 16, 2013

Edward Birk Birk, Edward E. 302 S 16TH ST BURLINGTON, KS 66839-2329

Re: Drilling Pit Application Harreld 9 NW/4 Sec.12-23S-15E Coffey County, Kansas

Dear Edward Birk:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.