

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R
OPERATOR: License#	(0/0/0/0) feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes No
	If Yes, proposed zone:
AFI	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu	
It is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	
 Notify the appropriate district office <i>prior</i> to spadding of well, A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	drilling rig:
3. The minimum amount of surface pipe as specified below shall be set	0 0,
through all unconsolidated materials plus a minimum of 20 feet into the	· ·
 If the well is dry hole, an agreement between the operator and the dist 	, , , , , , , , , , , , , , , , , , , ,
E. The common data district office will be a self-ordinated as well in either when	ied of production casing is cemented in:
5. The appropriate district office will be notified before well is either plugg	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	d from below any usable water to surface within 120 DAYS of spud date.
 If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	d from below any usable water to surface within 120 DAYS of spud date.
 If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required feet	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15 Conductor pipe required feet	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

_ Agent:

If well will not be drilled or permit has expired (See: authorized expiration date)
please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:			Location of Well: County:											
Lease:										feet	from	N /	S Line	e of Section
Well Number	er:									feet	from	E /	W Line	e of Section
Field:							_ Se	c	Twp	S.	R		E	W
Number of A							- Is \$	Section:	Regular	or	Irregular			
								Section is	Irregular, loc	ate well		arest co		ndary.
					d electrica You m		required b	y the Kans	dary line. Sho sas Surface Or ired.					
		:	:			:	:	•			LEGE	MD		
		:		1		:	:	:			LEGE	שוו		
		: 						: 		<u></u>	Tank E Pipelin	e Locat	ocation tion ocation	
		: 									Lease	Road L	ocation	
1980 ft		:	(<u> </u> 		:			EX	AMPLE	:		:]
		:		2	5		:							
						:	:							
		: :	: :	:	••••	:	:	· · · · · · · · · · · · · · · · · · ·			9		:	1980' FSL
							: :			 Н Т		•••••	:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR			
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	п и сарасну.	(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l			
To the processing in a content of country training			(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner? Yes N	No	How is the pit lined if a plastic liner is not used?			
			NAC data (for a)			
Pit dimensions (all but working pits):	Length (fee	,	Width (feet) N/A: Steel Pits No Pit			
If the pit is lined give a brief description of the li			dures for periodic maintenance and determining			
material, thickness and installation procedure.			cluding any special monitoring.			
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of inforr	west fresh water feet. nation:			
feet Depth of water well	feet	measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill nite must h	e closed within 365 days of spud date.			
Submitted Electronically						
	KCC	OFFICE USE O	NLY			
	11.00	513 2 332 0 1	Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No			



1141143

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

TOPOGRAPHIC LAND SURVEYORS
, OKIA CITY, OKIA 73116 | LOCAL (405) 843-4847 | OUI OF STATE (800) 654-3219
Certificate of Authorization No. 15-99, Exp. Dec. 31, 2013 6709 NORTH CLASSEN BLVD., SUMNER County, Konsas
Section 25 Township 32S Range SUMNER 2440'FNL - 1980'FWL _ Range __4W_P.M. X= 2235231 Y= 213118 V= 2229924 V= 213038 330 HAROLINE (660') llom Hole 10'FSL—1980'FY/L 0-27 (US Foot) "14'53,4" N "42'11.9" W .248166590' N .703308462' W 2310 X = 2235239Y = 210450X= 2229928 Y= 210394 2440 330' HARDLINE 1980' (690') (200') no elec lims Scale: '= 1000' 330, HANDTHE X= 2235244 Y= 205150 1000 X= 2229920 Y= 205121 BOTTOM HOLE INFORMATION PROMDED BY OPERATOR LISTED, NOT SURVEYED, CORNER COORDINATES ARE TAKEN FROM POINTS SURVEYED IN THE FIELD. Distances shown in (parenthesis) are calculated based upon the Quarter Socilon being 2640 feet, those shown in Ibrackets) are based on GLO (Genoral Land Office) distances and have <u>HOT</u> been measured on the ground. Operator: SANDRIDGE EXPLORATION & PRODUCTION, LLC ELEVATION: 1203' Gr. at Stake Lease Name: YARNELL 3204 Well No.: 1-25H Topography & Vegetation Loc. fell in sloped pasture Reference Stakes or Alternate Location Stakes Set None Good Drill Site? _ Best Accessibility to Location _ Distance & Direction from Hwy Jct or Town _____Fro From West off county road From Argonia, KS, go 3.0 mi. East on US Hwy, 160, then 2.0 mi. South

to the NW Cor. of Sec. 25-T325-R4W DATUM; NAD-27 LAT: 37'14'06,4"N LONG; 97'42'12,4"W LAT: 37.235120575' LONG; 97.703449088' PS receive eccuracy.

GRID

500


STATE PLANE COORDINATES: (US Feet) ZONE: KS SOUTH

2231904 207975

CERTIFICATE:

I, Michael Blake Brown a Kansas Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors, do hereby certify that the above described well location was surveyed and staked on the ground see shows basely as shown herein.





Proposed Electric Line

Yarnell 3204 1-25H

Sumner County, KS

Unit Description:

SW/4 of Section 24-32S-04W

NW/4 of Section 25-32S-07W

Surface Owners:

Donna R Earles and Duane G. Earles, Trustees

9700 SW Boulevard

Wichita, KS 67215

r		**,	1 Printagram	in the area
μ'con,		773	g X	
			, , , , , , , , , , , , , , , , , , ,	
		fore nmc x . f	R ₅₋₁₁	NOBLE 3293 1-17
		1	В	-
15	14	13 n	enthinumitteneranis X	17
		,	PIERWILLIAND SELECTURA XX2110413	
		H H Destruction		
g .		•	STEWNITHE	
)(nealmasa Katilianisi		
)("EGHUATA"	× _{uass1}	
		n'o		
		1	E, Resoluti	
		Kennasa Kantati	k, K _{phyttini}	
22	23	Heritanso H	19	20
		u¹		
		ain ueo Auciiraco		
			Жимима	
	WACNET!	BHT THE INTERPRETATION OF THE INTERPRETATION	HALLOWATANOGERIAS TO DOSERIA TO DOSERIA	
		POINTE AND	INDITIONS (MEY) CO. C.	
Sumr	32S 4W	DOUGET	Invinant + Harmony + Meet Leavitteer	
	+	p 01		
			Action min	
	р ^Д 1	+ trantes	1 A CANDILLAND	
		AVING F 3501 1-521	30	29
27	26	n ¹		
	*-			
				×
2	×,			
	x' magain			
	# BROKUT		nouther Haramen	
				icativin 10
(Legiend **)	+' 5'			
₩ SancAdjalVata	35	36	31	32
Sandrage SND Wets	μl u'			
Compelitor Wells X ADUACOVED LOCATION X DRAFFICLE, TELEFORME LYARANDONIEL				
a CASMEIT	X, Milberlice Only I			
+ OLKEII	4.	it wat i		
STOROGUEGA NELLEGIANT			б _Ж ал е нгласт 33S 3W — «	JPLANDAIS
3	2 33S 4W	1	ε X	"Mor15



February 5, 2013

Donna R. Earles and Duane G. Earles, Trustees 9700 SW Boulevard Wichita, KS 67215

Re: KSONA-1 NOTIFICATION

Please find attached an updated draft copy of Intent to Drill currently pending with the KCC for approval. We plan to drill the Yarnell 3204 1-25H well located in Sumner County, Kansas, and you are listed as the current surface owners.

This notice is being provided pursuant to the Kansas Surface Owner Notice Act (House Bill 2032). If you have any questions, please contact us.

Sincerely,

Tiffany Golay

Regulatory Technician SandRidge Energy

123 Robert S Kerr Avenue

Oklahoma City, OK 73102 T: 405.429.6543

E: tgolay@sandridgeenergy.com

/file

Attach.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

May 29, 2013

Tiffany Golay SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application Yarnell 3204 1-25H NW/4 Sec.25-32S-04W Sumner County, Kansas

Dear Tiffany Golay:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined. If a plastic liner is to be used it must have a minimum thickness of 20 mil. Integrity of the liner must be maintained at all times.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The free fluids in the reserve pit should be removed after the salt section has been drilled through and again as soon as practical after drilling operations have ceased. The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill.** If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.