

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1141757

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	
DPERATOR: License#	feet from N / S Line of Section
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	
CONTRACTOR: License#	Field Name:  Is this a Prorated / Spaced Field?  Yes No.
Name:	·
variie	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AF	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	<b>0</b> 0.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i>	by circulating cement to the top; in all cases surface pipe shall be set
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> be underlying formation.
<ol> <li>It is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distriction.</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> be underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ;
<ol> <li>It is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> be underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in;
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> be underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ;
<ol> <li>It is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>	by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>It is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>	by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>	the underlying formation.  trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>	the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the disentation of the surface of the set of	the control of the top; in all cases surface pipe shall be set the underlying formation.  It is trict office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the disense of the surface of the set of the	the circulating cement to the top; in all cases surface pipe shall be set be underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set o	the circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It in the control of the control of the circulation of the circu
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the disense of the surface of the set of the	the circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It in the complete shall be set the underlying formation.  It is the underlying formation.  It is the underlying formation.  It is the complete shall be set the underlying formation.  It is the complete shall be set the underlying form to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the dise. The appropriate district office will be notified before well is either plug of the spuddate or before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spuddate or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	the circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It is different to the top; in all cases surface pipe shall be set the underlying formation.  It is different to plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set through the set through a materials plus a minimum of 20 feet into the set through a materials plus a minimum of 20 feet into the set through the set through the set of the set o	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #  must be completed within 30 days of the spud date or the well shall b   **Ubmitted Electronically**  For KCC Use ONLY  API # 15 -  Conductor pipe required	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente.  7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #  8. must be completed within 30 days of the spud date or the well shall be  8. well shall be  9. well shall be  9. well shall be set to be over the operator and the dis  9. The appropriate days of the spud date or the well shall be to be completed within 30 days of the spud date or the well shall be shall be to be completed within 30 days of the spud date or the well shall be to be completed within 30 days of the spud date or the well shall be to be completed by the spud date or the well shall be to be completed by the spud date or the well shall be to be completed by the spud date or the well shall be to be completed by the spud date or the well shall be to be completed by the spud date or the well shall be to be completed by the spud date or the well shall be date or the well shall be determined by the spud date or the well shall be determined by the spud date or the well shall be determined by the spud date or the well shall be determined by the spud date or the spud date or the well shall be determined by the spud date or the	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Cartification of Compliance within 120 days of spud date;  File Cartification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Cartification of Compliance with 120 days of spud date;  File Cartification (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

Side Two



For KCC Use ONLY	
API # 15	-

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 340 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

1141757 Form CDP-1

May 2010

Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date continued.  Pit capacity:	Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
Distance to nearest water well within one-mile of	of nit	Denth to shallo	west fresh waterfeet.
Distance to nearest water well within one-fille t	л рп.	Source of inform	nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:	Type of material utilized in drilling/workover:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.	
Submitted Electronically			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



1141757

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R East	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: ( ) Fax: ( )		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City:		
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this	
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1	
Submitted Electronically		

For KCC Use ONLY
API # 15

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page. Operator: Haffner, Dan Location of Well: County: Sheridan Lease: haffner S Line of Section Well Number: 3-18 1495 feet from X E / W Line of Section Field: haffner southwest 18 Twp. 9 S. R. 27 Number of Acres attributable to well: Is Section: X Regular or Irregular QTR/QTR/QTR/QTR of acreage: NE If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. **LEGEND** Well Location Tank Battery Location Pipeline Location **Electric Line Location** Lease Road Location **EXAMPLE** 1980' FSL NOTE: In all cases locate the spot of the proposed drilling locaton.

340 ft.

## in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.