

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1137324

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15				
Name:	Spot Description:				
Address 1:	SecTwpS. R 🗌 East 🗌 West				
Address 2:	Feet from North / South Line of Section				
City: State: Zip:+	Feet from _ East / _ West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Producing Formation:				
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Elevation: Ground: Kelly Bushing:				
☐ OG ☐ GSW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:				
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet				
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to:w/sx cmt.				
Original Comp. Date: Original Total Depth:					
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan				
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)				
Commingled Paymit #:	Chloride content: ppm Fluid volume: bbls				
Commingled Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
ENHR Permit #:	·				
GSW Permit #:	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R				
Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Page Two



Operator Name:			Lease Name:			Well #:	
Sec Twp	S. R	East West	County:				
open and closed, flow	ring and shut-in pressu	ormations penetrated. D res, whether shut-in pre ith final chart(s). Attach	ssure reached stati	c level, hydrosta	tic pressures, bott		
		tain Geophysical Data a r newer AND an image f		gs must be ema	iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Taker (Attach Additional S		Yes No			on (Top), Depth an		Sample
Samples Sent to Geo	logical Survey	☐ Yes ☐ No	Nam	9		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING Report all strings set-c	RECORD Ne conductor, surface, inte		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
	5	ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose: Depth Type of Cement # Sacks Used Top Bottom # Sacks Used		# Sacks Used	Type and Percent Additives				
Protect Casing Plug Back TD							
Plug Off Zone							
					¬		1
	ulic fracturing treatment or otal base fluid of the hydra	n this well? aulic fracturing treatment ex	ceed 350,000 gallons	Yes ? Yes		p questions 2 an p question 3)	d 3)
		submitted to the chemical of	_	Yes		out Page Three	of the ACO-1)
Shots Per Foot		N RECORD - Bridge Plug		Acid, Fra	cture, Shot, Cement	Squeeze Record	i
Shots Fel Foot	Specify Fo	ootage of Each Interval Perf	orated	(Aı	mount and Kind of Ma	terial Used)	Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		
Date of First, Resumed	Production, SWD or ENH	R. Producing Meth	nod:				
		Flowing		Gas Lift C	Other (Explain)		
Estimated Production Per 24 Hours	Oil BI	bls. Gas	Mcf Wate	er B	bls. G	as-Oil Ratio	Gravity
DISPOSITIO	ON OF GAS:	N.	METHOD OF COMPLE	TION:		PRODUCTIO	N INTERVAL:
Vented Sold		Open Hole	Perf. Dually	Comp. Cor	nmingled		
(If vented, Sul	bmit ACO-18.)	Other (Specify)	(Submit A	(Sub	mit ACO-4)		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

May 01, 2013

Todd Miller Miller, Todd dba Speedy Well Service 402 W ELM ST SEDAN, KS 67361-1219

Re: ACO1 API 15-019-27200-00-00 JB and JS Huffman 300 NE/4 Sec.25-34S-11E Chautauqua County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Todd Miller

CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	SPEEDY WELL SERVICES	State, County	Chautaugua , Kansas	Cement Type	CLASS	Δ
Job Type	LS	Section		Excess (%)	02,000	
Customer Acct #		TWP	34	Density		14
Well No.	HUFFMAN 300	RGE	11E	Water Required		7.4
Mailing Address		Formation		Yeild		1.74
City & State		Hole Size	6.75	Slurry Weight		
Zip Code		Hole Depth	1162	Slurry Volume		
Contact		Casing Size	4 1/2	Displacement		18.5
Email		Casing Depth	1152	Displacement PSI		600
Cell		Drill Pipe	1131	MIX PSI		200
Dispatch Location	BARTLESVILLE	Tubing		Rate		4
Code	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit		
5401	CEMENT PUMP (2 HOUR MAX)	Quantity 1	2 HRS MAX	\$1,030.00	\$	1,030.00
5406	EQUIPMENT MILEAGE (ONE-WAY)	40	PER MILE	\$4.00	\$	160.00
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$350.00	\$	350.00
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	<u>.</u>
5402	FOOTAGE	1,152	PER FOOT	0.22	\$	253.44
				QUIPMENT TOTAL	\$	1,793.44
	Cement, Chemicals and Water					
1126	WC. CEMENT (CAL SEAL) 6%OWC. 2% CAL.CLORIDE 2% GEI	130	0	\$18.80	\$	2,444.00
1110A	KOL SEAL (50 # SK)	1,050	0	\$0.46	\$	483.00
1111	GRANULATED SALT (50#) SELL BY #	550	0	\$0.37	\$	203.50
1107A	PHENOSEAL	40	0	\$1.29	\$	51.60
1118B	PREMIUM GEL/BENTONITE (50#)	300	0	\$0.21	\$	63.00
1123 0	CITY WATER (PER 1000 GAL)	- 5	0	\$16.54	\$	82.70
0		<u> </u>	0	\$0.00	\$	
0		-	0	\$0.00 \$0.00	\$	
0		AM TO	0	\$0.00	\$	
0			0	\$0.00	\$	
			1	CHEMICAL TOTAL		3,327.80
	Water Transport			CHLIMICAL TOTAL	Ψ	3,327.00
5501C	WATER TRANSPORT (CEMENT)	3	TER TRANSPORT (CEME	\$112.00	\$	336.00
0	THE THOUSE STATE (SEMENT)		0	\$0.00	\$	
0			0	\$0.00	\$	- ·
			Т	RANSPORT TOTAL	\$	336.00
			A TOP OF THE PROPERTY AND THE PROPERTY A			
	Cement Floating Equipment (TAXABLE)					
Problems	Cement Floating Equipment (TAXABLE) Cement Basket					
0	Cement Basket		0	\$0.00	\$	
					\$	
0	Cement Basket		0	\$0.00	\$ \$	
	Cement Basket Centralizer				\$	
0 0	Cement Basket		0 0	\$0.00 \$0.00	\$ \$ \$	
0	Cement Basket Centralizer Float Shoe		0	\$0.00	\$ \$	
0 0	Cement Basket Centralizer		0 0	\$0.00 \$0.00 \$0.00	\$ \$ \$ \$	
0 0	Centralizer Float Shoe Float Collars		0 0	\$0.00 \$0.00	\$ \$ \$	-
0 0 0	Cement Basket Centralizer Float Shoe		0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$	
0 0	Centralizer Float Shoe Float Collars Guide Shoes		0 0	\$0.00 \$0.00 \$0.00	\$ \$ \$ \$	
0 0 0	Centralizer Float Shoe Float Collars		0 0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$	
0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates		0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$	
0 0 0 0	Centralizer Float Shoe Float Collars Guide Shoes			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates		0 0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$	
0 0 0 0	Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0	Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0	Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0	Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0	Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc.			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0 0	Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0	Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG	1		\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0 0 0 0 0	Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	45.00
0 0 0 0 0 0 0 0	Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	45.00
0 0 0 0 0 0 0 0 0 0 0 0 4404	Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	45.00
0 0 0 0 0 0 0 0 0 0 0 4404	Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	45.00 45.00 5,502.24
0 0 0 0 0 0 0 0 0 0 0 4404	Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME Donnie Tate MATT MI	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	45.00 45.00 5,502.24 279.94 5,782.18
0 0 0 0 0 0 0 0 0 0 0 0 4404 0 TRUCK#	Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME Donnie Tate MATT MI AARON S	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	45.00 45.00 5,502.24 279.94 5,782.18 578.22
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME Donnie Tate MATT MI	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	45.00 45.00 5,502.24 279.94 5,782.18
0 0 0 0 0 0 0 0 0 0 0 0 4404 0 TRUCK#	Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME Donnie Tate MATT MI AARON S	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	45.00 45.00 5,502.24 279.94 5,782.18 578.22

AUTHORIZATION

DREMAN

CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	SPEEDY WELL SERVICES	State, County	Chautauqua , Kansas	Cement Type	CLASS A
Customer Acct #	LS	Section	34	Excess (%)	0
Well No.	0	TWP	11E	Density	14
Mailing Address	HUFFMAN 300	RGE	0	Water Required	7.4
City & State	0	Formation	#REF!	Yeild	1.74
Zip Code	0	Hole Size	6.75	Slurry Weight	0
Contact	0	Hole Depth	1162	Slurry Volume	0
Email	0	Casing Size	4.5	Displacement	18.5
Cell	0	Casing Depth	1152	Displacement PSI	600
Office	0	Drill Pipe	0	MIX PSI	200
Dispatch Location	BARTLESVILLE	Tubing	0	Rate	4
REMARKS					

SAFTY MTG, RIG UP. EST CIRC WITH GEL AND H20. RUN 130SX CHAP MIX. WASH OUT PUMP AND LINES AND RELEASE PLUG. DISP 18.5 BBLS TO LAND PLUG. PLUG					
LANDED AT 1200# SHOE HELD. CMT TO SURF. THANK YOU					
3600					