







# Cement Report

Customer <i>Oxy USA</i>		Lease No.		Date <i>1-7-13</i>	
Lease <i>Garden City H</i>		Well # <i>11</i>		Service Receipt	
Casing		Depth		County <i>Finnery</i>	
Job Type <i>Surface</i>		Formation		State <i>KS</i>	
Legal Description		Formation		Legal Description	
Pipe Data			Perforating Data		
Casing size <i>8 7/8" 24#</i>	Tubing Size		Shots/Ft		Lead <i>350 sk A Con</i> <i>32 cc, 1/4# Poly,</i> <i>2% WCA-1</i>
Depth <i>1800 ft</i>	Depth		From	To	
Volume <i>111.68 BBL</i>	Volume		From	To	
Max Press	Max Press		From	To	
Well Connection	Annulus Vol.		From	To	
Plug Depth <i>1756.07 ft</i>	Packer Depth		From	To	Tail in <i>245 sk Premium Plus</i> <i>2% cc, 1/4# Poly</i>
Time	Casing Pressure	Tubing Pressure	Bbls. Pumped	Rate	
<i>1800</i>					<i>On Location - Spot &amp; Rig up</i>
<i>2100</i>					<i>Casing on bottom - Break Circ.</i>
<i>0015</i>					<i>Safety Meeting</i>
<i>0024</i>		<i>2000</i>			<i>Pressure Test</i>
<i>0029</i>		<i>300</i>	<i>150</i>	<i>4</i>	<i>Mix 350 sk A Con @ 12.1 PPG</i>
<i>0124</i>		<i>200</i>	<i>58</i>	<i>4</i>	<i>Mix 245 sk Premium Plus @ 14.8 PPG</i>
<i>0144</i>					<i>Shut Down - Drop top plug</i>
<i>0147</i>		<i>100</i>	<i>0</i>	<i>5</i>	<i>Start Displacing</i>
<i>0224</i>		<i>500</i>	<i>102</i>	<i>2</i>	<i>Shut Down - Mix Salt</i>
<i>0245</i>		<i>500-1000</i>	<i>112</i>		<i>Bump plug</i>
<i>0250</i>		<i>1000-0</i>			<i>Release Pressure - Float Hold</i>
<i>0256</i>		<i>1500</i>			<i>Pressure test casing</i>
					<i>Release Pressure - Test good</i>
Service Units	<i>21755</i>	<i>38119/19919</i>	<i>30463/37547</i>	<i>19827/19566</i>	
Driver Names	<i>Kirby</i>	<i>Ed m</i>	<i>Santiago</i>	<i>Juan L</i>	

Customer Representative

*Jerry Bennett*  
Station Manager

*Kirby Harper*  
Cementer