



Diamond Testing General Report

**JAKE
FAHRENBRUCH - TESTER
Cell: (620) 282-8977**

P.O. Box 157
Hoisington KS 67544
Office: (800) 542-7313

General Information

Company Name	New Gulf Operating	Well Name	Moore #1-27
Well Operator	New Gulf Operating	Unique Well ID	DST #1 Lansing "I" 4264'-4306'
Contact	Jim Henkle	Surface Location	Sec 27-17s-34w-Scott Co.-KS
Site Contact	John Goldsmith	Test Unit	#5
Field		Pool	
Well Type	Vertical	Job Number	F116
Prepared By	Jake Fahrenbruch	Qualified By	John Goldsmith

Test Information

Test Type	Conventional Bottom-Hole	Test Purpose	Initial Test
Formation	Lansing "I" 4264'-4306'	Gauge Name	0062
Start Test Date	2013/04/03	Start Test Time	21:19:00
Final Test Date	2013/04/04	Final Test Time	05:30:00

Test Results

Blow: 30 min: Surface blow, increased to 5.5".
 45 min: No blowback.
 45 min: Surface blow, increased to 5.75".
 60 min: No blowback.

Recovered: 140' SOSWCM <1% oil, 22% wtr, 77% mud
 ----- Bottom-Hole Temperature: 112 Deg F
 ----- Chlorides: 22,000 ppm
 ----- RW: 1.15 ohm @ 25 Deg F
 ----- PH: 7.0

Pressures: IHP: 2015
 IFP: 11-49
 ISIP: 999
 FFP: 47-78
 FSIP: 957
 FHP: 2014



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: _____

TIME ON: _____
TIME OFF: _____

Company _____ Lease & Well No. _____
Contractor _____ Charge to _____
Elevation _____ Formation _____ Effective Pay _____ Ft. Ticket No. _____
Date _____ Sec. _____ Twp. _____ S Range _____ W County _____ State **KANSAS**
Test Approved By _____ Diamond Representative _____

Formation Test No. _____ Interval Tested from _____ ft. to _____ ft. Total Depth _____ ft.
Packer Depth _____ ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Packer Depth _____ ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Depth of Selective Zone Set _____

Top Recorder Depth (Inside) _____ ft. Recorder Number _____ Cap. _____ P.S.I.
Bottom Recorder Depth (Outside) _____ ft. Recorder Number _____ Cap. _____ P.S.I.
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type _____ Viscosity _____ Drill Collar Length _____ ft. I.D. 2 1/4 in.
Weight _____ Water Loss _____ cc. Weight Pipe Length _____ ft. I.D. 2 7/8 in.
Chlorides _____ P.P.M. Drill Pipe Length _____ ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number _____ Test Tool Length _____ ft. Tool Size 3 1/2-IF in.
Did Well Flow? _____ Reversed Out _____ Anchor Length _____ ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: _____
2nd Open: _____

Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges
Remarks: _____	Insurance
	Total

Time Set Packer(s) _____ A.M. P.M. Time Started Off Bottom _____ A.M. P.M. Maximum Temperature _____
Initial Hydrostatic Pressure..... (A) _____ P.S.I.
Initial Flow Period..... Minutes _____ (B) _____ P.S.I. to (C) _____ P.S.I.
Initial Closed In Period..... Minutes _____ (D) _____ P.S.I.
Final Flow Period..... Minutes _____ (E) _____ P.S.I. to (F) _____ P.S.I.
Final Closed In Period..... Minutes _____ (G) _____ P.S.I.
Final Hydrostatic Pressure..... (H) _____ P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

New Gulf Operating
DST #1 Lansing "I" 4264'-4306'
Start Test Date: 2013/04/03
Final Test Date: 2013/04/04

Moore #1-27
Formation: Lansing "I" 4264'-4306'
Job Number: F116

Moore #1-27

