



## DRILL STEM TEST REPORT

Prepared For: **TDI Inc**

1310 Bison RD  
Hays, KS 67601

ATTN: Herb Deines

### **Henman Unit #1**

### **6-15s-19w Ellis KS**

Start Date: 2013.03.27 @ 14:58:00

End Date: 2013.03.27 @ 20:21:30

Job Ticket #: 52164                      DST #: 1

Trilobite Testing, Inc  
PO Box 362 Hays, KS 67601  
ph: 785-625-4778 fax: 785-625-5620

Printed: 2013.03.28 @ 15:32:52

TDI Inc  
6-15s-19w Ellis KS  
Henman Unit #1  
DST # 1  
Cong. Sand  
2013.03.27



**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

TDI Inc  
1310 Bison RD  
Hays, KS 67601  
ATTN: Herb Deines


**6-15s-19w Ellis KS**  
**Henman Unit #1**  
Job Ticket: 52164 **DST#: 1**  
Test Start: 2013.03.27 @ 14:58:00

## GENERAL INFORMATION:

Formation: **Cong. Sand**  
 Deviated: No Whipstock: ft (KB)  
 Time Tool Opened: 17:20:30  
 Time Test Ended: 20:21:30  
 Interval: **3656.00 ft (KB) To 3685.00 ft (KB) (TVD)**  
 Total Depth: 3685.00 ft (KB) (TVD)  
 Hole Diameter: 7.88 inches Hole Condition: Fair  
 Test Type: Conventional Bottom Hole (Initial)  
 Tester: Cody Bloedorn  
 Unit No: 59  
 Reference Elevations: 2048.00 ft (KB)  
 2038.00 ft (CF)  
 KB to GR/CF: 10.00 ft

**Serial #: 8319 Outside**  
 Press @ RunDepth: 19.70 psig @ 3657.00 ft (KB) Capacity: 8000.00 psig  
 Start Date: 2013.03.27 End Date: 2013.03.27 Last Calib.: 2013.03.27  
 Start Time: 14:58:05 End Time: 20:21:29 Time On Btm: 2013.03.27 @ 17:20:00  
 Time Off Btm: 2013.03.27 @ 18:58:00

**TEST COMMENT:** 30 - IF- 3/4" blow  
 45 - IS- No return  
 20 - FF- No blow for 10 Minutes, flushed tool, surged and died. w. waited 10 Min. Pulled tool.



## PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1868.47	98.68	Initial Hydro-static
1	18.52	98.36	Open To Flow (1)
29	19.70	99.89	Shut-In(1)
75	741.64	101.58	End Shut-In(1)
76	20.15	101.43	Open To Flow (2)
97	21.77	102.32	Shut-In(2)
98	1797.74	103.15	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
15.00	Mud, with show of Oil, 100%M	0.21

## Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE TESTING, INC.**

# DRILL STEM TEST REPORT

TDI Inc  
 1310 Bison RD  
 Hays, KS 67601  
 ATTN: Herb Deines


**6-15s-19w Ellis KS**  
**Henman Unit #1**  
 Job Ticket: 52164      **DST#: 1**  
 Test Start: 2013.03.27 @ 14:58:00

## GENERAL INFORMATION:

Formation: **Cong. Sand**  
 Deviated: No Whipstock: ft (KB)  
 Time Tool Opened: 17:20:30  
 Time Test Ended: 20:21:30  
 Interval: **3656.00 ft (KB) To 3685.00 ft (KB) (TVD)**  
 Total Depth: 3685.00 ft (KB) (TVD)  
 Hole Diameter: 7.88 inches Hole Condition: Fair  
 Test Type: Conventional Bottom Hole (Initial)  
 Tester: Cody Bloedorn  
 Unit No: 59  
 Reference Elevations: 2048.00 ft (KB)  
 2038.00 ft (CF)  
 KB to GR/CF: 10.00 ft

**Serial #: 8166 Inside**  
 Press @ Run Depth: psig @ 3657.00 ft (KB) Capacity: 8000.00 psig  
 Start Date: 2013.03.27 End Date: 2013.03.27 Last Calib.: 2013.03.27  
 Start Time: 14:58:35 End Time: 20:20:59 Time On Btm:  
 Time Off Btm:

**TEST COMMENT:** 30 - IF- 3/4" blow  
 45 - IS- No return  
 20 - FF- No blow for 10 Minutes, flushed tool, surged and died. w. waited 10 Min. Pulled tool.



PRESSURE SUMMARY			
Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery		
Length (ft)	Description	Volume (bbl)
15.00	Mud, with show of Oil, 100%M	0.21

Gas Rates			
	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

**TOOL DIAGRAM**

TDI Inc  
1310 Bison RD  
Hays, KS 67601  
ATTN: Herb Deines

**6-15s-19w Ellis KS**  
**Henman Unit #1**  
Job Ticket: 52164      **DST#: 1**  
Test Start: 2013.03.27 @ 14:58:00

**Tool Information**

Drill Pipe:	Length: 3657.00 ft	Diameter: 3.80 inches	Volume: 51.30 bbl	Tool Weight:	2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	30000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose:	44000.00 lb
			<u>Total Volume: 51.30 bbl</u>	Tool Chased	0.00 ft
Drill Pipe Above KB:	29.00 ft			String Weight: Initial	40000.00 lb
Depth to Top Packer:	3656.00 ft			Final	40000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	29.00 ft				
Tool Length:	57.00 ft				
Number of Packers:	2	Diameter: 6.75 inches			

Tool Comments:

<b>Tool Description</b>	<b>Length (ft)</b>	<b>Serial No.</b>	<b>Position</b>	<b>Depth (ft)</b>	<b>Accum. Lengths</b>
-------------------------	--------------------	-------------------	-----------------	-------------------	-----------------------

Change Over Sub	1.00			3629.00	
Shut In Tool	5.00			3634.00	
Hydraulic tool	5.00			3639.00	
Jars	5.00			3644.00	
Safety Joint	2.00			3646.00	
Packer	5.00			3651.00	28.00      Bottom Of Top Packer
Packer	5.00			3656.00	
Stubb	1.00			3657.00	
Recorder	0.00	8166	Inside	3657.00	
Recorder	0.00	8319	Outside	3657.00	
Perforations	25.00			3682.00	
Bullnose	3.00			3685.00	29.00      Bottom Packers & Anchor

**Total Tool Length: 57.00**



**TRILOBITE**  
**TESTING, INC.**

**DRILL STEM TEST REPORT**

**FLUID SUMMARY**

TDI Inc **6-15s-19w Ellis KS**  
 1310 Bison RD **Henman Unit #1**  
 Hays, KS 67601 Job Ticket: 52164 **DST#: 1**  
 ATTN: Herb Deines Test Start: 2013.03.27 @ 14:58:00

**Mud and Cushion Information**


Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 10.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 75.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.78 in <sup>3</sup>	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 2600.00 ppm			
Filter Cake: inches			

**Recovery Information**

Recovery Table

Length ft	Description	Volume bbl
15.00	Mud, with show of Oil, 100%M	0.210

Total Length: 15.00 ft Total Volume: 0.210 bbl  
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:  
 Laboratory Name: Laboratory Location:  
 Recovery Comments:




Serial #: 8166

Inside

TDI Inc

Herman Unit #1

DST Test Number: 1



Triobite Testing, Inc

Ref. No: 52164

Printed: 2013.03.28 @ 15:32:55



## DRILL STEM TEST REPORT

Prepared For: **TDI Inc**

1310 Bison RD  
Hays, KS 67601

ATTN: Herb Deines

### **Henman Unit #1**

### **6-15s-19w Ellis KS**

Start Date: 2013.03.28 @ 01:08:05

End Date: 2013.03.28 @ 08:48:29

Job Ticket #: 52165                      DST #: 2

Trilobite Testing, Inc  
PO Box 362 Hays, KS 67601  
ph: 785-625-4778 fax: 785-625-5620

Printed: 2013.03.28 @ 15:31:20

TDI Inc  
6-15s-19w Ellis KS  
Henman Unit #1  
DST # 2  
"H"  
2013.03.28





**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

TDI Inc  
1310 Bison RD  
Hays, KS 67601  
ATTN: Herb Deines

**6-15s-19w Ellis KS**  
**Henman Unit #1**  
Job Ticket: 52165      **DST#: 2**  
Test Start: 2013.03.28 @ 01:08:05

## GENERAL INFORMATION:

Formation: "H"  
Deviated: No Whipstock: ft (KB)      Test Type: Conventional Straddle (Reset)  
Time Tool Opened: 03:20:00      Tester: Cody Bloedorn  
Time Test Ended: 08:48:29      Unit No: 59  
**Interval: 3460.00 ft (KB) To 3484.00 ft (KB) (TVD)**      Reference Elevations: 2048.00 ft (KB)  
Total Depth: 3684.00 ft (KB) (TVD)      2038.00 ft (CF)  
Hole Diameter: 7.88 inches Hole Condition: Fair      KB to GR/CF: 10.00 ft


## Serial #: 8319

Inside

Press @ Run Depth: 39.09 psig @ 3480.00 ft (KB)      Capacity: 8000.00 psig  
Start Date: 2013.03.28      End Date: 2013.03.28      Last Calib.: 2013.03.28  
Start Time: 01:08:05      End Time: 08:48:29      Time On Btm: 2013.03.28 @ 03:19:30  
Time Off Btm: 2013.03.28 @ 06:22:30

TEST COMMENT: 30 - IF- 1" blow  
45 - IS- No return  
45 - FF- 1/2" blow  
60 - FS- No return

## PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1757.09	105.13	Initial Hydro-static
1	29.22	104.76	Open To Flow (1)
30	33.05	104.97	Shut-In(1)
75	1164.76	105.72	End Shut-In(1)
76	34.34	105.43	Open To Flow (2)
119	39.09	105.88	Shut-In(2)
182	1162.82	106.53	End Shut-In(2)
183	1769.98	106.75	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
45.00	Mud, with oil spots, 100%M	0.63

\* Recovery from multiple tests

## Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE TESTING, INC.**

# DRILL STEM TEST REPORT

TDI Inc  
 1310 Bison RD  
 Hays, KS 67601  
 ATTN: Herb Deines


**6-15s-19w Ellis KS**  
**Henman Unit #1**  
 Job Ticket: 52165 **DST#: 2**  
 Test Start: 2013.03.28 @ 01:08:05

## GENERAL INFORMATION:

Formation: **"H"**  
 Deviated: No Whipstock: ft (KB)  
 Time Tool Opened: 03:20:00  
 Time Test Ended: 08:48:29  
**Interval: 3460.00 ft (KB) To 3484.00 ft (KB) (TVD)**  
 Total Depth: 3684.00 ft (KB) (TVD)  
 Hole Diameter: 7.88 inches Hole Condition: Fair  
 Test Type: Conventional Straddle (Reset)  
 Tester: Cody Bloedorn  
 Unit No: 59  
 Reference Elevations: 2048.00 ft (KB)  
 2038.00 ft (CF)  
 KB to GR/CF: 10.00 ft

**Serial #: 8166 Outside**  
 Press @ RunDepth: psig @ 3480.00 ft (KB)  
 Start Date: 2013.03.28 End Date: 2013.03.28  
 Start Time: 01:08:35 End Time: 08:48:29  
 Capacity: 8000.00 psig  
 Last Calib.: 2013.03.28  
 Time On Btm:  
 Time Off Btm:

TEST COMMENT: 30 - IF- 1" blow  
 45 - IS- No return  
 45 - FF- 1/2" blow  
 60 - FS- No return



## PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

## Recovery

Length (ft)	Description	Volume (bbl)
45.00	Mud, with oil spots, 100%M	0.63

\* Recovery from multiple tests

## Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE TESTING, INC.**

**DRILL STEM TEST REPORT**

TDI Inc  
 1310 Bison RD  
 Hays, KS 67601  
 ATTN: Herb Deines

**6-15s-19w Ellis KS**  
**Henman Unit #1**  
 Job Ticket: 52165 **DST#: 2**  
 Test Start: 2013.03.28 @ 01:08:05


**GENERAL INFORMATION:**

Formation: "H"  
 Deviated: No Whipstock: ft (KB)  
 Time Tool Opened: 03:20:00  
 Time Test Ended: 08:48:29  
 Interval: **3460.00 ft (KB) To 3484.00 ft (KB) (TVD)**  
 Total Depth: 3684.00 ft (KB) (TVD)  
 Hole Diameter: 7.88 inches Hole Condition: Fair  
 Test Type: Conventional Straddle (Reset)  
 Tester: Cody Bloedorn  
 Unit No: 59  
 Reference Elevations: 2048.00 ft (KB)  
 2038.00 ft (CF)  
 KB to GR/CF: 10.00 ft

**Serial #: 6753 Below (Straddle)**

Press @ Run Depth: psig @ 3685.00 ft (KB) Capacity: 8000.00 psig  
 Start Date: 2013.03.28 End Date: 2013.03.28 Last Calib.: 2013.03.28  
 Start Time: 01:08:05 End Time: 08:46:59 Time On Btm:  
 Time Off Btm:

**TEST COMMENT:** 30 - IF- 1" blow  
 45 - IS- No return  
 45 - FF- 1/2" blow  
 60 - FS- No return



**PRESSURE SUMMARY**

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

**Recovery**

Length (ft)	Description	Volume (bbl)
45.00	Mud, with oil spots, 100%M	0.63

**Gas Rates**

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

\* Recovery from multiple tests



**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

**TOOL DIAGRAM**

TDI Inc  
1310 Bison RD  
Hays, KS 67601  
ATTN: Herb Deines

**6-15s-19w Ellis KS**  
**Henman Unit #1**  
Job Ticket: 52165      **DST#: 2**  
Test Start: 2013.03.28 @ 01:08:05

**Tool Information**

Drill Pipe:	Length: 3466.00 ft	Diameter: 3.80 inches	Volume: 48.62 bbl	Tool Weight:	2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	30000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose:	44000.00 lb
			<u>Total Volume: 48.62 bbl</u>	Tool Chased	0.00 ft
Drill Pipe Above KB:	34.00 ft			String Weight: Initial	40000.00 lb
Depth to Top Packer:	3460.00 ft			Final	40000.00 lb
Depth to Bottom Packer:	3484.00 ft				
Interval between Packers:	24.00 ft				
Tool Length:	256.00 ft				
Number of Packers:	2	Diameter: 6.75 inches			

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3433.00	
Shut In Tool	5.00			3438.00	
Hydraulic tool	5.00			3443.00	
Jars	5.00			3448.00	
Safety Joint	3.00			3451.00	
Packer	4.00			3455.00	28.00      Bottom Of Top Packer
Packer	5.00			3460.00	
Stubb	1.00			3461.00	
Perforations	19.00			3480.00	
Recorder	0.00	8319	Inside	3480.00	
Recorder	0.00	8166	Outside	3480.00	
Blank Off Sub	4.00			3484.00	24.00      Tool Interval
Packer	4.00			3488.00	
Stubb	1.00			3489.00	
perforations	5.00			3494.00	
Change Over Sub	1.00			3495.00	
Blank Spacing	189.00			3684.00	
Change Over Sub	1.00			3685.00	
Recorder	0.00	6753	Below	3685.00	
Bullnose	3.00			3688.00	204.00      Bottom Packers & Anchor
<b>Total Tool Length:</b>	<b>256.00</b>				



**TRILOBITE  
TESTING, INC.**

**DRILL STEM TEST REPORT**

**FLUID SUMMARY**

TDI Inc  
1310 Bison RD  
Hays, KS 67601  
ATTN: Herb Deines

**6-15s-19w Ellis KS**  
**Henman Unit #1**  
Job Ticket: 52165      **DST#: 2**  
Test Start: 2013.03.28 @ 01:08:05

**Mud and Cushion Information**


Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 10.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 75.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.78 in <sup>3</sup>	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 2600.00 ppm			
Filter Cake: inches			

**Recovery Information**

Recovery Table

Length ft	Description	Volume bbl
45.00	Mud, w ith oil spots, 100%M	0.631

Total Length: 45.00 ft      Total Volume: 0.631 bbl  
 Num Fluid Samples: 0      Num Gas Bombs: 0      Serial #:  
 Laboratory Name:      Laboratory Location:  
 Recovery Comments:





Serial #: 8166

Outside TDI Inc


Herman Unit #1

DST Test Number: 2









# TRILOBITE TESTING INC.

1515 Commerce Parkway • Hays, Kansas 67601

## Test Ticket

NO. 52164

Well Name & No. Henman Unit #1 Test No. 1 Date 3-27-13  
 Company TDI Inc Elevation 2048 KB 2038 GL  
 Address 1310 Bison RD, Hays KS, 67601  
 Co. Rep / Geo. Herb Rig Southwind #1  
 Location: Sec. 6 Twp. 15S Rge. 19W Co. ELLIS State KS

Interval Tested 3656 - 3685 Zone Tested Congl sand  
 Anchor Length 29' Drill Pipe Run 3657' Mud Wt. 9.5  
 Top Packer Depth 3651 Drill Collars Run — Vis 75  
 Bottom Packer Depth 3656 Wt. Pipe Run — WL 7.8  
 Total Depth 3685 Chlorides 2,600 ppm System LCM —

Blow Description IF - 3/4" blow  
ISI - No return  
FF - No blow for 10 Min. Flushed tool, surged & died, waited 10 min.  
~~ISI~~ pulled tool

Rec	Feet of	%gas	%oil	%water	%mud
<u>15</u>	<u>Mud with show of oil</u>			<u>100</u>	
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud

Rec Total 15' BHT 102° Gravity — API RW — @ — °F Chlorides — ppm

(A) Initial Hydrostatic <u>1868</u>	<input checked="" type="checkbox"/> Test 1150	T-On Location <u>10:13 am</u>
(B) First Initial Flow <u>18</u>	<input checked="" type="checkbox"/> Jars 250	T-Started <u>2:58 pm</u>
(C) First Final Flow <u>19</u>	<input checked="" type="checkbox"/> Safety Joint 75	T-Open <u>5:20 pm</u>
(D) Initial Shut-In <u>741</u>	<input type="checkbox"/> Circ Sub	T-Pulled <u>6:55 pm</u>
(E) Second Initial Flow <u>20</u>	<input type="checkbox"/> Hourly Standby	T-Out <u>8:23 pm</u>
(F) Second Final Flow <u>21</u>	<input checked="" type="checkbox"/> Mileage <u><del>2000</del> 40RT<sup>62</sup></u>	Comments <u>No hourly charge</u>
(G) Final Shut-In <u>—</u>	<input type="checkbox"/> Sampler	
(H) Final Hydrostatic <u>1797</u>	<input type="checkbox"/> Straddle	<input type="checkbox"/> Ruined Shale Packer
	<input type="checkbox"/> Shale Packer	<input type="checkbox"/> Ruined Packer

Initial Open 30  
 Initial Shut-In 45  
 Final Flow 20  
 Final Shut-In —

Extra Packer  
 Extra Recorder  
 Day Standby  
 Accessibility

Sub Total 1537

Sub Total 1537

Total 1537  
 MP/DST Disc't —

Approved By \_\_\_\_\_

Our Representative Cody B

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



# TRILOBITE TESTING INC.

1515 Commerce Parkway • Hays, Kansas 67601

## Test Ticket

NO. 52165

Well Name & No. Henman unit #1 Test No. 2 Date 3-28-13  
 Company TDI INC Elevation 2048 KB 2038 GL  
 Address 1310 Bison RD, Hays KS, 67601  
 Co. Rep / Geo. Herb Rig Southwind #1  
 Location: Sec. 6 Twp. 15S Rge. 19W Co. Ellis State KS

Interval Tested 3460 - 3484 TD3684 Zone Tested "H"  
 Anchor Length 24' Drill Pipe Run 3466 Mud Wt. 9.5  
 Top Packer Depth 3455 Drill Collars Run — Vis 75  
 Bottom Packer Depth 3460 Wt. Pipe Run — WL 7.8  
 Total Depth 3484 Chlorides 21600 ppm System LCM —

Blow Description IF - 1" blow  
ISI - No return  
FF - 1/2" blow  
FSI - No return

Rec	Feet of	%gas	%oil	%water	%mud
<u>45</u>	<u>Mud with spots of oil</u>			<u>100</u>	
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud

Rec Total 45' BHT 106° Gravity — API RW — @ — ° F Chlorides — ppm

(A) Initial Hydrostatic <u>1757</u>	<input checked="" type="checkbox"/> Test 1150	T-On Location <u>12:06am</u>
(B) First Initial Flow <u>29</u>	<input checked="" type="checkbox"/> Jars 250	T-Started <u>1:08am</u>
(C) First Final Flow <u>33</u>	<input checked="" type="checkbox"/> Safety Joint 75	T-Open <u>3:19am</u>
(D) Initial Shut-In <u>1164</u>	<input type="checkbox"/> Circ Sub	T-Pulled <u>6:19am</u>
(E) Second Initial Flow <u>34</u>	<input type="checkbox"/> Hourly Standby	T-Out <u>8:48am</u>
(F) Second Final Flow <u>39</u>	<input checked="" type="checkbox"/> Mileage <u>40 RT</u> 124	Comments <u>Brett loaded tools 3/28 @ 15:30</u>
(G) Final Shut-In <u>1162</u>	<input type="checkbox"/> Sampler	
(H) Final Hydrostatic <u>1769</u>	<input checked="" type="checkbox"/> Straddle 600	<input type="checkbox"/> Ruined Shale Packer

Initial Open 30  Shale Packer  
 Initial Shut-In 45  Ruined Packer  
 Final Flow 45  Extra Packer  
 Final Shut-In 60  Extra Recorder  
 Extra Recorder  
 Day Standby  
 Accessibility  
 Sub Total 2199 MP/DST Disc't

Approved By \_\_\_\_\_ Our Representative Cody Bloodorn

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.