



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Shakespeare Oil Co, Inc

28 16s 34w Scott, Ks

202 W Main Street
Salem, Il 62881

Nightengale 1-28

Job Ticket: 49156

DST#: 5

ATTN: Tim Priest

Test Start: 2013.03.26 @ 00:54:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

49000 ppm

Viscosity: 55.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 9.59 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 6700.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
240.00	somcw 3o 17m 80w	1.789
70.00	ow cm 10o 30w 60m	0.696
1.00	oil	0.010

Total Length: 311.00 ft Total Volume: 2.495 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: rw is .301 @ 36F = 49,000ppm


Serial #: 8522

Outside Shakespeare Oil Co, Inc

Nightengale 1-28

DST Test Number: 5

Pressure vs. Time



Triobite Testing, Inc

Ref. No: 49156

Printed: 2013.03.26 @ 11:02:20