

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #	:	
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1145081

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R
DPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
State:	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I II
	Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any):
Operator:	Projected Total Depth:
Well Name: Original Total Depth:	Formation at Total Depth:
Original Completion Date Original Total Deptil	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFF	If Yes, proposed zone:
	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set and underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. circi office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. circt office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> a underlying formation. citc office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in; a from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. citc office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> a underlying formation. citc office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in; a from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. citc office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> a underlying formation. citc office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in; a from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; drom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; drom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be appropriated Electronically	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; drom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; drom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the feet well and the feet of the feet feet feet feet feet feet feet	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; drom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be **Libmitted Electronically** **For KCC Use ONLY** API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set aunderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the feet Minimum surface pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:							_ Lo	cation of Wel	II: Cour	nty:				
Lease:										fe	eet from	N A	S Lin	e of Section
Well Numb	ber:									fe	et from	E /	W Line	e of Section
Field:							_ Se	ec	_Twp		S. R		E	W
							15	Section:	Regu	lar or	Irregu	lar		
								Section is Irrection corner	•	, locate w	ell from	nearest	SW	ndary.
		ads, tank b			d electrica	l lines, as	required b	r unit bounda by the Kansas e plat if desire	s Surfac					
222 ft.		:	:	:		:	:	:						
222 II.		:		:		:					LE	GEND		
			•	•	••••									
		:	:	:		•	:	:				I Locatio		
		:	:	:		:	:						y Location	
	•••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		••••		• • • • • • • • • • • • • • • • • • • •					eline Loc		
		:	:	:		:	:						Location	
		:	:	:		:	:				Lea	se Road	Location	
					• • • • • • • • • • • • • • • • • • • •									
		:	:	:		:	:	:						
		:	:	:		:	:			EXAMPL	F	:	:	7
		:	:	:		:	:	:			:			
				2	3	:					:	÷	:	
		:	:	: -		:	:			•••••				·
					•••••						:	:	:	
		:	:	:		:	:	:			:		:	
			:	:		:	:			•••••		•••••	•• ••••••	•
			•	·										1980' FSL
		:	:	:		:	:	:			: Y		:	1300 1 02
		:	:	:		:	:	:		•••••	·	· · · · · ·		
					••••			•						
		:	:	:		:	:					1		
		:		:		:	:			SEWARD CO	. 3390' F	EL		_
		•	:	•		•	:	•						

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)		(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l
To the processing in a content of country training			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner? Yes N	No	How is the pit lined if a plastic liner is not used?
			NAC data (for a)
Pit dimensions (all but working pits):		,	Width (feet) N/A: Steel Pits No Pit
Depth from ground level to deepest poi If the pit is lined give a brief description of the liner Description			dures for periodic maintenance and determining
material, thickness and installation procedure.			cluding any special monitoring.
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of inforr	west fresh water feet. nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease:		Number of worl	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill nite must h	e closed within 365 days of spud date.
Submitted Electronically			
	KCC	OFFICE USE O	NLY
			Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



1145081

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

		FILE NO.: 13-05-059 DIGTESS NO.: N/A	REVISED: N/A	SCALE: 1" = 1000'
et al ATU 1 T 30 S, R 38 W unty, Kansas	Schmidt et al Section 23, T 30 Grant County,	NSULTANTS NSI-CERTIFIED FEDERAL SURVEYORS NA • TEXAS REET, AMARILLO, TEXAS 79107 386 pro.us	LICENSED STATE LAND SURVEYORS • PROFESSIONAL LAND SURVEYORS • CERTIFIED FEDERAL SURVEYORS COLORADO • KANSAS • OKLAHOMA • TEXAS P.O. BOX 4061, AMARILLO, TEXAS 79116 • 616 N. POLK STREET, AMARILLO, TEXAS 79107 806.374.4334 • FAX 806.359.0686 www.geopro.us • email: info@geopro.us	PROP LICENSED STATE LAND SURVE COLC P.O. BOX 4061, AMARILLO
Resources	THE RE	LLC SUR	DAVIS GEOMATICS,	3
ocation For	Proposed Well Location For	MNS	1000	
and Surveyor ration No. 1478 s	J. D. Davis Professional Land Surveyor Kansas Registration No. 14: Amarillo, Texas			
the above described ground as shown.	- CERTIFICATE- The undersigned does hereby certify that the well location was surveyed and staked on the g	The under well locatio	resent a true tages and ties zupation which zines.	This plat DOES NOT represent a true Boundary Survey. The footages and ties shown are from lines of occupation which may not be actual Property Lines.
			are relative to true North as svations.	NOTE: Bearings hereon are relati
SECTION 25 TOWNSHIP 30 SOUTH RANGE 38 WEST GRANT CO., KANSAS	5265.88' INTERSECTION	N SECTION 26 TOWNSHIP 30 SOUTH RANGE 38 WEST GRANT COUNTY, KANSAS	N 89°32'21" W	SECTION 27 TOWNSHIP 30 SOUTH RANGE 38 WEST GRANT CO., KANSAS
			3/8" REBAR FOUND	Ξ
S 00°03'36" W				N 00°03'13" E
SECTION 24 TOWNSHIP 30 SOUTH RANGE 38 WEST GRANT COUNTY, KANSAS	TH	SECTION 23 TOWNSHIP 30 SOUTH RANGE 38 WEST GRANT COUNTY, KANSAS		SECTION 22 TOWNSHIP 30 SOUTH RANGE 38 WEST GRANT COUNTY, KANSAS
5283.17'		Resources al ATU 1 \D - 83 '51.92" 27' 07.64"	Pioneer Natural Resources SCHMIDT et al ATU 1 DATUM: NAD - 83 LAT. 37° 25' 51.92" LONG101° 27' 07.64"	5271.83'
SECTION 13 TOWNSHIP 30 SOUTH RANGE 38 WEST GRANT CO., KANSAS	BRIDGE SPIKE FOUND 5266.41'	SECTION 14 TOWNSHIP 30 SOUTH RANGE 38 WEST GRANT COUNTY, KANSAS	CALCULATED POINT S 89°39'46"	SECTION 15 TOWNSHIP 30 SOUTH RANGE 38 WEST GRANT CO., KANSAS
	11.7 MILES FROM ULYSSES	S 27°00' W, 11.7 MILES	J.	Distance & Direction:
	COLINTY ROAD NORTH OF LOCATION	COLINTY ROAD NO	o Contion:	Rost Accessibility to
	NONE	1	ate Stakes Set	Reference or Alternate Stakes
County, Kansas	CULTIVATED	ROLLING,	visiip:	phy &
County Kansas	GRANT	ange: 38 W 6TH ÞM	30 S	Section: 23
).:ATU 1	et alWELL N	OURCES Lease Name:	PIONEER NATURAL RESOURCES	

SECTION 27 TOWNSHIP 30 SQUITH RANGE 38 WEST GRANT CO., KANSAS GRANT CO., KANSAS	SECTION 22 TOWNSHIP 30 SOUTH RANGE 38 WEST GRANT COUNTY, KANSAS N 00°03'13" E 527	Operator:PIONEER NATU Footages:
N 89°32'21" W SECTION	LAT. 37° 25' 51.92" LONG101° 27' 07.64" SECTION 23 TOWNSHIP 30 SOUTH RANGE 38 WEST GRANT COUNTY, KANSAS GRAND	211' FNL & 222' FWL 211' FNL & 222' FWL 30 S, Range: 38' ion:
ON 26 5265.88' 30 SOUTH 38 WEST 4TY KANSAS		Lease Name: SCHMIDT et al WELL NO.: WL Elevation: 313 38 W , 6TH PM GRANT ROLLING, CULTIVATED NONE COUNTY ROAD NORTH OF LOCATION S 27°00' W, 11.7 MILES FROM ULYSSES POUND SECTION 14 TO NEST BRIDGE SPIKE POUND 5266.41' 5266.41'
SECTION 25. TOWNSHIP 30 SOUTH RANGE 38 WEST GRANT CO., KANSAS	S 00°03'36" W SECTION 24 TOWNSHIP 30 SOUTH RANGE 38 WEST GRANT COUNTY, KANSAS	3139' County, Kansas

NOTE: Bearings hereon are relative to true North as determined from G.P.S. observations.

This plat DOES NOT represent a true Boundary Survey. The footages and ties shown are from lines of occupation which may not be actual Property Lines.



- CERTIFICATEThe undersigned does hereby certify that the above described well location was surveyed and staked on the ground as shown.

Kansas Registration No. 1478 Professional Land Surveyor Amarillo, Texas

J. D. Davis

SURVE Proposed Well Location For

Pioneer Natural Resources

Schmidt et al ATU 1

Section 23, T 30 S, R 38 W Grant County, Kansas



DAVIS GEOMATICS, LLC

PROFESSIONAL GEOMATIC CONSULTANTS
LICENSED STATE LAND SURVEYORS • PROFESSIONAL LAND SURVEYORS • CERTIFIED FEDERAL SURVEYORS
COLORADO • KANSAS • OKLAHOMA • TEXAS
P.O. BOX 4061, AMARILLO, TEXAS 79116 • 616 N. POLK STREET, AMARILLO, TEXAS 79107
806.374.4334 • FAX 806.359.0686
www.geopro.us • email: info@geopro.us

	mm:gcopio:as ciliali: illo@gcopio:as	0.00
DRAWN BY: C. Oller	DATE: 5-10-2013	FILE NO.: 13-05-059
SCALE: 1" = 1000'	REVISED: N/A	DIGTESS NO.: N/A

Foolages: 231 Township: 30 S. Range: 38 W. 6TH PM GRANT
211' FNL & 222' FWL Township: 30 S,Range: 38 W, 6TH _ PM C
211' FNL & 222' FWL Elevation Township: 30 S , Range: 38 W , 6TH PM C Station: ROLLING, CULTIVATED ROLLING, CULTIVATED NORTH OF LO S 27'00' W, 11.7 MILES FROM ULYS SECTION 14 TOWNSHIP 30 SOUTH RANGE 38 WEST GRANT COUNTY, KANSAS SCHMIDT et al ATU 1 SUT ST 51.52" LONG101° 27'07.64" GRANT COUNTY, KANSAS GRANT COUNTY, KANSAS GRANT COUNTY, KANSAS GRANT COUNTY, KANSAS
Township: 30 S,Range: 38 W,6TH _PM C C
211' FNL & 222' FWL Township: 30 S , Range: 38 W , 6TH PM C ROLLING, CULTIVATED ROLLING: CULTIVATED NONE ate Stakes Set: COUNTY ROAD NORTH OF LO CALCULATED SECTION 14 TOWNSHIP 30 SOUTH RANGE 38 WEST GRANT COUNTY, KANSAS 52 373-39 S 89°39'46" E 52 373-34-35 S 89°39'46" E 52
211' FNL & 222' FWL Township: 30 S,Range: 38 W,6TH_PMC ROLLING, CULTIVATED ROLLING, CULTIVATED NONE S 27°00' W, 11.7 MILES FROM ULYS CALCULATED CALCULATED POINT RANGE 38 WEST GRANT COUNTY, KANSAS
211' FNL & 222' FWL 23 Township: 30 S , Range: 38' hy & Vegetation:
211' FNL & 222' FWL 23 Township: 30 S ,Range: 38 hy & Vegetation:
211' FNL & 222' FWL Elevatio 23 Township: 30 S ,Range: 38 W ,6TH PM ROLLING, CULTIVATED by or Alternate Stakes Set: NONE
211' FNL & 222' FWL Elevatio 23 Township: 30 S ,Range: 38 W ,6TH PM ROLLING, CULTIVATED
211' FNL & 222' FWL Elevatio
211' FNL & 222' FWL

DAVIS GEOMATICS, LLC

PROFESSIONAL GEOMATIC CONSULTANTS
LICENSED STATE LAND SURVEYORS • PROFESSIONAL LAND SURVEYORS • CERTIFIED FEDERAL SURVEYORS
COLORADO • KANSAS • OKLAHOMA • TEXAS
P.O. BOX 4061, AMARILLO, TEXAS 79161 • 616 N. POLK STREET, AMARILLO, TEXAS 79107
806.374.4334 • FAX 806.359.0686
www.geopro.us • email: info@geopro.us SURVE

DRAWN BY: C. Oller SCALE: 1" = 1000' DATE: 5-10-2013 REVISED: N/A FILE NO.: 13-05-059 DIGTESS NO.: N/A

J. D. Davis
Professional Land Surveyor
Kansas Registration No. 1478
Amarillo, Texas

Proposed Well Location For

Pioneer Natural Resources

Schmidt et al ATU 1 Section 23, T 30 S, R 38 W Grant County, Kansas

PLAT AND CERTIFICATION OF ACREAGE ATTRIBUTABLE TO A GAS WELL

Kansas Corporation Commission, Conservation Division Finney State Office Building, 130 South Market, Room 2078 Wichita, Kansas 67202

API NUMBER 15-	LOCATION OF WELL: COUNTY Grant
OPERATOR Pioneer Natural Resources USAI LEASE Schmidt et al WELL NUMBER ATU FIELD Hugoton-Panama NUMBER OF ACRES ATTRIBUTABLE TO WELL 640 QTR/QTR/QTR OF ACREAGE NW-NW-NW (Show the location of the well and shade attr (Show the footage to the nearest lease or uni common source supply well).	feet from south/north line of section feet from east / west line of section SECTION TWP 30 (S) RG 38 E/W IS SECTION REGULAR OF IRREGULAR IF SECTION IS IRREGULAR, LOCATE WELL FROM NEAREST CORNER BOUNDARY. (check line below) Section corner used: NE NW SE SW ributable acreage for prorated or spaced wells). t boundary line; and show footage to the nearest
15:	: 14
211 222 \$\$.	EXAMPLE 1980
22: Example 22: Ex	:23 SEWARD CO. (title) for
acreage claimed attributable to the well na and hereby make application for an allowabl this form and the State test, whichever is	(Co.), a duly authorized agent, that all to the best of my knowledge and belief, that all med herein is held by production from that well to be assigned to the well upon the filing of later.
Subscribed and sworn to before me on this 4	Notary Public FORM CG-8 (12/94)

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Dperator: Pioneer Natural Resources U.S.A. Inc. Lease: SCHMIDT et al								Location of Well: County: GRANT 211			
Nell Number: ATU 1 Field: HUGOTON- PANOMA Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NW - NW - NW - NW						······		222 feet from E / W Line of Section			
							_ Se	Sec. 23 Twp. 30 S. R. 38 E W			
						- NW	ls (Is Section: Regular or Irregular			
								Section is In	regular, locate well from nearest corner boundary. used: NENWSESSW		
							PLAT				
									ary line. Show the predicted locations of		
/e. 	ase road	is, tank bi	atteries, pi	oelines an				y tne Kansa: plat if de s ire	s Surface Owner Notice Act (House Bill 2032). ed.		
7)/.			•	· · · · · · · · · · · · · · · · · · ·	•		.]			
222	8	2	419	-					LEGEND		
222-1.	: ••••••••••••••••••••••••••••••••••••	•••••	: !:	: 			: 		O Well Location		
:			i			•			Tank Battery Location		
	 ~ :		········ :	*********		:	:		Pipeline LocationElectric Line Location		
	2429							14	Lease Road Location		
· ·				********	********	:	<i></i>	:			
									EXAMPLE		
					3	:	:	:			
			MONOTE SONG		600 00E						
	:::::::::::::::::::::::::::::::::::::::					:	:				
						:	:	:	1090/50		
	:		:	e at their st		:	:		1980' FSL		
	. 			1 Ti			:				
	**************************************		0			:	<u>:</u>				
ì	:		:	:	1	:	:		SEWARD CO. 3390' FEI		

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.